



**Address:** 202 Commerce Blvd, **Phone:** (724) 745-5300  
 Lawrence , Pennsylvania ,  
 15055 United States

**Quotation:**  
**Q-125-S**

<b>To:</b>	<b>Contractor Holder</b> 202 Commerce Blvd., Lawrence, Pennsylvania 15241	<b>Bid Date:</b>	2018-02-23
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2018-03-25
<b>Phone:</b>	724-745-5300	<b>Creator:</b>	Drew Pomrenke , dpomrenke@jboconnor.com
		<b>Sales Rep.:</b>	Casey Devlin , cdevlin@jboconnor.com
		<b>Shipping Address:</b>	, Allensville, Pennsylvania, United States

**Job Name: Kish Bank**

**Engineer:** Reese Engineering **Architect:** AP Architecture Inc.

**Comments:**

**Section Brand: Watts Drainage**

**Header:** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

Label	Product No. Description	List Price	Qty.
L-1	<b>TCA-411 Series</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$782.00	1
	<b>TCA-411-D</b> Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,114.00	1
<b>Note:</b> P7.0 - Lavatory Schedule			
Expansion Joint	<b>RD-900</b> Watts - neoprene expansion joint, no hub (MJ) clamps		
	<b>RD-900,2</b> Watts - 2"Ø (51 mm)	\$235.00	1
	<b>RD-900,3</b> Watts - 3"Ø (76 mm)	\$273.00	1
	<b>RD-900,4</b> Watts - 4"Ø (102 mm)	\$319.00	1
<b>Note:</b> Spec 22 05 16 - 2			
WHA	<b>LF15M2-DR Series</b> Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	<b>LF15M2-A-DR</b> Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$138.00	1
	<b>LF15M2-B-DR</b> Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$265.00	1
	<b>LF15M2-C-DR</b> Watts - 33-60, fixture units, 1" (25 mm) connection	\$418.00	1

	<b>LF15M2-D-DR</b>	\$883.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	<b>LF15M2-E-DR</b>	\$1,099.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	<b>LF15M2-F-DR</b>	\$1,308.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

**Note:** Spec 22 11 19 - 4

General CO	<b>CO-380</b>		
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	<b>CO-380,2</b>	\$76.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-380,3</b>	\$117.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-380,4</b>	\$162.00	1
	Watts - 4"Ø (102 mm)		
	<b>CO-380,6</b>	\$332.00	1
	Watts - 6"Ø (152 mm)		

**Note:** Spec 22 11 19 - 5

FCO	<b>CO-200-R</b>		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200-R,2</b>	\$494.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-R,3</b>	\$522.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-R,4</b>	\$696.00	1
	Watts - 4"Ø (102 mm)		

**Note:** Spec 22 11 19 - 5;

Concrete FCO /Grade CO	<b>CO-200-RX-4</b>		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	<b>CO-200-RX-4,2</b>	\$332.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-RX-4,3</b>	\$385.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-RX-4,4</b>	\$471.00	1
	Watts - 4"Ø (102 mm)		

**Note:** Spec 22 11 19 - 6;

Tiled CO	<b>CO-200-TS</b>		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" x 5" (127 mm x 127 mm) square, nickel bronze top with tile recess		
	<b>CO-200-TS,2</b>	\$494.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-TS,3</b>	\$522.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-TS,4</b>	\$696.00	1
	Watts - 4"Ø (102 mm)		

**Note:** Spec 22 11 19 - 6;

Terazzo CO	<b>CO-200-U</b> Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top with terrazzo recess		
	<b>CO-200-U,2</b> Watts - 2"Ø (51 mm)	\$773.00	1
	<b>CO-200-U,3</b> Watts - 3"Ø (76 mm)	\$801.00	1
	<b>CO-200-U,4</b> Watts - 4"Ø (102 mm)	\$975.00	1

**Note:** Spec 22 11 19 - 6;

Carpet CO	<b>CO-200-RC-C</b> Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top and stainless steel carpet marker, membrane clamp		
	<b>CO-200-RC-C,2</b> Watts - 2"Ø (51 mm)	\$638.00	1
	<b>CO-200-RC-C,3</b> Watts - 3"Ø (76 mm)	\$667.00	1
	<b>CO-200-RC-C,4</b> Watts - 4"Ø (102 mm)	\$841.00	1

**Note:** Spec 22 11 19 - 6;

WCO	<b>CO-590-RD</b> Watts - threaded brass cleanout plug with countersunk head, stainless steel access cover and vandal proof stainless steel screw		
	<b>CO-590-RD,1.5</b> Watts - 1-1/2"Ø (39 mm)	\$145.00	1
	<b>CO-590-RD,2</b> Watts - 2"Ø (51 mm)	\$148.00	1
	<b>CO-590-RD,3</b> Watts - 3"Ø (76 mm)	\$183.00	1
	<b>CO-590-RD,4</b> Watts - 4"Ø (102 mm)	\$243.00	1
	<b>CO-590-RD,5</b> Watts - 5"Ø (126 mm)	\$339.00	1
	<b>CO-590-RD,6</b> Watts - 6"Ø (152 mm)	\$522.00	1

**Note:** Spec 22 11 19 - 6;

**NOTE :** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

**Section Brand: Sloan**

Label	Product No. Description	List Price	Qty.
L-1	<b>SS-3006</b> Sloan - 20x18 Wall Hung Ledgeback Lav - 4" CS(3873006)	\$130.00	1
	<b>SS-27-A</b> Sloan - Ceramic Shroud (ordered separately)(0387678)	\$183.80	1

**Note:** P7.0 - Lavatory Schedule

**Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.