



**Address:** 202 Commerce Blvd, **Phone:** (724) 745-5300  
Lawrence , Pennsylvania ,  
15055 United States

**Quotation:**  
**Q-128-S**

<b>To:</b>	<b>Contractor Holder</b> 202 Commerce Blvd., Lawrence, Pennsylvania 15241	<b>Bid Date:</b>	2018-02-26
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2018-03-28
<b>Phone:</b>	724-745-5300	<b>Creator:</b>	Drew Pomrenke , dpomrenke@jboconnor.com
		<b>Sales Rep.:</b>	Casey Devlin , cdevlin@jboconnor.com
		<b>Shipping Address:</b>	, Barboursville, West Virginia, United States

**Job Name: Longhorn Steakhouse Restaurant Barboursville**

**Engineer:** KLH Engineers Columbus **Architect:** FRCH Design Worldwide

**Comments:**

**Section Brand: Watts Drainage**

**Header:** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

Label	Product No. Description	List Price	Qty.
TP1	<b>LFTP300-DR Series</b> Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	<b>LFTP300T</b> Watts - 1/2", Threaded Inlet and Outlet Connect	\$274.00	1
	<b>LFTP300S</b> Watts - 1/2", Soldered Inlet and Outlet Connect	\$274.00	1
	<b>LFTP300-DU-DR</b> Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit	\$149.00	1
<b>Note: P1.1 - Plumbing Fixture Schedule</b>			
UR1	<b>CA-321</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$663.00	1
<b>Note: P1.1 - Plumbing Fixture Schedule</b>			
WH1	<b>HY-725</b> Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	<b>HY-725,-6,-8</b> Watts - 6" (152 mm), 8" (203 mm) thick	\$1,222.00	1
	<b>HY-725,-10,-12,-14</b> Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$1,335.00	1
	<b>HY-725-16</b> Watts - 16" (406 mm), 18" (457 mm) thick	\$1,446.00	1
<b>Note: P1.1 - Plumbing Fixture Schedule</b>			
FD1 /FD2 /FD4	<b>FD-104-A6-7-60</b> Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, trap primer tapping, PVC Body w/Socket Outlet (2, 3, 4" Only), 4" (102 mm)	\$465.00	1

**Note: P1.1 - Plumbing Drain Schedule; No Model Given Quoting based on description.**

FD3	<b>FD-104-A6-5</b>	\$550.00	1
	Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, sediment bucket, 4" (102 mm)		
	<b>Note:</b> P1.1 - Plumbing Drain Schedule; P5.1 - Dumpster Drain; No Model Given Quoting based on description.		
FS1 /FS2	<b>FS-504</b>	\$769.00	1
	Watts - 14-3/32" (358 mm) square, PVC, 6" (152 mm) deep, socket outlet, 12" (305 mm) square, secured grate, 4"Ø (102mm) outlet size		
	<b>Note:</b> P1.1 - Plumbing Drain Schedule; No Model Given Quoting based on description.		
TD1 /TD2	<b>D-DI</b>	\$432.00	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet(s), pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F		
	<b>Note:</b> P1.1 - Plumbing Drain Schedule; No Model Given Quoting based on application.		
FCO	<b>CO-200-R</b>		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200-R,2</b>	\$494.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-R,3</b>	\$522.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-R,4</b>	\$696.00	1
	Watts - 4"Ø (102 mm)		
	<b>Note:</b> P5.1 - Floor Cleanout Detail; CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER CARPET MARKER (-RC) = \$61.00 LIST ADDER NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$279.00 LIST ADDER		
WCO	<b>CO-460-RD</b>		
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	<b>CO-460-RD,2</b>	\$287.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460-RD,3</b>	\$330.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460-RD,4</b>	\$483.00	1
	Watts - 4"Ø (102 mm)		
	<b>Note:</b> P5.1 - Wall Cleanout Detail		
HUB-1	<b>FD-200-DD-50</b>		
	Watts - 7" (178 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter opening, cast iron hub funnel		
	<b>FD-200-DD-50,2,3,4</b>	\$308.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>Note:</b> P5.1 - Hub Drain Detail; Quoting based on DWG.		
Pipe Cleanout-1	<b>CO-200-RX-4</b>		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	<b>CO-200-RX-4,2</b>	\$332.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-RX-4,3</b>	\$385.00	1
	Watts - 3"Ø (76 mm)		

	<b>CO-200-RX-4,4</b> Watts - 4"Ø (102 mm)	\$471.00	1
<b>Note:</b> P5.1 - Pipe Cleanout			
Pipe Cleanout-2	<b>CO-380</b> Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	<b>CO-380,2</b> Watts - 2"Ø (51 mm)	\$76.00	1
	<b>CO-380,3</b> Watts - 3"Ø (76 mm)	\$117.00	1
	<b>CO-380,4</b> Watts - 4"Ø (102 mm)	\$162.00	1
	<b>CO-380,6</b> Watts - 6"Ø (152 mm)	\$332.00	1
<b>Note:</b> P5.1 - Pipe Cleanout			
<b>NOTE :</b> ***NOTE: Watts Drainage does not meet PA.DGS please be advised***			

### Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
BFP	<b>LF909M1-QT : 2</b> Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391012)	\$2,729.00	1
	<b>909-AGF</b> Watts - 909-AGF Air Gap (0881378)	\$164.00	1
	<b>LF777SI : 2</b> Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$239.00	1
<b>Note:</b> P4.1 - Gas Water Heater Riser Diagram; P5.1 - Water Heater Detail			
BFP Opt.	<b>LF009M2-QT : 2</b> Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,256.00	1
	<b>909-AGF</b> Watts - 909-AGF Air Gap (0881378)	\$164.00	1
	<b>LF777SI : 2</b> Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$239.00	1
<b>Note:</b> P4.1 - Gas Water Heater Riser Diagram; P5.1 - Water Heater Detail			
ET	<b>PLT-35</b> Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 14 gallons (0067373)	\$254.50	1
<b>Note:</b> P4.1 - Gas Water Heater Riser Diagram			

DCDA	<b>757-OSY : 6</b>	\$4,389.00	1
	Watts - drip tight closure against reverse flow, 304 schedule 40 stainless steel housing and sleeve, reversible elastomeric discs, UL/FM outside stem & yoke gate valve, flange connections, 6"Ø (152 mm) pipe connection (0111513)		
<b>Note: P5.1 - Water Service Riser Detail; Size P4.1 - Plumbing Water Iso; Quoting as a Suggestion No model Given,</b>			
Irrigation BFP	<b>LF009M3-QT : 3/4</b>	\$545.50	1
	Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 3/4"Ø (19 mm) pipe connection (0391003)		
	<b>909-AGA</b>	\$72.75	1
	Watts - 909-AGA Air Gap (0881399)		
	<b>LF777SI : 3/4</b>	\$69.50	1
	Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 3/4"Ø (19 mm) valve (0379112)		
<b>Note: P5.1 - Water Service Riser Detail; Size P4.1 - Plumbing Water Iso; Quoting as a Suggestion No model Given,</b>			

### Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
LV1	<b>SS-3001</b>	\$73.55	1
	Sloan - Standard undermount lavatory, 19-1/2" x 17-1/2" outside, 17" x 14" inside dimensions (3873001)		
<b>Note: P1.1 - Plumbing Fixture Schedule</b>			
UR1	<b>SU-1009-A</b>	\$262.30	1
	Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)		
	<b>ROYAL 186-0.125 DBP</b>	\$199.45	1
	Sloan - Flushometer, Urinal, Manually activated, 0.125 gpf/0.5 Lpf, dual by-pass (3912633)		
<b>Note: P1.1 - Plumbing Fixture Schedule</b>			
WC1	<b>ST-2029-A</b>	\$154.45	1
	Sloan - ADA Floor Mount Universal, Top Spud (2102029)		
	<b>SLOAN Optima 111-1.6 ES-S</b>	\$599.40	1
	Sloan - Sensor Exposed Flushometer for Floor Mount or Wall Hung Water Closets, 11.5" Rough in, Hardwired 1.6 gpf/6.0 Lpf, electronic sensor solenoid operated (3770000)		
<b>Note: P1.1 - Plumbing Fixture Schedule</b>			
WC2	<b>ST-2009-STG</b>	\$154.65	1
	Sloan - Standard Top Spud Floor Mount Water Closet (2172009)		
	<b>SLOAN Optima 111-1.6 ES-S</b>	\$599.40	1
	Sloan - Sensor Exposed Flushometer for Floor Mount or Wall Hung Water Closets, 11.5" Rough in, Hardwired 1.6 gpf/6.0 Lpf, electronic sensor solenoid operated (3770000)		
<b>Note: P1.1 - Plumbing Fixture Schedule</b>			
FT1 /FT2	<b>EL-154</b>	\$43.90	1
	Sloan - 50 VA Transformer (0345154PK)		
<b>Note: P1.1 - Plumbing Transformer Schedule</b>			

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
MV-1	LFMM431-10 Powers - HydroGuard XP Thermostatic Series LFMM430	\$1,172.00	1

**Note:** P1.1 - Plumbing Fixture Schedule;

---

**Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.