

**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,

15055 United States

Quotation: Q-127-S

To: Contractor Holder

202 Commerce Blvd., Lawrence, Pennsylvania

15241

Attn.: N/A

**Phone:** 724-745-5300

**Bid Date:** 2018-02-27

**Expiry Date:** 2018-03-29 **Creator:** Drew Pomrenke,

Phone: (724) 745-5300

dpomrenke@jboconnor.com

Sales Rep.: Casey Devlin , cdevlin@jboconnor.com

Shipping Address: , Bethel, Pennsylvania, United States

## Job Name: O'Reilly Auto Parts - Bethel, PA

Engineer: Smith-Goth Engineers, INC Architect: Craig A. Schnieder

#### Comments:

### **Section Brand: Watts Drainage**

Header: \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

Label	Product No.	List Price	Qty.
	Description		
Exterior	CO-300-MF	\$1,099.00	1
CO /CO1	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	CO-380		
	Watts - $6$ " (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$76.00	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$117.00	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$162.00	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$332.00	1
	Watts - 6"Ø (152 mm)		

Note: P1 of 2: Typical Exterior Cleanout;

**TCA-411** 

TCA-411-D

### LAV TCA-411 Series

Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.

Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron

plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.

Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded

feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.

### Note: P2 of 2: Plumbing Fixture Schedule

HDF **CA-431-1** \$960.00

Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.

Note: P2 of 2: Plumbing Fixture Schedule

1

\$782.00

\$1,114.00

FD	FD-102-A5-7	\$380.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, trap primer connection, 2"Ø (51 mm)		
Note: P.	2 of 2: Plumbing Fixture Schedule		
СО	CO-200-RX		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, nickel bronze top		
	CO-200-RX,2	\$615.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX,3	\$644.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX,4	\$818.00	1
	Watts - 4"Ø (102 mm)		
CARPET	2 of 2: Plumbing Fixture Schedule; CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER MARKER (-RC) = \$61.00 LIST ADDER		
WHA	LF15M2-DR Series		
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$138.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$265.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$418.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$883.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,099.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,308.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: P.	2 of 2: Plumbing Fixture Schedule;		
НВ	HY-420-88		
	Watts - $3/4$ " (19 mm) diameter hose connection, $3/4$ " (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker, loose key, wall clamp		
	HY-420-88,-4,-6,-8	\$683.00	1
	Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick		
	HY-420-88,-10,-12,-14	\$795.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-420-88-16	\$906.00	1
	Watts - 16" (406 mm) thick		
Note: P.	2 of 2: Plumbing Fixture Schedule;		
URN	CA-321	\$663.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P.	2 of 2: Plumbing Fixture Schedule;		
NOTE .	***NOTE: Watts Drainage does not meet PA.DGS please be advised***		

Page 2 of 4

# **Section Brand: Watts Regulators**

Label	Product No. Description	List Price	Qty.
MV	LFMMVM1-US: 1/2	\$254.50	1
	Watts - Lead Free cast copper silicon alloy body, solid wax hydraulic principle thermostat, integral filter washers and check valves, ASSE 1069, ASSE 1070, ASSE 1017, cUPC AND IAPMO listed, valve shall control temperature from a low of 1/2gpm, 5gpm at 10psi and 8gpm at 20psi drop across the valve, 1/2"Ø valve, union solder (0559115)		
Note: P2	of 2: Plumbing Fixture Schedule		
TEA	PLT-12	\$104.50	1
	Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 4.5 gallons (0067371)		
Note: P2	of 2: Plumbing Fixture Schedule;		
BFP	LF909-QT: 1	\$1,403.00	1
	Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, quarter turn ball-valves, 1"Ø (25 mm) pipe connection (0391009)		
	909-AGC	\$83.75	1
	Watts - 909-AGC Air Gap (0881376)		
	LF777SI: 1	\$79.75	1
	Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 1"Ø (25 mm) valve (0379113)		
Note: P2	of 2: Water Service Detail		
BFP Opt.	LF009M2-QT: 1	\$644.00	1
	Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 1"Ø (25 mm) pipe connection (0391004)		
	909-AGC	\$83.75	1
	Watts - 909-AGC Air Gap (0881376)		
	LF777SI: 1	\$79.75	1
	Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 1"Ø (25 mm) valve (0379113)		

**Note:** P2 of 2: Water Service Detail; Quoting more Economical Selection as an option.

# **Section Brand: Sloan**

Label	Product No.	List Price	Qty.
	Description		
LAV	SS-3003	\$83.40	1
	Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)		
Note: P2	? of 2: Plumbing Fixture Schedule		
URN	SU-1006	\$262.30	1
	Sloan - Urinal, vitreous china, 1.0 US Gal (3.8L) per flush, wall hung (1101006)		
	Royal 186-1	\$199.45	1
	Sloan - Exposed 3/4" top spud, 1.0 GPF (3012636)		
Note: P2	2 of 2: Plumbina Fixture Schedule		

### **Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
EW	ES150-11	\$913.00	1
	Powers - ES150 EMERGENCY TEMPER		
Note: P2 of 2: Plumbing Fixture Schedule			
Point-Of-	LFE480-10	\$230.00	1
Use Mixing Valve	Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish		

Note: P2 of 2: Plumbing Fixture Schedule

### **Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

#### **Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.