

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-02-26
Attn.:	N/A	Expiry Date:	2018-03-28
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	210 Westgate, State College, Pennsylvania, United States

Job Name: The Pen State Uni. Westgate Director's Suite Reno.

Engineer: Barton Associates **Architect:** Hoffman Leakey Architects LLC

Comments:

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
WHA	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$138.00	1
	LF15M2-B-DR Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$265.00	1
	LF15M2-C-DR Watts - 33-60, fixture units, 1" (25 mm) connection	\$418.00	1
	LF15M2-D-DR Watts - 61-113 fixture units, 1" (25 mm) connection	\$883.00	1
	LF15M2-E-DR Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,099.00	1
	LF15M2-F-DR Watts - 155-330 fixture units, 1" (25 mm) connection	\$1,308.00	1

Note: P5.1 - Detail 2; Spec 22 05 20 - 1

WCO	CO-380-RD Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2 Watts - 2"Ø (51 mm)	\$183.00	1
	CO-380-RD,3 Watts - 3"Ø (76 mm)	\$226.00	1
	CO-380-RD,4 Watts - 4"Ø (102 mm)	\$271.00	1
	CO-380-RD,6 Watts - 6"Ø (152 mm)	\$574.00	1

Note: Spec 22 13 10 - 1

FCO	CO-200-R Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
-----	---	--	--

CO-200-R,2	\$494.00	1
Watts - 2"Ø (51 mm)		
CO-200-R,3	\$522.00	1
Watts - 3"Ø (76 mm)		
CO-200-R,4	\$696.00	1
Watts - 4"Ø (102 mm)		

Note: Spec 22 13 10 - 1

FCO Tile	CO-200-T		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top with tile recess		
	CO-200-T,2	\$494.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-T,3	\$522.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-T,4	\$696.00	1
	Watts - 4"Ø (102 mm)		

Note: Spec 22 13 10 - 1

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
WB-1	2-M2DWB	\$161.50	1
	Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)		

Note: P5.1 - Detail 2; Spec 22 05 20 - 2

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-1	LRAD2219550	\$843.00	1
	Elkay - 18 Gauge Stainless Steel 22' x 19.5' x 5.5' Single Bowl Top Mount Kitchen Sink		
	LK35	\$72.00	1
	Elkay - DRAIN		

Note: P5.1 - Detail 2; Spec 22 40 10 - 2; Model Note Available in 24 x 18 Dimensions, Quoting LRAD Model with closest dimensions.

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV	LFE480-10	\$230.00	1
	Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish		

Note: P5.1 - Detail 2; Spec 22 05 20 - 2; Quoting based on application, no model specified.

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.