



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-158-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-03-19
Attn.:	N/A	Expiry Date:	2018-04-18
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Greensburg, Pennsylvania, United States

Job Name: Hampton Inn And Suites New Stanton

Engineer: Base4 Engineering Inc. **Architect:** JMAC Architects

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
LAV-01 /LAV-03	SS-3001 Sloan - Standard undermount lavatory, 19-1/2" x 17-1/2" outside, 17" x 14" inside dimensions (3873001)	\$73.55	1

Note: P401 - Plumbing Fixture Schedule;

URL	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$262.30	1
	SLOAN 186-0.5 Sloan - Exposed 3/4" top spud 0.5 GPF (3782655)	\$185.40	1

Note: P401 - Plumbing Fixture Schedule; Quoting Flush Valve as a Suggestion, no model given.

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
SINK-06	WNSF8354R0 Elkay - WNSF THREE COMPT SCULLERY SINK	\$7,128.00	1

Note: P401 - Plumbing Fixture Schedule; Please be advised Model is 16Ga. not 18Ga.

HAND SINK	CHSB1716C Elkay - HAND SINK COMPLETE	\$587.00	1
--------------	--	----------	---

Note: P401 - Plumbing Fixture Schedule;

SINK-03	ESSB2520C Elkay - WALL SER SNK COMP	\$2,750.00	1
---------	---	------------	---

Note: P401 - Plumbing Fixture Schedule; Faucet Specified included in Model.

DF	EZTL8LC Elkay - VERSATILE BI-LVL 8GPH LT GRY	\$1,448.00	1
----	--	------------	---

Note: P401 - Plumbing Fixture Schedule;

WCR	LRPBM28K Elkay - FTN W/FILTER, ECH8 CHILL, MF200	\$4,650.00	1
-----	--	------------	---

Note: P401 - Plumbing Fixture Schedule; Please be advised, Model suffix should be K not C

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TUB-01	P910HG1U00 Powers - Biltmore Series Pressure Balancing Mixing Valves, Concealed, 4-port	\$392.00	1
<i>Note: P401 - Plumbing Fixture Schedule</i>			
SHR-01	P910HG1000 Powers - Chrome-plated ABS faceplate with color graphic insert, ADA-compliant metal lever handle	\$345.00	1
<i>Note: P401 - Plumbing Fixture Schedule; Quoting as an alternate, Powers does not have an equal alternate to the valve specified.</i>			
SHR-02	P910H000LW Powers - Pressure Balancing Valve, 1/2" copper sweat connections, Economizer, Chrome-Plated ABS, ADA-compliant metal lever handle, Arm & Flange, Diverter, Low Flow (1.5 gpm) Metal Hose, 30" Glide Rail, Vacuum Breaker In-Line, Chrome Plated 1/2" IPS	\$659.00	1
<i>Note: P401 - Plumbing Fixture Schedule; Quoting as an alternate, Powers does not have an equal alternate to the valve specified.</i>			
TMV-1	LFMM435-1 Powers - HydroGuard XP Master Tempering Valve, 208gpm, Rough Bronze, Standard	\$2,892.00	1
<i>Note: P401 - Plumbing Fixture Schedule; Cannot find model specified, Quoting based on 2" Size.</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
BFP	957-OSY : 4 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 4"Ø (102 mm) pipe connection (0111586)	\$4,220.00	1
	957-AG Watts - 957-AG Air Gap (0111764)	\$212.50	1
	77F-DI-125 : 4 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 4"Ø (102 mm) valve (0825203)	\$364.50	1
<i>Note: P101 - RPZ Backflow Preventer Detail; P201 - First Floor Water & Gas Supply Plan - Size 4"; P401 - Backflow Preventer Schedule</i>			
BFP-2	LF007-QT : 1/2 Watts - Lead Free cast copper silicon alloy body for 1/2" to 2" connections or fused epoxy coated cast iron body for 2-1/2" to 3" connections, replaceable seat and seat discs, resilient seated isolation valves, quarter turn ball-valves, 1/2"Ø (13 mm) pipe connection (0063230)	\$303.50	1
<i>Note: P401 - Backflow Preventer Schedule</i>			
ET-1	DETA 60 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 26 gallons (0212031)	\$2,790.00	1
<i>Note: P401 - Expansion Tank Schedule</i>			
CWB	2-M2DWB Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)	\$161.50	1
<i>Note: Spec 22 30 00 - 6</i>			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
TP	LFTP300-DR Series Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T Watts - 1/2", Threaded Inlet and Outlet Connect	\$274.00	1
	LFTP300S Watts - 1/2", Soldered Inlet and Outlet Connect	\$274.00	1
	LFTP300-DU-DR Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit	\$149.00	1
Note: P101 - Trap Primer Detail			
CLO-01	CO-200-R Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2 Watts - 2"Ø (51 mm)	\$494.00	1
	CO-200-R,3 Watts - 3"Ø (76 mm)	\$522.00	1
	CO-200-R,4 Watts - 4"Ø (102 mm)	\$696.00	1
Note: P101 - Floor Cleanout Detail; P401 - Plumbing Fixture Schedule CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER CARPET MARKER (-RC) = \$61.00 LIST ADDER NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$279.00 LIST ADDER			
CLO-02	CO-460-RD Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2 Watts - 2"Ø (51 mm)	\$287.00	1
	CO-460-RD,3 Watts - 3"Ø (76 mm)	\$330.00	1
	CO-460-RD,4 Watts - 4"Ø (102 mm)	\$483.00	1
Note: P101 - Floor & Wall Cleanouts; P401 - Plumbing Fixture Schedule			
GCO	CO-200-RX-4 Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	CO-200-RX-4,2 Watts - 2"Ø (51 mm)	\$332.00	1
	CO-200-RX-4,3 Watts - 3"Ø (76 mm)	\$385.00	1
	CO-200-RX-4,4 Watts - 4"Ø (102 mm)	\$471.00	1

Note: P101 - Cleanout to Grade

HB	HY-725 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	HY-725,-6,-8 Watts - 6" (152 mm), 8" (203 mm) thick	\$1,222.00	1
	HY-725,-10,-12,-14 Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$1,335.00	1
	HY-725-16 Watts - 16" (406 mm) thick	\$1,446.00	1
Note: P101- Hose Bibb Detail; P401 - Plumbing Fixture Schedule			
RD	RD-300-D-F-K Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		
	RD-300-D-F-K,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$1,435.00	1
	RD-300-D-F-K,5,6 Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size	\$1,675.00	1
	RD-300-D-F-K,8,10 Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size	\$1,914.00	1
Note: P101 - Roof Drain Detail			
ORD	RD-300-D-F-R-K Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp and 2" (51 mm) high external water dam, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		
	RD-300-D-F-R-K,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$1,617.00	1
	RD-300-D-F-R-K,5,6 Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size	\$1,856.00	1
	RD-300-D-F-R-K,8,10 Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size	\$2,096.00	1
Note: P101 - Roof Drain Detail			
DSN	RD-940 Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes		
	RD-940,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$856.00	1
	RD-940,5,6 Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size	\$1,534.00	1
	RD-940,8 Watts - 8"Ø (203 mm)	\$2,077.00	1
	RD-940,10 Watts - 10"Ø (254 mm)	\$2,738.00	1
	RD-940,12 Watts - 12"Ø (305 mm)	\$3,390.00	1
Note: P102 - Overflow Roof Drain Through Wall Detail.			
DF /WCR	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$960.00	1
Note: P401 - Plumbing Fixture Schedule;			

URL	CA-321	\$663.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P401 - Plumbing Fixture Schedule;			
FD-01	FD-100-A5		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer		
	FD-100-A5,2,3,4	\$380.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A5,6	\$475.00	1
	Watts - 6"Ø (152 mm)		
Note: P401 - Plumbing Fixture Schedule; Trap Seal by others			
FD-02	FD-320-1		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7-7/8" (200 mm) diameter, nickel bronze, round grate		
	FD-320-1,2,3,4	\$989.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: P401 - Plumbing Fixture Schedule; Trap Seal by others			
LI	LI-810	\$11,960.00	1
	Watts - steel, epoxy coated, skid-proof cover, secured with hex head center bolts, removable steel filter screens, IPS threaded connections, flow rate of 100 GPM		
Note: P401 - Plumbing Fixture Schedule; Lint Interceptor Schedule			
Vent Cap	RD-680-VC		
	Watts - cast iron, vandal proof cover		
	RD-680-VC,2,3,4	\$372.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-680-VC,6	\$530.00	1
	Watts - 6"Ø (152 mm)		
	RD-680-VC,8	\$607.00	1
	Watts - 8"Ø (203 mm)		
Note: Spec 22 30 00 - 9			
Expansion Joint	RD-900		
	Watts - neoprene expansion joint, no hub (MJ) clamps		
	RD-900,2	\$235.00	1
	Watts - 2"Ø (51 mm)		
	RD-900,3	\$273.00	1
	Watts - 3"Ø (76 mm)		
	RD-900,4	\$319.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 30 00 - 9			
NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***			

Special Terms:

NOTE: Watts Drainage does not meet PA.DGS please be advised
All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.