



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-161-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-03-20
Attn.:	N/A	Expiry Date:	2018-04-19
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	1250 LINDENDALE DRIVE, Lebanon, Pennsylvania, United States

Job Name: Mt Lebanon Public Works

Architect: RSSC Architecture

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	ST-2029-STG Sloan - Top Spud Floor Mount Closet Fixture (2172029)	\$178.45	1
	Royal 111 Sloan - Exposed 1 1/2" top spud. 1.6 GPF (3010000)	\$203.45	1
<i>Note: P001 Plumb Fix Connection Sched.</i>			
U-1/U-2	SU-7006-A Sloan - Universal Vitreous china, 3/4" top spud, small urinal. 1.0 GPF (1107006)	\$171.60	1
	G2 8186-0.5 Sloan - Exposed, Battery Powered, Sensor Operated G2 Model Urinal Flushometer(3250424)	\$612.75	1
<i>Note: P001 Plumb Fix Connection Sched.</i>			
L-1/L-2	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1
<i>Note: P001 Plumb Fix Connection Sched.</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-1	LRAD3322603 Elkay - 18 Gauge Stainless Steel 33' x 22' x 6' Double Bowl Top Mount Kitchen Sink	\$1,313.00	1
	LK99 Elkay - DRAIN	\$114.00	1
<i>Note: P001 Plumb Fix Connection Sched.</i>			
EWC- 1(Optional)	EMABFTLR8SC Elkay - BAR FREE BILEVEL REV 8 GL	\$1,674.00	1
<i>Note: P001 Plumb Fix Connection Sched.</i>			

Section Brand: Halsey Taylor

Label	Product No. Description	List Price	Qty.
	HAC8FS-BLR-Q Halsey Taylor - Barrier-Free Reverse Water Cooler, electric refrigerated, wall-mounted	\$900.00	1

Note: P001 Plumb Fix Connection Sched. Please note: Could not find exact model number specified. Quoting as suggestion.

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
L-1/L-2	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$782.00	1
	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,114.00	1
EWC-1	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$960.00	1
SA	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$138.00	1
	LF15M2-B-DR Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$265.00	1
	LF15M2-C-DR Watts - 33-60, fixture units, 1" (25 mm) connection	\$418.00	1
	LF15M2-D-DR Watts - 61-113 fixture units, 1" (25 mm) connection	\$883.00	1
	LF15M2-E-DR Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,099.00	1
	LF15M2-F-DR Watts - 155-330 fixture units, 1" (25 mm) connection	\$1,308.00	1
FCO	CO-200-R-6 Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof		
	CO-200-R-6,2 Watts - 2"Ø (51 mm)	\$569.00	1

Note: P001 Shock Arrestor Sched.

	CO-200-R-6,3	\$597.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R-6,4	\$772.00	1
	Watts - 4"Ø (102 mm)		
Note: P001 Cleanout Sched.			
WCO	CO-380-RD		
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2	\$183.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$226.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,4	\$271.00	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,6	\$574.00	1
	Watts - 6"Ø (152 mm)		
Note: P001 Cleanout Sched.			
CO	CO-380		
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$76.00	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$117.00	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$162.00	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$332.00	1
	Watts - 6"Ø (152 mm)		
Note: P001 Cleanout Sched.			
CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER			
CARPET MARKER (-RC) = \$61.00 LIST ADDER			
NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER			
TILE RECESS (-T) = NO ADDITIONAL			
TERRAZZO RECESS (-U) = \$279.00 LIST ADDER			
CO-1	CO-300-MF	\$1,099.00	1
	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
Note: P001 Cleanout Sched.			
RD-1	RD-300-D-F-K		
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		
	RD-300-D-F-K,2,3,4	\$1,435.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-K,5,6	\$1,675.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-K,8,10	\$1,914.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
Note: P001 Drain and Specialities Sched.			
FD-1	FD-100-A6-7		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer, trap primer connection		

	FD-100-A6-7,2,3,4	\$465.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-7,6	\$560.00	1
	Watts - 6"Ø (152 mm)		
Note: P001 Drain and Specialities Sched. Please note that deep seal trap and stabilizer not included.			
FD-2	FD-320-7		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7-7/8" (200 mm) diameter, ductile iron, round grate, trap primer connection		
	FD-320-7,2,3,4	\$562.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-320-7,6	\$656.00	1
	Watts - 6"Ø (152 mm)		
Note: P001 Drain and Specialities Sched.			
FD-3	FD-830-TG-7		
	Watts - 12" (305 mm) square hopper, cast iron body no-hub outlet, flat bottom strainer, 5-1/4" (133 mm) diameter round strainer, Top Grate - Ductile Iron, Trap Primer Tapping		
	FD-830-TG-7,2,3,4	\$905.00	1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm) pipe size		
Note: P001 Drain and Specialities Sched.			
TD-1	DX-RGS	\$1,027.00	1
	Watts - UV stabilized talc-filled polypropylene channels with 6" (152 mm) no-hub bottom or end outlet(s), pre-sloped trench, 12" (305 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, reinforced galvanized slotted, Class E		
Note: P001 Drain and Specialities Sched. Please be advised, price is per foot.			
HB-1	HY-420		
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker		
	HY-420,-4,-6,-8	\$683.00	1
	Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick		
	HY-420,-10,-12,-14	\$795.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-420,-16,-18	\$906.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
Note: P001 Drain and Specialities Sched.			
TP-1	LFTP300-DR Series		
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$274.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300-DU-DR	\$149.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: P001 Drain and Specialities Sched.			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
EW-1/MV-3	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$913.00	1

Note: P001 Plumb Fix Connection Sched & P001 Mixing Valve Sched.

SH-1	PB413J101YW	\$1,090.00	1
Powers - HydroGuard Pressure Balancing Valve, 3 Port, Economizer, Chrome-Plated ABS, Adjustable, Standard arm and Flange, 24" Chrome ADA Wall Grab bar System, Concealed Diverting Valve, 1/2" IPS, Metal Handle, Vacuum Breaker, in-Line			
Note: P001 Plumb Fix Connection Sched.			
MV-1	LFLM495-1	\$252.00	1
Powers - 1/2 LFLM495-1			
Note: P001 Mixing Valve Sched.			
MV-2	LFSH1432AEMS00	\$3,112.00	1
Powers - HydroGuard, Rough Bronze, Bottom/Top, Exposed, no cabinet, Standard 90 - 160°F (32 - 71°C)			
Note: P001 Mixing Valve Sched.			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
ET-1	DETA 12	\$1,711.00	1
Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 5 gallons (0212027)			
Note: P001 Expansion Tank Sched.			
BP-1/BP-2	No Size indicated		
Items are not included, clarification needed.			
Note: P001 Backflow Sched.			
BP-3	LF7 : 3/8	\$163.50	1
Watts - Lead Free cast copper silicon alloy body, silicon disc, 3/8"Ø (10 mm) pipe connection (0792076)			
Note: P001 Backflow Sched. Please be advised, size of backflow not indicated. Quoted as suggestion.			

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.