



**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,  
15055 United States

**Phone:** (724) 745-5300

**Quotation:**  
**Q-164-S**

**To:** **Contractor Holder**  
202 Commerce Blvd., Lawrence, Pennsylvania  
15241  
**Attn.:** N/A  
**Phone:** 724-745-5300

**Bid Date:** 2018-03-17  
**Expiry Date:** 2018-04-16  
**Creator:** Drew Pomrenke ,  
dpomrenke@jboconnor.com  
**Sales Rep.:** Casey Devlin , cdevlin@jboconnor.com  
**Shipping Address:** 234 Kuhn  
LN, Duncansville, Pennsylvania, United  
States

**Job Name: Rutter's 79**

**Engineer:** Barton Associates

**Comments:**

**Section Brand: Sloan**

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	<b>ECOS 115-1.6/1.1 HW</b> Sloan - Flushometers, Water Closet, Battery-powered 1.6/1.1 gpf/6.0/4.2 Lpf, Activated Sensor (3370424)	\$692.75	1
	<b>EL-451</b> Sloan - Box mount will operate up to 8 flush valves (0345125)	\$99.80	1
<i>Note: P501 Section 22 40 00-G. Please be advised, quoting as true alternate.</i>			
UR-1	<b>ECOS 186-1.0 HW</b> Sloan - Flushometers, Urinal, Hardwired 1 gpf/3.8 Lpf, override button, Activated Sensor (3370443)	\$678.75	1
	<b>EL-451</b> Sloan - Box mount will operate up to 8 flush valves (0345125)	\$99.80	1
<i>Note: P501 Section 22 40 00-G. Please be advised, quoting as true alternate.</i>			
L-1	<b>ETF-600-LT</b> Sloan - Sensor operated 4" center-set electronic hand washing faucet for tempered or hot/cold application. 0.5 GPM, Vandal resistant spray head. Includes back check. Less Transformer (LT) (3365055)	\$608.20	1
	<b>EL-154</b> Sloan - 50 VA Transformer (0345154PK)	\$45.20	1
<i>Note: P501 Section 22 40 00-G. Please note, model number spec'd could not be found. Quoting as suggestion.</i>			

**Section Brand: Watts Drainage**

**Header:** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

Label	Product No. Description	List Price	Qty.
FD-1	<b>FD-100-A5</b> Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer		
	<b>FD-100-A5,2,3,4</b> Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$380.00	1

	<b>FD-100-A5,6</b>	\$475.00	1
	Watts - 6"Ø (152 mm)		
	<b>Note: P501 Section 22 10 00-E</b>		
FD-3	<b>FS-500-22</b>		
	Watts - PVC body, 6" (152 mm) deep, socket outlet, less grate		
	<b>FS-500-22,2,3,4</b>		
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>Note: P501 Section 22 10 00-E</b>		
WH-1	<b>HY-420</b>		
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker		
	<b>HY-420,-4,-6,-8</b>	\$683.00	1
	Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick		
	<b>HY-420,-10,-12,-14</b>	\$795.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	<b>HY-420,-16,-18</b>	\$906.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
	<b>Note: P501 Section 22 10 00-E</b>		
SA	<b>SS Series</b>		
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	<b>SS-A</b>	\$434.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	<b>SS-B</b>	\$884.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	<b>SS-C</b>	\$1,321.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	<b>SS-D</b>	\$3,313.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	<b>SS-E</b>	\$3,740.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	<b>SS-F</b>	\$4,596.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
	<b>Note: P501 Section 22 10 00-E</b>		

### Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
HB-1	<b>SC8-4</b>	\$65.75	1
	Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)		
	<b>Note: P501 Section 22 10 00-E</b>		
EXP-1	<b>DETA 30</b>	\$2,145.00	1
	Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 15 gallons (0212029)		
	<b>Note: P501 Plumb Equip Sched. Please note, model number spec'd could not be found. Quoting as suggestion.</b>		

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
L-1	<b>LFE480-10</b> Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1

**Note:** P501 Section 22 40 00-G. Please note, model number spec'd could not be found. Quoting as suggestion.

---

TMV-1	<b>LFLM490-1</b> Powers - 1/2 LFLM490-1	\$239.00	1
-------	--------------------------------------------	----------	---

**Note:** P501 Plumb Equip Sched. Please note, model number spec'd could not be found. Quoting as suggestion.

---

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.