



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-152-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-03-14
Attn.:	N/A	Expiry Date:	2018-04-13
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Harrisburg, Pennsylvania, United States

Job Name: Ryerson Station State Park

Engineer: Pedicone Engineering Consultants **Architect:** LF Gilbertl Architects, Inc.

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
P1 /P15	SS-3803 Sloan - Wall hung china Lavatory with backsplash. White vitreous china, Hanging hardware, 8" centers, overflow, ADA compliant, 21" x 19.25" (3873803)	\$83.40	1
	ETF-660-8-LT Sloan - Automatic Sink Faucets, 0.5 gpm, 4" Centerset install, 8 inch Trim Plate, Polished Chrome, Less Transformer, Activated Sensor (3365427)	\$675.45	1
	EL-154 Sloan - 50 VA Transformer (0345154PK)	\$45.20	1
	ETF-460-A Sloan - Chrome plated brass graid strainer with 1 1/4" outlet tube. (0365036)		
<i>Note: P201 - Plumbing Fixtures and Specialties</i>			
P3 /P4	ST-2469-A Sloan - Vitreous china elongated wall hung with water closet (2102469)	\$149.75	1
	Sloan 152-1.6 ES-S WB Sloan - Concealed, sensor operated water closet flushmeter for wall hung back spud bowls. 1.6 gal. 13" x 17" wall plate with SS access panel (WB) (3771604)	\$881.55	1
<i>Note: P201 - Plumbing Fixtures and Specialties</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
P11	LRADQ2022400 Elkay - 18 Gauge Stainless Steel 19.5' x 22' x 4' Single Bowl Top Mount Kitchen Sink	\$785.00	1
	LK99 Elkay - DRAIN	\$114.00	1
<i>Note: P201 - Plumbing Fixtures and Specialties</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
P10	4507109 Powers - HYDROPANEL II WE710 PRO	\$1,727.00	1

Note: P201 - Plumbing Fixtures and Specialties; Please be advised, Quoted model comes with Soap Dish, specified Model does not

P14	LFE480-00 Powers - 1/2 LFE480-00	\$230.00	1
-----	--	----------	---

Note: P201 - Plumbing Fixtures and Specialties; Cannot locate model specified, quoting based on pipe size.

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
-------	----------------------------	------------	------

P8	SC8-3 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, no kink faucet, 1/2" copper sweat connection with vacuum breaker (0611350)	\$65.75	1
----	---	---------	---

Note: P201 - Plumbing Fixtures and Specialties;

P16	2-M2DWB Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)	\$161.50	1
-----	--	----------	---

Note: P201 - Plumbing Fixtures and Specialties;

P19	ETX-60 Watts - Pressurized Expansion Tanks for Heating and Cooling System, painted exterior, steel tank, rugged flexible butyl, diaphragm, free standing, 12 psi pre-charge pressure, 220°F maximum temperature, tank volume of 33 gallons (0066611)	\$396.00	1
-----	--	----------	---

Note: P201 - Plumbing Fixtures and Specialties;

P20	DETA 30 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 15 gallons (0212029)	\$2,145.00	1
-----	--	------------	---

Note: P201 - Plumbing Fixtures and Specialties;

P28	LF223 : 1 1/2 Watts - high capacity water pressure reducing valves, 1-1/2" (38 mm) connection with lead-free brass body construction, EPDM valve disc, enlarged diaphragm, spring cage and seat orifice for super capacity, reinforced Buna-N diaphragm, adjustable reduced pressure range: 25 to 75psi (172 to 517 kPa), temperature range: 33°F - 160°F (0.5°C - 71°C), maximum working pressure: 300psi (20.7 bar), standard reduced pressure setting: 50psi (345 kPa). (0298568)	\$2,491.00	1
-----	--	------------	---

Note: P201 - Plumbing Fixtures and Specialties;

P29	LF009M2-QT : 1 1/2 Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 1-1/2"Ø (38 mm) pipe connection (0391006)	\$1,058.00	1
-----	--	------------	---

	909-AGC Watts - 909-AGC Air Gap (0881376)	\$83.75	1
--	---	---------	---

	LF777SI : 1 1/2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 1-1/2"Ø (38 mm) valve (0379115)	\$162.00	1
--	--	----------	---

Note: P201 - Plumbing Fixtures and Specialties;

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
P1	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$782.00	1
	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,114.00	1
Note: P201 - Plumbing Fixtures Specialties			
P2	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$663.00	1
Note: P201 - Plumbing Fixtures Specialties			
P3 /P4	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,254.00	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,345.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,423.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$2,514.00	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$1,664.00	1
	ISCA-131-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support	\$2,750.00	1
Note: P201 - Plumbing Fixtures Specialties			
P5	FD-103-A5-6 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 3"Ø (76 mm), Vandal Proof	\$423.00	1
Note: P201 - Plumbing Fixtures and Specialties			
P6	CO-200-R Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		

	CO-200-R,2	\$494.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$522.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$696.00	1
	Watts - 4"Ø (102 mm)		
	Note: P201 - Plumbing Fixtures and Specialties;		
	CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER		
	CARPET MARKER (-RC) = \$61.00 LIST ADDER		
	NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER		
	TILE RECESS (-T) = NO ADDITIONAL		
	TERRAZZO RECESS (-U) = \$279.00 LIST ADDER		
P7	HY-725		
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	HY-725,-6,-8	\$1,222.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725,-10,-12,-14	\$1,335.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-725-16	\$1,446.00	1
	Watts - 16" (406 mm) thick		
	Note: P201 - Plumbing Fixtures and Specialties;		
P17 /P18	P-PP	\$302.00	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet, pre-sloped trench, pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, UV stabilized glass-filled polypropylene frame, framed anchored grate, polypropylene, Class A		
	Note: P201 - Plumbing Fixtures and Specialties;		
P23	SS Series		
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$434.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$884.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,321.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$3,313.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$3,740.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$4,596.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
	Note: P201 - Plumbing Fixtures and Specialties;		
ECO	CO-380		
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$76.00	1
	Watts - 2"Ø (51 mm)		

	CO-380,3	\$117.00	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$162.00	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$332.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 15 155 - 2			
WCO	CO-460-RD		
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$287.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$330.00	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$483.00	1
	Watts - 4"Ø (102 mm)		

Note: Spec 15 155 - 2

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

NOTE: Watts Drainage does not meet PA.DGS please be advised

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.