



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-174-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-03-30
Attn.:	N/A	Expiry Date:	2018-04-29
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	232 West 25th Street, Erie, Erie, Pennsylvania, United States

Job Name: St Vincent Hospital - Community Cancer Center

Architect: Level Heads

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
L-1/L-2	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1
<i>Note: P6-01 Lavatories and Sinks Sched.</i>			
W-1	ST-2029-A Sloan - ADA Floor Mount Universal, Top Spud (2102029)	\$154.45	1
	Sloan 8111-1.28 Sloan - Battery powered, sensor activated, 1 1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. Standard DFB. Override button, 1.28 GPF, (3790071)	\$547.50	1
<i>Note: P6-01 Water Closet Sched.</i>			
FV Option	WES 111 Sloan - Exposed water closet flushometer with dual-flush features, for floor mounted or wall hung top spud bowls. Antimicrobial coating on handle 1.6/1.1 GPF (3720000)	\$227.90	1
<i>Note: Spec 22 42 13.13-2</i>			
FV Option	ECOS 8111-1.6/1.1 Sloan - Battery-powered Flushometer, Sensor activated, 1.6/1.1 gpf/6.0/4.2 Lpf (3370400)	\$621.60	1
<i>Note: Spec 22 42 13.13-3</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-1	LR19183 Elkay - 18 Gauge Stainless Steel 19' x 18' x 7.625' Single Bowl Top Mount Kitchen Sink	\$741.00	1
	LK99 Elkay - DRAIN	\$114.00	1
<i>Note: P6-01 Lavatories and Sinks Sched.</i>			
S-4	LR37223 Elkay - 18 Gauge Stainless Steel 37' x 22' x 7.625' Double Bowl Top Mount Kitchen Sink	\$1,444.00	1
	LK99 Elkay - DRAIN	\$114.00	2
<i>Note: P6-01 Lavatories and Sinks Sched.</i>			

DF-1	EZSTLG8WSLK Elkay - BFS VERS BI-LVL GREEN 8GPH LT GRY	\$2,334.00	1
------	---	------------	---

Note: P6-01 Drinking Fountain Sched.

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
L-1	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$782.00	1
	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,114.00	1

Note: P6-01 Lavatories and Sinks Sched.

FD-1	FD-100-A6-5-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, sediment bucket, trap primer connection		
	FD-100-A6-5-7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$550.00	1
	FD-100-A6-5-7,6 Watts - 6"Ø (152 mm)	\$645.00	1

Note: P6-01 Floor and Roof Drain Sched. & Spec 22 13 19-2

FD-2	FD-320-Y Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate		
	FD-320-Y,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$401.00	1
	FD-320-Y,6 Watts - 6"Ø (152 mm)	\$496.00	1

Note: P6-01 Floor and Roof Drain Sched.

FD-3	FD-320-Y-F4-1 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate, 4" Round Nickel Bronze Funnel		
	FD-320-Y-F4-1,2,3,4 Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm) outlet size	\$739.00	1
	FD-320-Y-F4-1,6 Watts - 6" (152 mm) outlet size	\$834.00	1

Note: P6-01 Floor and Roof Drain Sched.

WH-1	HY-725 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	HY-725,-6,-8 Watts - 6" (152 mm), 8" (203 mm) thick	\$1,222.00	1

	HY-725,-16,-18	\$1,446.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
	HY-725,-10,-12,-14	\$1,335.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
Note: P6-01 Hydrant and Hose Bib Sched.			
	HY-800		
	Watts - 3/4" (19 mm) diameter hose connection, combination 3/4" female of 1" male threaded inlet connection, non-freeze, epoxy coated heavy duty cast iron head, bronze internal working parts and valve housing with 1" galvanized steel casing, yard hydrant with and lift handle and lock option, 1/8" NPT drain port		
	HY-800-1	\$869.00	1
	Watts - 1' (305 mm) depth		
	HY-800-2	\$917.00	1
	Watts - 2' (610 mm) depth		
	HY-800-3	\$966.00	1
	Watts - 3' (914 mm) depth		
	HY-800-4	\$1,019.00	1
	Watts - 4' (1219 mm) depth		
	HY-800-5	\$1,066.00	1
	Watts - 5' (1524 mm) depth		
	HY-800-6	\$1,114.00	1
	Watts - 6' (1829 mm) depth		
Note: P6-01 Hydrant and Hose Bib Sched.			
WHA	LF15M2-DR Series		
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$138.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$265.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-D-DR	\$883.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,308.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
	LF15M2-C-DR	\$418.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,099.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
Note: Spec 22 11 19-4			
FCO	CO-200-R		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$494.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$522.00	1
	Watts - 3"Ø (76 mm)		

	CO-200-R,4	\$696.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19-2			
CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER			
CARPET MARKER (-RC) = \$61.00 LIST ADDER			
NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER			
TILE RECESS (-T) = NO ADDITIONAL			
TERRAZZO RECESS (-U) = \$279.00 LIST ADDER			
WCO	CO-460		
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$180.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$224.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$348.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19-2			
CO Cover	CO-300-S8	\$655.00	1
	Watts - scoriated, square, access cover, nickel bronze, concealed mounting flanges, 8" (205mm) square, hinged		
Note: Spec 22 13 19-2			
Plaster Trap	SI-742	\$1,121.00	1
	Watts - epoxy coated, cast aluminum body, gasketed cover, removable stainless steel sediment basket, 2" (51 mm) IPS threaded connections. 10" (254 mm) clearance required above cover to remove sediment bucket.		
Note: Spec 22 13 19-4			
RD-1	RD-700-D-F-K80		
	Watts - 21" x 13-1/16" (533 mm x 330 mm), one-piece cast iron combination roof drain, flashing clamps with integral gravel guard, 4" (102 mm) overflow standpipe, no-hub outlet, secured, 20" x 12-1/2" (508 mm x 317 mm), aluminum dome, underdeck clamp, adjustable extension flange		
	RD-700-D-F-K80,3,4	\$2,258.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-700-D-F-K80,6	\$2,600.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 14 23-2 Please note, quoting as true alternate.			
RD-2	RD-300-D-F-K80		
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, aluminum dome, underdeck clamp, adjustable extension flange		
	RD-300-D-F-K80,2,3,4	\$1,463.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-K80,5,6	\$1,702.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-K80,8,10	\$1,941.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
Note: Spec 22 14 23-2 Please note, adjustable extension not included.			
RD-3	RD-270		
	Watts - cast iron body, flashing clamp, 90° degree no-hub outlet, secured angle grate		
	RD-270,2,3,4	\$489.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: Spec 22 14 23-2/3			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
-------	----------------------------	------------	------

HB-1	SC8-4 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$65.75	1
------	---	---------	---

Note: P6-01 Hydrant and Hose Bib Sched. Quoting as true alternate.

DWH-1,2	PLT-5 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 2.1 gallons (0067370)	\$73.25	1
---------	--	---------	---

Note: P6-01 Expansion Tank Sched. Quoting as suggestion as model number not specified.true alternate.

Thermal Expansion Tank	ET-RA 200 Watts - painted exterior, carbon steel shell, ASME Section VIII construction, heavy duty butyl, removable bladder, 12 psi pre-charge pressure, 125 psig maximum pressure, 240°F maximum temperature, tank volume of 53 gallons (0212015)	\$4,512.00	1
------------------------------	--	------------	---

Note: Spec 22 34 00-7

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
-------	----------------------------	------------	------

L-1/L-2	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1
---------	--	----------	---

Note: P6-01 Lavatories and Sinks Sched.

EF-1	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$913.00	1
------	--	----------	---

Note: P6-01 Emerg Fixture Sched.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.