



**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,  
15055 United States

**Phone:** (724) 745-5300

**Quotation:**  
**Q-197-S**

<b>To:</b>	<b>Contractor Holder</b> 202 Commerce Blvd., Lawrence, Pennsylvania 15241	<b>Bid Date:</b>	2018-04-19
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2018-05-19
<b>Phone:</b>	724-745-5300	<b>Creator:</b>	Drew Pomrenke , dpomrenke@jboconnor.com
		<b>Sales Rep.:</b>	Casey Devlin , cdevlin@jboconnor.com
		<b>Shipping Address:</b>	, Latrobe, Pennsylvania, United States

**Job Name: Adelphoi Family & Welcome Center**

**Architect:** JPT Architects, P.C.

**Comments:**

**Section Brand: Sloan**

Label	Product No. Description	List Price	Qty.
L-1	<b>SS-3003</b> Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1
<i>Note: P0.01 - Plumbing Fixture Schedule; P5.01 - Plumbing Fixture Schedule</i>			
WC-1 /FV- A	<b>ST-2029-A</b> Sloan - ADA Floor Mount Universal, Top Spud (2102029)	\$154.45	1
	<b>CROWN 111-1.28</b> Sloan - Exposed Piston operated, 1 1/2" top spud. 1.2 GPM (3120001)	\$209.00	1
<i>Note: P0.01 - Plumbing Fixture Schedule; P5.01 - Plumbing Fixture Schedule; Spec 22 40 00 - 5;</i>			
LF-A	<b>EBF-615-4</b> Sloan - Battery powered, chrome plated brass sensor operated pedestal, electronic hand washing faucet for tempered or hot/cold water operation. .5 GPM vandal resistant spray head. Trim plate for 4" center set sink. (4) (3315114)	\$672.25	1
<i>Note: Spec 22 40 00 - 4</i>			
P-4 /P-5 /FV-A	<b>ST-2459-STG</b> Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud, with Sloan-Tec Hydrophobic antibacterial glaze (2172459)	\$151.50	1
	<b>CROWN 111-1.28</b> Sloan - Exposed Piston operated, 1 1/2" top spud. 1.2 GPM (3120001)	\$209.00	1
<i>Note: Spec 22 40 00 - 7</i>			
Urinal P-2 /P-3 /FV-B	<b>SU-1009-A</b> Sloan - Universal Vitreous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$262.30	1
	<b>CROWN 186-0.125</b> Sloan - Exposed, Piston operated, 3/4" top spud 1 GPF (3122665)	\$209.00	1
<i>Note: Spec 22 40 00 - 8</i>			
Lav P-2	<b>SS-3021</b> Sloan - White vitreous china, Undermount rectangular lavatory fixture. Front overflow, 21-5/8" x 15-3/4" x 8-1/4" (3873021)	\$97.00	1
<i>Note: Spec 22 40 00 - 8</i>			

**Section Brand: Elkay**

Label	Product No. Description	List Price	Qty.
D-1	<b>LZSTLG8SC</b> Elkay - VERSATILE BI-LVL EZ GREEN 8GPH FILTRD SS	\$2,112.00	1
<i>Note: P0.01 - Water Cooler</i>			
S-1	<b>LR37220</b> Elkay - 18 Gauge Stainless Steel 37' x 22' x 7.625' Double Bowl Top Mount Kitchen Sink	\$1,444.00	1
	<b>LK99</b> Elkay - DRAIN	\$114.00	1
<i>Note: P0.01 - Plumbing Fixture Schedule</i>			
P-6	<b>ELUH1814</b> Elkay - 18 Gauge Stainless Steel 20.5' x 16.5' x 7.875' Single Bowl Undermount Kitchen Sink	\$592.00	1
	<b>LK99</b> Elkay - DRAIN	\$114.00	1
<i>Note: Spec 22 40 00 - 9</i>			

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
SH-1	<b>P910HJ1</b> Powers - 910 W/METAL LEVER P/C	\$250.00	1
<i>Note: P0.01 - Plumbing Fixture Schedule</i>			
L-1 /S-1 /LF-A	<b>LFE480-10</b> Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1
<i>Note: P0.01 - Plumbing Fixture Schedule; Spec 22 40 00 - 4</i>			

**Section Brand: Watts Regulators**

Label	Product No. Description	List Price	Qty.
ET	<b>PLT-20</b> Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 8.5 gallons (0067372)	\$206.00	1
<i>Note: P5.01 - Gas Fired Water Heater Piping Schematic</i>			
HS-1 /L-1 /LF-A	<b>LFUSG-B-M2</b> Watts - Lead Free brass body construction, copper thermostat with stainless steel springs, integral checks and 40 mesh stainless steel screens, 4-port with cap for three port application, "H" pattern body, ASSE 1070 and cUPC, valve shall control temperature from a low of 1/4gpm, 3/8"Ø (10 mm) male compression (0204143)	\$241.00	1
<i>Note: P5.01 - Plumbing Fixture Schedule; Spec 22 40 00 - 4</i>			

**Section Brand: Watts Drainage**

Header: \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

Label	Product No. Description	List Price	Qty.
D-1	<b>CA-431-1</b> Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$960.00	1
<i>Note: P0.01 - Plumbing Fixture Schedule</i>			

L-1	<b>TCA-411 Series</b>		
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411</b>	\$782.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411-D</b>	\$1,114.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
<b>Note:</b> P0.01 - Plumbing Fixture Schedule; P5.01 - Plumbing Fixture Schedule			
ECO	<b>CO-200-RX-4</b>		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	<b>CO-200-RX-4,2</b>	\$332.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-RX-4,3</b>	\$385.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-RX-4,4</b>	\$471.00	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> P5.01 - Detail of Cleanouts; Quoting based on description.			
FCO	<b>CO-200-R</b>		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200-R,2</b>	\$494.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-R,3</b>	\$522.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-R,4</b>	\$696.00	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> P5.01 - Detail of Cleanouts; Quoting based on description; CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER CARPET MARKER (-RC) = \$61.00 LIST ADDER NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$279.00 LIST ADDER			
FD-1	<b>FD-103-A6-F4-1-60</b>	\$803.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 4" Round Nickel Bronze Funnel, PVC Body w/Socket Outlet (2,3,4" Only), 3" (76 mm)		
<b>Note:</b> P5.01 - Plumbing Fixture Schedule;			
FD-2	<b>FD-200-A5-60</b>		
	Watts - 7" (178 mm) diameter PVC body with socket outlet, 5" (127 mm) diameter, nickel bronze, round strainer		
	<b>FD-200-A5-60,2,3,4</b>	\$331.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
<b>Note:</b> P5.01 - Plumbing Fixture Schedule			
SH-1	<b>FD-100-A5-60</b>		
	Watts - 8-1/8" (206 mm) diameter PVC body socket outlet, 5" (127 mm) diameter, nickel bronze, round strainer		

	<b>FD-100-A5-60,2,3,4</b>	\$380.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-100-A5-60,6</b>	\$475.00	1
	Watts - 6"Ø (152 mm)		
<b>Note:</b> P5.01 - Plumbing Fixture Schedule			
WHA	<b>LF15M2-DR Series</b>		
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	<b>LF15M2-A-DR</b>	\$138.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	<b>LF15M2-B-DR</b>	\$265.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	<b>LF15M2-C-DR</b>	\$418.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	<b>LF15M2-D-DR</b>	\$883.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	<b>LF15M2-E-DR</b>	\$1,099.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	<b>LF15M2-F-DR</b>	\$1,308.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

**Note:** Spec 22 11 19 - 3

**NOTE :** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

**Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.  
Pricing good for 30 days.  
Pricing subject to change if Mfr pricing changes.  
Watts Drainage does not meet PA.DGS please be advised

**Terms**

Above prices are net.  
All taxes are extra.  
Partial or expedited shipments, at customer request, may result in additional freight charges.  
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.  
Please ensure that all quoted product meets your projects specifications.  
Our company will only be responsible for products shown on the attached quotation.