



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-179-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-04-04
Attn.:	N/A	Expiry Date:	2018-05-04
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Pittsburgh, Pennsylvania, United States

Job Name: CMU Hamerschlag Bathroom House Reno

Architect: LGA Architectural Partners (Levitt Goodman Arch)

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1	ST-2009-STG Sloan - Standard Top Spud Floor Mount Water Closet (2172009)	\$153.95	1
	SOLIS 8111-1.6 Sloan - Solis Powered, electronic single flush. 1-1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. 1.6 GPF (3370001)	\$639.10	1
<i>Note: Spec 22 40 00 - 5</i>			
WC-2	ST-2029-STG Sloan - Top Spud Floor Mount Closet Fixture (2172029)	\$178.45	1
	SOLIS 8111-1.6 Sloan - Solis Powered, electronic single flush. 1-1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. 1.6 GPF (3370001)	\$639.10	1
<i>Note: Spec 22 40 00 - 5</i>			
U-1 /U-2	SU-1006-A Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$262.30	1
	SOLIS 8186-1 Sloan - Exposed Solar powered, sensor activated, 3/4" top spud, urinal flushometer. Courtesy flush override button. 1.0 GPF (3370006)	\$639.10	1
<i>Note: Spec 22 40 00 - 6</i>			
L-1	SS-3103 Sloan - Wall hung lavatory with backsplash, single hole centerset. Overflow, 20.75" x 18.25" (3873103)	\$83.40	1
	EAF-275-ISM Sloan - Solis solar powered, electronic hand washing faucet .0.5 GPM Integral temp control spout mixer. (for hot and cold water supply connections), Battery backup. (3335017)	\$814.30	1
<i>Note: Spec 22 40 00 - 6</i>			
L-2 /L-3	SS-3802 Sloan - Standard Drop In Lavatory 20" x 16-3/4", 8" centerset-3873802	\$73.55	1
<i>Note: Spec 22 40 00 - 6</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-1	LRAD3319500 Elkay - 18 Gauge Stainless Steel 33' x 19.5' x 5' Double Bowl Top Mount Kitchen Sink	\$1,290.00	1
	LK99 Elkay - DRAIN	\$114.00	1

*Note: Spec 22 40 00 - 7***Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
L-1 /L-2 /L-3	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1

Note: Spec 22 40 00 - 6

SHR-1 /SHR-2	P910HH1000 Powers - Pressure Balancing Valve, 1/2" Copper sweat connection, Low Flow Shower (1.5 gpm), Arm & Flange	\$382.00	1
--------------	---	----------	---

Note: Spec 22 40 00 - 8

SHR-3	P910HH102WY Powers - Pressure Balancing Mixing Valve, 1/2" copper sweat connections, Low Flow Shower (1.5gpm), Arm & Flange, 36" Chrome ADA Wall Grab Bar System, Vacuum Breaker,in-Line, Diverter Concealed, 1/2" IPS Metal Handle	\$915.00	1
-------	---	----------	---

*Note: Spec 22 40 00 - 8***Section Brand: Watts Drainage****Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised*****

Label	Product No. Description	List Price	Qty.
WHA	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-C-DR Watts - 33-60, fixture units, 1" (25 mm) connection	\$418.00	1
	LF15M2-E-DR Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,099.00	1
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$138.00	1
	LF15M2-B-DR Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$265.00	1
	LF15M2-D-DR Watts - 61-113 fixture units, 1" (25 mm) connection	\$883.00	1
	LF15M2-F-DR Watts - 155-330 fixture units, 1" (25 mm) connection	\$1,308.00	1

Note: Spec 22 11 19 - 11

TSP	LFTP300-DR Series Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
-----	---	--	--

	LFTP300T	\$274.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$274.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300-DU-DR	\$149.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		

Note: Spec 22 11 19 - 11

ECO	CO-460-RD		
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,4	\$483.00	1
	Watts - 4"Ø (102 mm)		
	CO-460-RD,2	\$287.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$330.00	1
	Watts - 3"Ø (76 mm)		

Note: Spec 22 13 19 - 3

FCO	CO-1200X-R		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5-1/8" (130 mm) round, heavy duty, stainless steel top, inside caulk,		
	CO-1200X-R,4	\$864.00	1
	Watts - 4" (102 mm)		
	CO-1200X-R,2	\$662.00	1
	Watts - 2" (51 mm)		
	CO-1200X-R,3	\$690.00	1
	Watts - 3" (76 mm)		

Note: Spec 22 13 19 - 3;

WCO	CO-380-RD		
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,4	\$271.00	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,2	\$183.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$226.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,6	\$574.00	1
	Watts - 6"Ø (152 mm)		

Note: Spec 22 13 19 - 4;

FD-1	FD-100-A6-5		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, sediment bucket		
	FD-100-A6-5,2,3,4	\$550.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-5,6	\$645.00	1
	Watts - 6"Ø (152 mm)		

Note: Spec 22 13 19 - 4;

PVC Drain	P-SS		\$482.00	1
Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet, pre-sloped trench, pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, UV stabilized glass-filled polypropylene frame, framed anchored grate, stainless steel slotted, Class A				
Note: Spec 22 13 19 - 4;				
Vent Cap	RD-680-VC			
Watts - cast iron, vandal proof cover				
	RD-680-VC,8		\$607.00	1
Watts - 8"Ø (203 mm)				
	RD-680-VC,2,3,4		\$372.00	1
Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size				
	RD-680-VC,6		\$530.00	1
Watts - 6"Ø (152 mm)				
Note: Spec 22 13 19 - 5;				
Expansion Joint	RD-900			
Watts - neoprene expansion joint, no hub (MJ) clamps				
	RD-900,4		\$319.00	1
Watts - 4"Ø (102 mm)				
	RD-900,2		\$235.00	1
Watts - 2"Ø (51 mm)				
	RD-900,3		\$273.00	1
Watts - 3"Ø (76 mm)				
Note: Spec 22 13 19 - 6				
U-1	CA-321		\$663.00	1
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.				
Note: Spec 22 40 00 - 5				
L-1	TCA-411 Series			
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.				
	TCA-411		\$782.00	1
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.				
	TCA-411-D		\$1,114.00	1
Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.				
Note: Spec 22 40 00 - 6				
NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***				

Special Terms:

Watts Drainage does not meet PA.DGS please be advised
All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.