



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-188-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-04-09
Attn.:	N/A	Expiry Date:	2018-05-09
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	2025 White Oaks Blvd, Bridgeport, West Virginia, United States

Job Name: Crossings At Bridgeport

Engineer: BSEG, LLC **Architect:** Meyer Architecture and Design

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
HLAV1	SS-3002 Sloan - Complete vitreous china Oval drop in lavatory, 4" centers, overflow, Self rimming. 20"x16-3/4" (3873002)	\$73.55	1
<i>Note: P0.00 - Plumbing Equipment Schedule</i>			
HLAV2	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1
<i>Note: P0.00 - Plumbing Equipment Schedule</i>			
HUR1	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$262.30	1
	ROYAL 186-0.5 Sloan - Exposed 3/4" top spud 0.5 GPF (3912697)	\$203.45	1
<i>Note: P0.00 - Plumbing Equipment Schedule</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
ES1	D115153 Elkay - 23 Gauge Stainless Steel 15" x 15" x 5.1875" Single Bowl Top Mount Bar/Prep Sink	\$109.00	1
	D5018A Elkay - DRAIN	\$14.00	1
<i>Note: P0.00 - Plumbing Equipment Schedule</i>			
HEWC1	EZSTL8LC Elkay - VERSATILE BI-LVL 8GPH LT GRY	\$1,538.00	1
<i>Note: P0.00 - Plumbing Equipment Schedule</i>			
HKS1 /HKS2	D117193 Elkay - 22 Gauge Stainless Steel 17" x 19" x 6.1875" Single Bowl Top Mount Bar/Prep Sink	\$149.00	1
	D1125 Elkay - Type 304 stainless steel body, brass threads and removable, type 304 stainless steel basket strainer with metal stem and rubber stopper, Fits 3-1/2" opening, Matte finish	\$21.00	1
<i>Note: P0.00 - Plumbing Equipment Schedule</i>			

HS2	D125213 Elkay - 22 Gauge Stainless Steel 25" x 21.25" x 6.5625" Single Bowl Top Mount Kitchen Sink	\$129.00	1
	LK335 Elkay - DRAIN	\$187.00	1

Note: P0.00 - Plumbing Equipment Schedule

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
EW1	ES150-1 Powers - ES150 EMERGENCY TEMPER	\$879.00	1

Note: P0.00 - Plumbing Equipment Schedule & Note 14

HSH1 /HSH2	P910H0008W Powers - Pressure Balancing Mixing Valve, 1/2" copper sweat connections, Standard Plus, Metal Hose 24" Glide Rail, Vacuum Breaker, In-Line	\$491.00	1
---------------	---	----------	---

Note: P0.00 - Plumbing Equipment Schedule & Note 8,12.

TMV	LFSH1432HLAEM00 Powers - LFSH1432HLAEM00 SPLY FIX	\$8,332.00	1
-----	---	------------	---

Note: P4.01 - Floor Mounted Gas Water Heater (GHW, GWH2, GHW3, and GHW4) Detail

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
HB1	SC8-4 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$65.75	1

Note: P0.00 - Plumbing Equipment Schedule

WB1/ WB2	2-M2DWB Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)	\$161.50	1
----------	--	----------	---

Note: P0.00 - Plumbing Equipment Schedule; Quoting as alternate.

WH1	LFFHB-1 Watts - Frost-Proof Automatic Self Draining Wall Hydrants, 1/2" Inlet, 3/4" hose outlet		
	LFFHB-1,4 Watts - 4" (102 mm)	\$45.00	1
	LFFHB-1,6 Watts - 6" (152 mm)	\$49.00	1
	LFFHB-1,8 Watts - 8"(203mm)	\$52.00	1
	LFFHB-1,10 Watts - 10"(254mm)	\$52.25	1
	LFFHB-1,12 Watts - 12"(305mm)	\$57.75	1
	LFFHB-1,14 Watts - 14"(356mm)	\$59.00	1

Note: P0.00 - Plumbing Equipment Schedule

TMV	LFUSG-B-M2	\$241.00	1
Watts - Lead Free brass body construction, copper thermostat with stainless steel springs, integral checks and 40 mesh stainless steel screens, 4-port with cap for three port application, "H" pattern body, ASSE 1070 and cUPC, valve shall control temperature from a low of 1/4gpm, 3/8"Ø (10 mm) male compression (0204143)			
Note: P0.00 - Plumbing Equipment Schedule & Note 13.			
ET1	DETA 30	\$2,145.00	1
Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 15 gallons (0212029)			
Note: P4.01 - Thermal Expansion Tank Schedule			
ET2	DETA 12	\$1,711.00	1
Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 5 gallons (0212027)			
Note: P4.01 - Thermal Expansion Tank Schedule			
DCDA	757-OSY : 6	\$4,389.00	1
Watts - drip tight closure against reverse flow, 304 schedule 40 stainless steel housing and sleeve, reversible elastomeric discs, UL/FM outside stem & yoke gate valve, flange connections, 6"Ø (152 mm) pipe connection (0111513)			
Note: P5.03 - Enlarged Fire/Sprinkler/Boiler - Domestic Water/Gas			
RPZ	957-OSY : 3	\$3,814.00	1
Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 3"Ø (76 mm) pipe connection (0111585)			
	957-AG	\$212.50	1
Watts - 957-AG Air Gap (0111764)			
	77F-DI-125 : 3	\$291.50	1
Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825202)			
Note: P5.03 - Enlarged Fire/Sprinkler/Boiler - Domestic Water/Gas			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
DN1	RD-940 Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes		
	RD-940,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$856.00	1
	RD-940,5,6 Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size	\$1,534.00	1
	RD-940,8 Watts - 8"Ø (203 mm)	\$2,077.00	1
	RD-940,10 Watts - 10"Ø (254 mm)	\$2,738.00	1
	RD-940,12 Watts - 12"Ø (305 mm)	\$3,390.00	1

Note: P0.00 - Plumbing Equipment Schedule

ECO1	CO-204-RX-60	\$818.00	1
	Watts - epoxy coated, 7" (178 mm) diameter, cast iron body, no-hub outlet, removable, gas tight, gasketed, brass plug, 5" (127 mm) round, adjustable, gasketed, heavy duty, nickel bronze top,PVC Body w/ Poly Plug, 4"(102 mm) outlet size		
	Note: P0.00 - Plumbing Equipment Schedule		
ED1	RD-300-D-F-R-K80		
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, aluminum dome, Underdeck clamp, Deck flange/Adj.Extension, 2" External water dam		
	RD-300-D-F-R-K80,2,3,4	\$1,644.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-R-K80,5,6	\$1,884.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-R-K80,8,10	\$2,123.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	Note: P0.00 - Plumbing Equipment Schedule; Quoting as an alternate as base is Cast Iron not PVC.		
FCO1	CO-204-R	\$696.00	1
	Watts - epoxy coated, cast iron body, 5" (127 mm) round adjustable gasketed nickel bronze top, removable, gas tight, gasketed, brass plug, 4"Ø (102 mm), no hub outlet.		
	Note: P0.00 - Plumbing Equipment Schedule		
FD1	FD-100-A7-7		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter nickel bronze, adjustable round strainer, trap primer connection		
	FD-100-A7-7,2,3,4	\$537.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	Note: P0.00 - Plumbing Equipment Schedule		
	<i>Note: Deep seal trap by others.</i>		
FD2	FD-340-Y-7		
	Watts - 12-1/2" (318 mm) diameter cast iron body no-hub outlet, 12-1/2" (318 mm) diameter, ductile iron, round grate, trap primer connection		
	FD-340-Y-7,2,3,4,5,6,8	\$943.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm), 5"Ø (127 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
	Note: P0.00 - Plumbing Equipment Schedule		
	<i>Note: Deep seal trap by others.</i>		
FFD1	FD-100-A6-F6-1		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer,6" Round Nickel Bronze Funnel		
	FD-100-A6-F6-1,2,3,4	\$959.00	1
	Watts - 2" (51mm),3" (76mm), 4" (102mm)		
	Note: P0.00 - Plumbing Equipment Schedule		
	<i>Note: Deep seal trap by others.</i>		
FS1	FS-503-DS	\$857.00	1
	Watts - 14-3/32" (358 mm) square, PVC, 6" (152 mm) deep, socket outlet, 12" (305 mm) square, secured grate,dome strainer, 3"(76mm) outlet size		
	Note: P0.00 - Plumbing Equipment Schedule;		
	<i>Note: Dome strainer is not aluminum finish. Deep seal trap by others.</i>		
HEWC1	CA-431-1	\$960.00	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	Note: P0.00 - Plumbing Equipment Schedule		

HLAV2	TCA-411 Series		
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$782.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,114.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<i>Note: P0.00 - Plumbing Equipment Schedule</i>		
HS1	SI-750	\$746.00	1
	Watts - 10" (254mm) clearance required above cover to remove sediment bucket, epoxy coated, cast iron, gasketed cover, slip joint elbow, removable sediment basket, 1-1/2" (36mm) IPS threaded connections, 6-1/2" (165mm) clearance required above cover to remove sediment bucket		
	<i>Note: P0.00 - Plumbing Equipment Schedule</i>		
HUR1	CA-321	\$663.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
	<i>Note: P0.00 - Plumbing Equipment Schedule</i>		
KD1	FS-702-1-7	\$1,577.00	1
	Watts - cast iron body, 3" (76 mm) deep, no-hub outlet, aluminum dome bottom strainer, 6-13/16" (173 mm) diameter, nickel bronze top, trap seal primer tapping; 2"Ø (51 mm) outlet size		
	<i>Note: P0.00 - Plumbing Equipment Schedule</i>		
KD2	FS-702-1-7-F6-1	\$2,071.00	1
	Watts - 10-1/4" (260 mm) diameter, cast iron, 3" (76 mm) deep, no-hub outlet, aluminum dome bottom strainer, 6-13/16" (173 mm) diameter, nickel bronze grate, trap primer tapping, 6" Round Nickel Bronze Funnel, 2" (51mm) outlet size		
	<i>Note: P0.00 - Plumbing Equipment Schedule</i>		
TSP	LFTP300-DR Series		
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$274.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$274.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300-DU-DR	\$149.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
	<i>Note: P0.00 - Plumbing Equipment Schedule</i>		
RD1	RD-300-D-F-K80		
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, aluminum dome, underdeck clamp, adjustable extension flange		
	RD-300-D-F-K80,2,3,4	\$1,463.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-K80,5,6	\$1,702.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		

	RD-300-D-F-K80,8,10	\$1,941.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		

Note: P0.00 - Plumbing Equipment Schedule

WCO1	CO-590-RD		
	Watts - threaded brass cleanout plug with countersunk head, stainless steel access cover and vandal proof stainless steel screw		
	CO-590-RD,1.5	\$145.00	1
	Watts - 1-1/2"Ø (39 mm)		
	CO-590-RD,2	\$148.00	1
	Watts - 2"Ø (51 mm)		
	CO-590-RD,3	\$183.00	1
	Watts - 3"Ø (76 mm)		
	CO-590-RD,4	\$243.00	1
	Watts - 4"Ø (102 mm)		
	CO-590-RD,5	\$339.00	1
	Watts - 5"Ø (126 mm)		
	CO-590-RD,6	\$522.00	1
	Watts - 6"Ø (152 mm)		

Note: P0.00 - Plumbing Equipment Schedule

WHA	LF15M2-DR Series		
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$138.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$265.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$418.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$883.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,099.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,308.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

Note: P0.00 - Plumbing Equipment Schedule

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.