



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-226-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-05-01
Attn.:	N/A	Expiry Date:	2018-05-31
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Pittsburgh, Pennsylvania, United States

Job Name: Holy Family Institute - Reno of toilet Rooms

Architect: Edward Meinert, AIA Architect

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1	ST-2009-A Sloan - Standard Height Universal, Top Spud (3873103)	\$129.95	1
	Royal 111-1.6 HWS Sloan - Sensor Exposed Flushometer for Floor Mount or Wall Hung Water Closets, 11.5" Rough in, SMOOTH, Hardwired 1.6 gpf/6.0 Lpf, side mount over the handle (3910281)	\$559.60	1
	EL-154 Sloan - 50 VA Transformer (0345154PK)	\$45.20	1
<i>Note: Spec 22 40 00 - 5</i>			
U-1 /U-2	SU-1006-A Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$262.30	1
	ROYAL 186-1 HWS Sloan - ROYAL 186-1.0 SMOOTH HARDWIRE 1.0 gpf (3.8 Lpf) (3912717)	\$556.20	1
	EL-154 Sloan - 50 VA Transformer (0345154PK)	\$45.20	1
<i>Note: Spec 22 40 00 - 5</i>			
L-1 /L-2	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1
<i>Note: Spec 22 40 00 - 6</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
L-1 /L-2	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1
<i>Note: Spec 22 40 00 - 6</i>			
SHR-1	P910HK1000 Powers - Pressure Balancing Mixing Valves, 1/2" Copper sweat connections, 1/2" IPS connections, Standard Chrome-Plated Brass, Arm & Flange, Standard, Metal Hose, Two Wall Hooks, Vacuum Breaker, in-Line	\$293.00	1
<i>Note: Spec 22 40 00 - 7</i>			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
WHA	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$138.00	1
	LF15M2-B-DR Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$265.00	1
	LF15M2-C-DR Watts - 33-60, fixture units, 1" (25 mm) connection	\$418.00	1
	LF15M2-D-DR Watts - 61-113 fixture units, 1" (25 mm) connection	\$883.00	1
	LF15M2-E-DR Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,099.00	1
	LF15M2-F-DR Watts - 155-330 fixture units, 1" (25 mm) connection	\$1,308.00	1
Note: Spec 22 11 19 - 3			
ECO	CO-460 Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2 Watts - 2"Ø (51 mm)	\$180.00	1
	CO-460,3 Watts - 3"Ø (76 mm)	\$224.00	1
	CO-460,4 Watts - 4"Ø (102 mm)	\$348.00	1
Note: Spec 22 13 19 - 2			
FCO	CO-200X-R Watts - 7" (178 mm) diameter, cast iron body inside caulk outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200X-R,2 Watts - 2"Ø (51 mm)	\$494.00	1
	CO-200X-R,3 Watts - 3"Ø (76 mm)	\$522.00	1
	CO-200X-R,4 Watts - 4"Ø (102 mm)	\$696.00	1
Note: Spec 22 13 19 - 2,3; CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER CARPET MARKER (-RC) = \$61.00 LIST ADDER NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$279.00 LIST ADDER			
WCO	CO-460-RD Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2 Watts - 2"Ø (51 mm)	\$287.00	1

	CO-460-RD,3	\$330.00	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$483.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19 - 3			
FD-1	FD-100-A6-5		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, sediment bucket		
	FD-100-A6-5,2,3,4	\$550.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-5,6	\$645.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 13 19 - 4			
Vent Cap	RD-680-VC		
	Watts - cast iron, vandal proof cover		
	RD-680-VC,2,3,4	\$372.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-680-VC,6	\$530.00	1
	Watts - 6"Ø (152 mm)		
	RD-680-VC,8	\$607.00	1
	Watts - 8"Ø (203 mm)		
Note: Spec 22 13 19 - 5			
Expansion Joint	RD-900		
	Watts - neoprene expansion joint, no hub (MJ) clamps		
	RD-900,2	\$235.00	1
	Watts - 2"Ø (51 mm)		
	RD-900,3	\$273.00	1
	Watts - 3"Ø (76 mm)		
	RD-900,4	\$319.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19 - 5			
U-1 /U-2	CA-321	\$663.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: Spec 22 40 00 - 5			
L-1 /L-2	TCA-411 Series		
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$782.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,114.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: Spec 22 40 00 - 6			
NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***			

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.