



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-186-S

To: **Contractor Holder**
202 Commerce Blvd., Lawrence, Pennsylvania
15241
Attn.: N/A
Phone: 724-745-5300

Bid Date: 2018-04-17
Expiry Date: 2018-05-03
Creator: Drew Pomrenke ,
dpomrenke@jboconnor.com
Sales Rep.: Casey Devlin , cdevlin@jboconnor.com
Shipping Address: Wexford-Bayne
Road, Wexford, Pennsylvania, United
States

Job Name: Marshall Twp - Altmeyer Barn Reno

Engineer: Tower Engineering **Architect:** EPM Architecture

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$127.50	1
	G2 8111-1.6 Sloan - Sensor Acticated Optima Plus, G2 Water Closet Flushometer 1.6gpf (3250370)	\$612.75	1
<i>Note: Spec 15440-4</i>			
U-1	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$262.30	1
	G2 OPTIMA PLUS 8186 E Sloan - Sensor Exposed Flushometer for Wall Hung Urinals, 11.5" Rough in, Battery-powered 1 gpf/3.8 Lpf, 1" straight stop (3250486)	\$729.70	1
<i>Note: Spec 15440-4</i>			
L-1	SS-3002 Sloan - Complete vitreous china Oval drop in lavatory, 4" centers, overflow, Self rimming. 20"x16-3/4" (3873002)	\$73.55	1
	EBF-650 Sloan - Battery powered, chrome plated brass sensor operated 4" center-set electronic hand washing faucet for tempered or hot/cold water. .5 GPM vandal resistant spray head. (3315025)	\$744.80	1
<i>Note: Spec 15440-5</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-1	LRAD3321500 Elkay - 18 Gauge Stainless Steel 33' x 21.25' x 5' Double Bowl Top Mount Kitchen Sink	\$1,313.00	1
	LK99 Elkay - DRAIN	\$114.00	2

Note: Spec 15440-5

EWC-1	EZSTL8WSLK Elkay - BFS VERS BI-LVL 8GPH LT GRY	\$2,191.00	1
<i>Note: Spec 15440-5</i>			
DF-1	EHWM17FPK Elkay - 14GA SLIMLINE DUAL W/FRZ BOX	\$4,388.00	1
<i>Note: Spec 15440-6</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1
<i>Note: Spec 15430-5</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
RPB	LF909-OSY : 3 Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, UL/FM outside stem & yoke gate valve, flange connections, 3"Ø (76 mm) pipe connection (0122776)	\$7,751.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$164.00	1
	77F-DI-125 : 3 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825202)	\$291.50	1
<i>Note: Spec 15430-4, P1-2 - Water Service Entrance Diagram</i>			
RPB Opt.	957-OSY : 3 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 3"Ø (76 mm) pipe connection (0111585)	\$3,814.00	1
	957-AG Watts - 957-AG Air Gap (0111764)	\$212.50	1
	77F-DI-125 : 3 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825202)	\$291.50	1
<i>Note: Spec 15430-4, P1-2 - Water Service Entrance Diagram; Quoting as an economical alternate.</i>			
PRV	LFN223M1-B : 3 Watts - Lead Free Super Capacity Water Pressure Reducing Valve, NPT threaded female inlet x NPT threaded female outlet 3"(76mm)	\$5,498.00	1
<i>Note: P1-2 - Water Service Entrance Diagram, Quoting as a Suggestion.</i>			
DCV	9D M3 : 1/2 Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 1/2"Ø (13 mm) pipe connection (0061935)	\$108.50	1
	9D M2 : 3/4 Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 3/4"Ø (19 mm) pipe connection (0061888)	\$111.00	1
<i>Note: Spec 15430-4</i>			

VB	8A	\$50.50	1
Watts - Series 8 Hose Connection Vacuum Breakers, 3/4"(20mm), Furnished with exclusive "Non-Removable" feature and standardly equipped to allow sill cock to be drained			
	NF8 : 3/4	\$42.75	1
Watts - Hose Connection Vacuum Breaker: 3/4"(20mm)			

Note: Spec 15430-4

HB-1	SC8-4	\$65.75	1
Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)			

Note: Spec 15430-5, P1-1 - Fixture Connection Schedule

ET-1	DETA 12	\$1,711.00	1
Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 5 gallons (0212027)			

Note: P1-1 - Expansion Tank Schedule

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
FD-1	FD-104-A6-5-6-7	\$593.00	1
Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, sediment bucket, vandal proof, trap primer connection; 4"Ø (102 mm) outlet size			

Note: Spec 15430-2

FD-2	FD-104-ER7-5-6-7	\$1,009.00	1
Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size			

Note: Spec 15430-3

DSB	RD-980	\$989.00	1
Watts - epoxy coated, 5" x 4" x 24", cast iron, countersunk securing strap, 4" no hub pipe connection			

Note: Spec 15430-3

CO-A	CO-200-RX-C		
Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, nickel bronze top, membrane clamp			
	CO-200-RX-C,2	\$699.00	1
Watts - 2"Ø (51 mm)			
	CO-200-RX-C,3	\$728.00	1
Watts - 3"Ø (76 mm)			
	CO-200-RX-C,4	\$902.00	1
Watts - 4"Ø (102 mm)			

Note: Spec 15430-3

CO-B	CO-300-MF	\$1,099.00	1
Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top			
	CO-380		
Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug			
	CO-380,2	\$76.00	1
Watts - 2"Ø (51 mm)			
	CO-380,3	\$117.00	1
Watts - 3"Ø (76 mm)			

	CO-380,4	\$162.00	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$332.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 15430-3			
CO-C (round)	CO-200-R-C		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, membrane clamp		
	CO-200-R-C,2	\$578.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-R-C,3	\$606.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R-C,4	\$780.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 15430-3;			
<i>CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER</i>			
<i>CARPET MARKER (-RC) = \$61.00 LIST ADDER</i>			
<i>NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER</i>			
<i>TILE RECESS (-T) = NO ADDITIONAL</i>			
<i>TERRAZZO RECESS (-U) = \$279.00 LIST ADDER</i>			
CO-C (square)	CO-200-S-C		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" x 5" (127 mm x 127 mm) square, nickel bronze top, membrane clamp		
	CO-200-S-C,2	\$578.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-S-C,3	\$606.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-S-C,4	\$780.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 15430-3;			
<i>NB HEAVY DUTY (-SX) = \$122.00 LIST ADDER</i>			
<i>TILE RECESS (-TS) = NO ADDITIONAL</i>			
<i>TERRAZZO RECESS (-US) = \$279.00 LIST ADDER</i>			
CO-D	CO-380-RD		
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2	\$183.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$226.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,4	\$271.00	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,6	\$574.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 15430-3			
CO-E	CO-460		
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$180.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$224.00	1
	Watts - 3"Ø (76 mm)		

	CO-460,4	\$348.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 15430-3			
WH-1	HY-725		
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	HY-725,-6,-8	\$1,222.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725,-10,-12,-14	\$1,335.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-725,-16	\$1,446.00	1
	Watts - 16" (406 mm)		
Note: Spec 15430-3			
WHA (Piston Type)	LF15M2-DR Series		
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$138.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$265.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$418.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$883.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,099.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,308.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 15430-4			
TP	LFTP300-DR Series		
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$274.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$274.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300-DU-DR	\$149.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: Spec 15430-6			
WC-1/WC-2	ISCA-101-L/R	\$1,254.00	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	ISCA-101-D	\$2,345.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	ISCA-121	\$1,423.00	1
	Watts - single, vertical, cast iron fitting		

	ISCA-121-D	\$2,514.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	ISCA-131-L/R	\$1,664.00	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	ISCA-131-D	\$2,750.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
	Note: Spec 15440-4		
U-1	CA-321	\$663.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
	Note: Spec 15440-4		
EWC-1/DF-1	CA-431-1	\$960.00	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	Note: Spec 15440-5		
	NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***		

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.