



**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,  
15055 United States

**Phone:** (724) 745-5300

**Quotation:**  
**Q-204-S**

<b>To:</b>	<b>Contractor Holder</b> 202 Commerce Blvd., Lawrence, Pennsylvania 15241	<b>Bid Date:</b>	2018-04-23
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2018-05-23
<b>Phone:</b>	724-745-5300	<b>Creator:</b>	Drew Pomrenke , dpomrenke@jboconnor.com
		<b>Sales Rep.:</b>	Casey Devlin , cdevlin@jboconnor.com
		<b>Shipping Address:</b>	, University park, Pennsylvania, United States

**Job Name: PSU STEAM PLANT**

**Architect:** Buchart Horn Architects

**Comments:**

**Section Brand: Sloan**

Label	Product No. Description	List Price	Qty.
WC-1 /WC-2	<b>ST-2459</b> Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$127.50	1
	<b>Sloan 111 ES-S</b> Sloan - Optima sensor activated flushometer for exposed water closets. Equipped with 24V AC solenoid operator and Optima sensor EL-1500-L. Courtesy Flush® Override Button, 1 1/2" top spud. (3770000)	\$611.40	1
	<b>EL-154</b> Sloan - 50 VA Transformer (0345154PK)	\$45.20	1
<b>Note:</b> P-601 - Plumbing Fixture Schedule; Spec 22 40 40-3/4			
UR-1 /UR-2	<b>SU-1009-A</b> Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$262.30	1
	<b>Sloan 186-0.125 ES-S</b> Sloan - Optima sensor activated flushometer for exposed urinals. Equipped with 24V AC solenoid operator and optima sensor EL-1500-L. 3/4" top spud. 0.125 GPM (3772695)	\$595.60	1
	<b>EL-154</b> Sloan - 50 VA Transformer (0345154PK)	\$45.20	1
<b>Note:</b> P-601 - Plumbing Fixture Schedule; Spec 22 40 40-4			
LAV-3,4	<b>SS-3002</b> Sloan - Complete vitreous china Oval drop in lavatory, 4" centers, overflow, Self rimming. 20"x16-3/4" (3873002)	\$73.55	1
	<b>ETF-610-4-B</b> Sloan - Sensor operated hand washing faucet, 4" trim plate. Box transformer (B) (3365164)	\$674.90	1
<b>Note:</b> P-601 - Plumbing Fixture Schedule; Spec 22 40 40-4			

**Section Brand: Elkay**

Label	Product No. Description	List Price	Qty.
KS-1	<b>LRAD1918550</b> Elkay - 18 Gauge Stainless Steel 19' x 18' x 5.5' Single Bowl Top Mount Kitchen Sink	\$777.00	1

	<b>LK35</b>		\$72.00	1
	Elkay - DRAIN			
<b>Note:</b> Spec 22 40 40-5/6; No Model Provided, Quoting Based on description. Please be advised model length is 18" not 13.5"				
EWC-2	<b>EZSTL8LC</b>		\$1,538.00	1
	Elkay - VERSATILE BI-LVL 8GPH LT GRY			
<b>Note:</b> Spec 22 40 40-7				
SS-1	<b>WNSF8124LR1</b>		\$4,933.00	1
	Elkay - SCULLERY SINK			
<b>Note:</b> Spec 22 40 40-7				

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
TMV /ESH	<b>ETV400-15</b> Powers - ETV400-15 EMERGENCY TMPR	\$2,256.00	1
<b>Note:</b> P-601 - Plumbing Equipment Schedule; Spec 22 40 40-8			
SH-2	<b>450-4004</b> Powers - HydroPanelll with Professional Hand Shower,Slide Bar, and Soap Dish	\$1,135.00	1
<b>Note:</b> P-601: Plumbing Fixture Schedule; Spec 22 40 40-6; Quoting as an Alternate. Model does not come w/ L-Shaped Grab Bar and the Soap dish is not recessed.			

**Section Brand: Watts Regulators**

Label	Product No. Description	List Price	Qty.
ET-WOC5	<b>DETA 30</b> Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 15 gallons (0212029)	\$2,145.00	1
<b>Note:</b> P-601 - Plumbing Equipment Schedule			
HB-1	<b>SC8-4</b> Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$65.75	1
<b>Note:</b> P-601 - Plumbing Fixture Schedule			
WB-1	<b>2-M2DWB</b> Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)	\$161.50	1
<b>Note:</b> P-601 - Plumbing Fixture Schedule			

**Section Brand: Watts Drainage**

**Header:** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

Label	Product No. Description	List Price	Qty.
EWC-2	<b>CA-431-1</b> Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$960.00	1
<b>Note:</b> P-601 - Plumbing Fixture Schedule; Spec 22 40 40-7			
FD1,3	<b>FD-103-A5</b> Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 3"Ø (76 mm)	\$380.00	1
<b>Note:</b> P-601 - Plumbing Fixture Schedule			

FD3,3	<b>FD-1103-A5</b>	\$475.00	1
Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 5" (127 mm) diameter, stainless steel, adjustable round strainer, 3"Ø (76 mm)			
<b>Note:</b> P-601 - Plumbing Fixture Schedule			
FD3,4	<b>FD-1104-A5</b>	\$475.00	1
Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 5" (127 mm) diameter, stainless steel, adjustable round strainer, 4"Ø (102 mm)			
<b>Note:</b> P-601 - Plumbing Fixture Schedule			
FD4,4	<b>FD-464-F</b>	\$1,178.00	1
Watts - cast iron body no-hub outlet, 12-3/4" (324 mm) square, ductile iron grate, 4"Ø (102 mm)			
<b>Note:</b> P-601 - Plumbing Fixture Schedule; Note: Quoting as suggestion.			
ORD1,6	<b>RD-306-R</b>	\$980.00	1
Watts - epoxy coated, 16-5/8" (422 mm) diameter, cast iron body, combined flashing clamp and 2" (51 mm) high external water dam, no-hub outlet, self locking, 15-1/4" (387 mm) diameter, polyethylene dome, 6"Ø (152 mm) outlet size			
<b>Note:</b> P-601 - Plumbing Fixture Schedule; Note: Quoting as suggestion. SUMP RECEIVER (-B) = \$212.00 LIST ADDER UNDERDECK CLAMP (-D) = \$190.00 LIST ADDER DECK FLANGE/ADJ. EXTENSION (-F) = \$521.00 LIST ADDER DUCTILE IRON DOME (-K) = \$166.00 LIST ADDER 2" EXTERNAL WATER DAM (-R) = \$182.00 LIST ADDER ADJUSTABLE INTERNAL WATER DAM (-W) = \$334.00 LIST ADDER			
RD1,4	<b>RD-304</b>	\$559.00	1
Watts - epoxy coated, 16-5/8" (422 mm) diameter, cast iron body, flashing clamp and integral gravel stop, no-hub outlet, self locking, 15-1/4" (387 mm) diameter, polyethylene dome, 4"Ø (102 mm) outlet size			
<b>Note:</b> P-601 - Plumbing Fixture Schedule; SUMP RECEIVER (-B) = \$212.00 LIST ADDER UNDERDECK CLAMP (-D) = \$190.00 LIST ADDER DECK FLANGE/ADJ. EXTENSION (-F) = \$521.00 LIST ADDER DUCTILE IRON DOME (-K) = \$166.00 LIST ADDER 2" EXTERNAL WATER DAM (-R) = \$182.00 LIST ADDER ADJUSTABLE INTERNAL WATER DAM (-W) = \$334.00 LIST ADDER			
TD1,4	<b>D-DI</b>	\$432.00	1
Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet(s), pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F			
<b>Note:</b> P-601 - Plumbing Fixture Schedule; Note: Quoting as suggestion. Please note trench drain price is per foot.			
UR-1 /UR-2	<b>CA-321</b>	\$663.00	1
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.			
<b>Note:</b> P-601 - Plumbing Fixture Schedule			
WC-1 /WC-2	<b>ISCA-101-L/R</b>	\$1,254.00	1
Watts - single, horizontal, cast iron fitting, left/right side outlet			
	<b>ISCA-101-D</b>	\$2,345.00	1
Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support			

<b>ISCA-121</b>	\$1,423.00	1
Watts - single, vertical, cast iron fitting		
<b>ISCA-121-D</b>	\$2,514.00	1
Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
<b>ISCA-131-L/R</b>	\$1,664.00	1
Watts - single, vertical, cast iron fitting, left/right side outlet		
<b>ISCA-131-D</b>	\$2,750.00	1
Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		

**Note:** P-601 - Plumbing Fixture Schedule

WH-1	<b>HY-420</b>		
Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker			
	<b>HY-420,-4,-6,-8</b>	\$683.00	1
Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick			
	<b>HY-420,-10,-12,-14</b>	\$795.00	1
Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick			
	<b>HY-420-16</b>	\$906.00	1
Watts - 16" (406 mm) thick			

**Note:** P-601 - Plumbing Fixture Schedule

**NOTE :** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

**Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.  
Pricing good for 30 days.  
Pricing subject to change if Mfr pricing changes.

**Terms**

Above prices are net.  
All taxes are extra.  
Partial or expedited shipments, at customer request, may result in additional freight charges.  
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.  
Please ensure that all quoted product meets your projects specifications.  
Our company will only be responsible for products shown on the attached quotation.