



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-193-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-04-13
Attn.:	N/A	Expiry Date:	2018-05-13
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, State College, Pennsylvania, United States

Job Name: Penn State Health Group

Engineer: Stantec Engineering **Architect:** Stantec Architecture

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1	ST-2029 Sloan - Vitreous china, ADA compliant water closet bowl only, 1.28, 1.6/1.1 AND 1.6 gpf, Floor mounted elongated bowl with 1-1/2" IPS top spud inlet. 1,000 LB load tested (2102029)	\$154.45	1
	ECOS 111-1-6/1.1 HW Sloan - Exposed, Hardwire, Sensor activated ECOS Hardwire Dual Flush Water Closet flushometer. 1.1/1.6 GPF. (3370420)	\$678.75	1
<i>Note: Spec 22 42 00 - 2</i>			
S-1	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1
	ETF-610-LT Sloan - Automatic Sink Faucets, 0.5 gpm, Single Holeinstall, 8 inch Trim Plate, Polished Chrome, Below Deck Thermostatic Mixing Valve, Less Transformer, Activated Sensor (3365271)	\$713.45	1
	EL-154 Sloan - Box mount, up to 10 flush valves can be operated by one transformer (0345154)	\$45.20	1
<i>Note: Spec 22 42 00 - 3</i>			
S-2 /S-3 /S-4	ETF-700-4-LT-BDT Sloan - Automatic Sink Faucets, 2.2 gpm, Single Holeinstall, 4 inch Trim Plate, Polished Chrome, Below Deck Thermostatic Mixing Valve, Less Transformer, Activated Sensor (3365280)	\$839.85	1
	EL-154 Sloan - Box mount, up to 10 flush valves can be operated by one transformer (0345154)	\$45.20	1
<i>Note: Spec 22 42 00 - 3,4</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-3	DLR191910PDO Elkay - 18 Gauge Stainless Steel 19.5' x 19' x 10.125' Single Bowl Top Mount Laundry/Utility Sink Kit	\$996.00	1

	LKAD35	\$105.00	1
	Elkay - STRAINER BASKET W/ OFFSET PIPE		
<i>Note: Spec 22 42 00 - 4</i>			
S-4	Custom Sink		
	Sink at 18" Deep not Commercially Manufactured by Elkay, Sink must be Custom Ordered.		
	LKAD35	\$105.00	1
	Elkay - STRAINER BASKET W/ OFFSET PIPE		
<i>Note: Spec 22 42 00 - 4</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV	LFSH1432AEMS40 Powers - HydroGuard XP, Rough Bronze, Bottom/Top, Exposed, no cabinet, Standard 90 - 160°F (32 - 71°C), Combination T/P Gauge on Inlets	\$3,428.00	1
<i>Note: Spec 22 33 33 - 2</i>			
Sink TMV	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1
<i>Note: Spec 22 42 00 - 2</i>			
EW-1	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$913.00	1
<i>Note: Spec 22 42 00 - 2</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Flood Shutdown Valve	LFF113RFP : 3 Watts - Ductile Iron w LF Brass Pilot 3" (572804)	\$8,963.00	1
<i>Note: Spec 22 11 19 - 2; P201 - Enlarged Mechanical Room Domestic Water Plan Quoting based on Size on DWG</i>			
Flood Shutdown Valve	LFF113RFP : 6 Watts - Ductile Iron w LF Brass Pilot 8" (13527)	\$12,402.52	1
<i>Note: Spec 22 11 19 - 2; Quoting based on 6 suffix in specification.</i>			
RPZ	LF909-NRS : 3 Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, non-rising stem gate valves, 3"Ø (76 mm) pipe connection (0391015)	\$7,265.00	1
	909-AGK Watts - 909-AGK Air Gap (0881385)	\$322.50	1
	77F-DI-125 : 3 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825202)	\$291.50	1
<i>Note: P201 - Enlarged Mechanical Room Domestic Water Plan Quoting based on Size on DWG</i>			
RPZ Opt.	957-NRS : 3 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, non-rising stem gate valves, 3"Ø (76 mm) pipe connection (0111603)	\$3,463.00	1
	957-AG Watts - 957-AG Air Gap (0111764)	\$212.50	1

	77F-DI-125 : 3	\$291.50	1
	Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825202)		
<i>Note: P201 - Enlarged Mechanical Room Domestic Water Plan Quoting based on Size on DWG; Quoting as an economical alternate.</i>			
Dual Check BFP	9D M2 : 3/4	\$111.00	1
	Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 3/4"Ø (19 mm) pipe connection (0061888)		
	9D M3 : 1/2	\$108.50	1
	Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 1/2"Ø (13 mm) pipe connection (0061935)		
<i>Note: Spec 22 11 19 - 3</i>			
ET	DETA 5	\$1,486.00	1
	Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 3.5 gallons (0212026)		
<i>Note: Spec 22 33 33 - 2</i>			
EWC-1	LF7 : 1 1/4		
	Watts - Lead Free cast copper silicon alloy body, silicon disc, 1 1/4" (32 mm) pipe connection (0792076)		
	LF7 : 3/8	\$163.50	1
	Watts - Lead Free cast copper silicon alloy body, silicon disc, 3/8"Ø (10 mm) pipe connection (0792076)		
<i>Note: Spec 22 42 00 - 5</i>			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
TP	LFTP300-DR Series		
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$274.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$274.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
<i>Note: P501 - Trap Primer Valve</i>			
WHA	SS Series		
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$434.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$884.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,321.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$3,313.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$3,740.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		

	SS-F		\$4,596.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection			
Note: Spec 22 11 19 - 2				
WCO	CO-380-RD			
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw			
	CO-380-RD,2		\$183.00	1
	Watts - 2"Ø (51 mm)			
	CO-380-RD,3		\$226.00	1
	Watts - 3"Ø (76 mm)			
	CO-380-RD,4		\$271.00	1
	Watts - 4"Ø (102 mm)			
	CO-380-RD,6		\$574.00	1
	Watts - 6"Ø (152 mm)			
Note: Spec 22 13 19 - 2				
FCO	CO-200-R			
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top			
	CO-200-R,2		\$494.00	1
	Watts - 2"Ø (51 mm)			
	CO-200-R,3		\$522.00	1
	Watts - 3"Ø (76 mm)			
	CO-200-R,4		\$696.00	1
	Watts - 4"Ø (102 mm)			
Note: Spec 22 13 19 - 2;				
<i>CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER</i>				
<i>CARPET MARKER (-RC) = \$61.00 LIST ADDER</i>				
<i>NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER</i>				
<i>TILE RECESS (-T) = NO ADDITIONAL</i>				
<i>TERRAZZO RECESS (-U) = \$279.00 LIST ADDER</i>				
Finished	CO-460-RD			
WCO	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw			
	CO-460-RD,2		\$287.00	1
	Watts - 2"Ø (51 mm)			
	CO-460-RD,3		\$330.00	1
	Watts - 3"Ø (76 mm)			
	CO-460-RD,4		\$483.00	1
	Watts - 4"Ø (102 mm)			
Note: Spec 22 13 19 - 2				
CO	CO-380			
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug			
	CO-380,2		\$76.00	1
	Watts - 2"Ø (51 mm)			
	CO-380,3		\$117.00	1
	Watts - 3"Ø (76 mm)			
	CO-380,4		\$162.00	1
	Watts - 4"Ø (102 mm)			

	CO-380,6	\$332.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 13 19 - 2			
S-1	TCA-411 Series		
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$782.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,114.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: Spec 22 42 00 - 3			
EWC-1	CA-431-1	\$960.00	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: Spec 22 42 00 - 5			
FD-1	FD-100-A5-7		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, trap primer connection		
	FD-100-A5-7,2,3,4	\$380.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A5-7,6	\$475.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 42 00 - 6			
FD-2	FD-320-Y-7		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron grate, trap primer tapping		
	FD-320-Y-7,2,3,4	\$828.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-320-Y-7,6	\$923.00	1
	Watts - 6"Ø (152 mm)		

Note: Spec 22 42 00 - 6

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.