



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-183-S

| | | | |
|---------------|---|--------------------------|--|
| To: | Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241 | Bid Date: | 2018-04-06 |
| Attn.: | N/A | Expiry Date: | 2018-05-06 |
| Phone: | 724-745-5300 | Creator: | Drew Pomrenke , dpomrenke@jboconnor.com |
| | | Sales Rep.: | Casey Devlin , cdevlin@jboconnor.com |
| | | Shipping Address: | , Greensburg, Pennsylvania, United States |

Job Name: Pressley Ridge School

Engineer: Firsching, Marstiller, Rusbarsky and Wolf Engineering, Inc. **Architect:** Radelet McCarthy Polletta

Comments:

Section Brand: Sloan

| Label | Product No. Description | List Price | Qty. |
|---|---|------------|------|
| F-1 | SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003) | \$83.40 | 1 |
| <i>Note: P202 - Plumbing Fixture and Accessory Schedule</i> | | | |
| F-2 | ST-2009-STG Sloan - Standard Top Spud Floor Mount Water Closet (2172009) | \$153.95 | 1 |
| | Royal 111 YO Sloan - 1.6 gpf/6.0 Lpf, bumper on angle stop (3010009) | \$203.45 | 1 |
| <i>Note: P202 - Plumbing Fixture and Accessory Schedule</i> | | | |
| F-3 | ST-2029-STG Sloan - Top Spud Floor Mount Closet Fixture (2172029) | \$178.45 | 1 |
| | Royal 111 YO Sloan - 1.6 gpf/6.0 Lpf, bumper on angle stop (3010009) | \$203.45 | 1 |
| <i>Note: P202 - Plumbing Fixture and Accessory Schedule</i> | | | |
| F-4 | SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009) | \$262.30 | 1 |
| | ROYAL 186-0.5 Sloan - Exposed 3/4" top spud 0.5 GPF (3912697) | \$203.45 | 1 |
| <i>Note: P202 - Plumbing Fixture and Accessory Schedule</i> | | | |

Section Brand: Elkay

| Label | Product No. Description | List Price | Qty. |
|---|--|------------|------|
| F-5 | LRAD1918400 Elkay - 18 Gauge Stainless Steel 19' x 18' x 4' Single Bowl Top Mount Kitchen Sink | \$719.00 | 1 |
| | LK18B Elkay - DRAIN | \$74.00 | 1 |
| <i>Note: P202 - Plumbing Fixture and Accessory Schedule</i> | | | |

| | | | |
|---------|---|------------|---|
| F-7 EWC | EZSTL8LC Elkay - VERSATILE BI-LVL 8GPH LT GRY | \$1,538.00 | 1 |
|---------|---|------------|---|

Note: P202 - Plumbing Fixture and Accessory Schedule

Section Brand: Powers

| Label | Product No. Description | List Price | Qty. |
|---------------------------|---|------------|------|
| Faucet Mixing Valve | LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish | \$230.00 | 1 |

Note: P201 - Typical Manual Faucet w/ Mixing Valve

| | | | |
|------|--|------------|---|
| MV-1 | LFMM433AEMS00 Powers - Hydroguard Master Tempering Valves Supply Fixture, Bottom Inlets/Top Outlet - Exposed, 110gpm, Rough Bronze Finish, No Cabinet, 90°F - 160°F | \$2,902.00 | 1 |
|------|--|------------|---|

Note: P201 - Mixing Valve Schedule;

| | | | |
|---------------|---|------------|---|
| F-7 Shower | F727K105YW Powers - LCD T/P Combination Valve, Farenheit Temperature Display, Standard, Chrome- Plated Brass, Standard Arm & Flange, Standard, Metal Hose 2" Wall Hooks, Diverter, Concealed, Metal Handle, 1/2" Solder, Vacuum Breaker,in-Line | \$1,091.00 | 1 |
|---------------|---|------------|---|

Note: P202 - Plumbing Fixture and Accessory Schedule

Section Brand: Watts Regulators

| Label | Product No. Description | List Price | Qty. |
|------------|--|------------|------|
| ET-1 /ET-2 | DETA 20 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 8 gallons (0212028) | \$1,902.00 | 1 |

Note: P201 - Domestic Water Heater Schedule

| | | | |
|----------|--|----------|---|
| F-1 /F-5 | LFUSG-B-M2 Watts - Lead Free brass body construction, copper thermostat with stainless steel springs, integral checks and 40 mesh stainless steel screens, 4-port with cap for three port application, "H" pattern body, ASSE 1070 and cUPC, valve shall control temperature from a low of 1/4gpm, 3/8"Ø (10 mm) male compression (0204143) | \$241.00 | 1 |
|----------|--|----------|---|

Note: P202 - Plumbing Fixture and Accessory Schedule

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

| Label | Product No. Description | List Price | Qty. |
|-------|--|------------|------|
| NFWH | HY-725 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door | | |
| | HY-725,-6,-8 Watts - 6" (152 mm), 8" (203 mm) thick | \$1,222.00 | 1 |
| | HY-725,-10,-12,-14 Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick | \$1,335.00 | 1 |
| | HY-725-16 Watts - 16" (406 mm) thick | \$1,446.00 | 1 |

Note: P101 - Keyed Plumbing Notes; P202 - Plumbing Fixture and Accessory Schedule

| | | | |
|----|---|--|--|
| RD | RD-300-B-D-K80 Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, aluminum dome, sump receiver, underdeck clamp, Aluminium Dome | | |
|----|---|--|--|

| | | | |
|---|---|------------|---|
| | RD-300-B-D-K80,2,3,4 | \$1,154.00 | 1 |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| | RD-300-B-D-K80,5,6 | \$1,393.00 | 1 |
| | Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size | | |
| | RD-300-B-D-K80,8,10 | \$1,633.00 | 1 |
| | Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size | | |
| Note: P104 - Keyed notes; | | | |
| Scupper Drain | RD-270,2,3,4 | \$489.00 | 1 |
| | Watts - cast iron body, flashing clamp, 90° degree no-hub outlet, secured angle grate; Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| | RD-290,2,3,4 | \$529.00 | 1 |
| | Watts - cast iron body, flashing clamp, 90° degree no-hub outlet, secured flat grate; Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| Note: P104 - Keyed notes | | | |
| Floor Sink | FS-780 | | |
| | Watts - 14 gauge type 304 stainless steel receptor body, 6-1/4" (159 mm) deep, no-hub outlet, dome bottom strainer, 10" x 10" (254 mm x 254 mm) square, cast stainless steel | | |
| | FS-780,2,3,4 | \$2,944.00 | 1 |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| Note: P105 - Keyed Plumbing Notes; Quoting as an alternate, Model does not come with a trap primer connection or square center hole. | | | |
| FD-2 | FD-320-Y-7 | | |
| | Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron grate, trap primer tapping | | |
| | FD-320-Y-7,2,3,4 | \$828.00 | 1 |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| | FD-320-Y-7,6 | \$923.00 | 1 |
| | Watts - 6"Ø (152 mm) | | |
| Note: P105 - Keyed Plumbing Notes; | | | |
| TP | LFTP300-DR Series | | |
| | Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap | | |
| | LFTP300T | \$274.00 | 1 |
| | Watts - 1/2", Threaded Inlet and Outlet Connect | | |
| | LFTP300S | \$274.00 | 1 |
| | Watts - 1/2", Soldered Inlet and Outlet Connect | | |
| | LFTP300-DU-DR | \$149.00 | 1 |
| | Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit | | |
| Note: P105 - Keyed Plumbing Notes; | | | |
| WHA | SS Series | | |
| | Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C) | | |
| | SS-A | \$434.00 | 1 |
| | Watts - 1-11 fixture units, 1/2" (13 mm) connection | | |
| | SS-B | \$884.00 | 1 |
| | Watts - 12-32 fixture units, 3/4" (19 mm) connection | | |
| | SS-C | \$1,321.00 | 1 |
| | Watts - 33-60, fixture units, 1" (25 mm) connection | | |
| | SS-D | \$3,313.00 | 1 |
| | Watts - 61-113 fixture units, 1" (25 mm) connection | | |

| | | | |
|---|---|------------|---|
| | SS-E | \$3,740.00 | 1 |
| | Watts - 114-154 fixture units, 1" (25 mm) connection | | |
| | SS-F | \$4,596.00 | 1 |
| | Watts - 155-330 fixture units, 1" (25 mm) connection | | |
| Note: P105 - Keyed Plumbing Notes; P202 - Plumbing Fixture and Accessory Schedule | | | |
| F-1 | TCA-411 Series | | |
| | Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. | | |
| | TCA-411 | \$782.00 | 1 |
| | Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. | | |
| | TCA-411-D | \$1,114.00 | 1 |
| | Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. | | |
| Note: P202 - Plumbing Fixture and Accessory Schedule | | | |
| F-4 | CA-321 | \$663.00 | 1 |
| | Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware. | | |
| Note: P202 - Plumbing Fixture and Accessory Schedule | | | |
| F-7 EWC | CA-431-1 | \$960.00 | 1 |
| | Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware. | | |
| Note: P202 - Plumbing Fixture and Accessory Schedule | | | |
| FD-1 | FD-103-A5-7 | \$380.00 | 1 |
| | Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, trap primer connection, 3"Ø (76 mm) | | |
| Note: P202 - Plumbing Fixture and Accessory Schedule | | | |
| FD-2 | FD-313-1-7 | \$586.00 | 1 |
| | Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter, nickel bronze grate, trap primer tapping; 3"Ø (76 mm) outlet size | | |
| Note: P202 - Plumbing Fixture and Accessory Schedule | | | |
| FS-3 | FS-783 | \$2,944.00 | 1 |
| | Watts - 14" (356 mm) square, 14 gauge type 304 stainless steel receptor body, 6-1/4" (159 mm) deep, no-hub outlet, dome bottom strainer, 10" (254 mm) square, loose set, cast stainless steel, 3"Ø (76mm) outlet size | | |
| Note: P202 - Plumbing Fixture and Accessory Schedule; Trap Seal connection not available for this model. | | | |
| ECO | CO-460-RD | | |
| | Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw | | |
| | CO-460-RD,2 | \$287.00 | 1 |
| | Watts - 2"Ø (51 mm) | | |
| | CO-460-RD,3 | \$330.00 | 1 |
| | Watts - 3"Ø (76 mm) | | |
| | CO-460-RD,4 | \$483.00 | 1 |
| | Watts - 4"Ø (102 mm) | | |

Note: Spec 22 13 19 - 2

| | | | |
|--|--|----------|---|
| FCO | CO-200-R Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top | | |
| | CO-200-R,2 Watts - 2"Ø (51 mm) | \$494.00 | 1 |
| | CO-200-R,3 Watts - 3"Ø (76 mm) | \$522.00 | 1 |
| | CO-200-R,4 Watts - 4"Ø (102 mm) | \$696.00 | 1 |
| Note: Spec 22 13 19 - 2,3; CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER CARPET MARKER (-RC) = \$61.00 LIST ADDER NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$279.00 LIST ADDER | | | |
| FCO | CO-1200-R Stainless Steel Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5-1/8" (130 mm) round, heavy duty, stainless steel top | | |
| | CO-1200-R,2 Watts - 2"Ø (51 mm) | \$662.00 | 1 |
| | CO-1200-R,3 Watts - 3"Ø (76 mm) | \$690.00 | 1 |
| | CO-1200-R,4 Watts - 4"Ø (102 mm) | \$864.00 | 1 |
| Note: Spec 22 13 19 - 2,3; CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER CARPET MARKER (-RC) = \$61.00 LIST ADDER SS HEAVY DUTY (-RX) = \$122.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$279.00 LIST ADDER | | | |
| WCO | CO-590-RD Watts - threaded brass cleanout plug with countersunk head, stainless steel access cover and vandal proof stainless steel screw | | |
| | CO-590-RD,1.5 Watts - 1-1/2"Ø (39 mm) | \$145.00 | 1 |
| | CO-590-RD,2 Watts - 2"Ø (51 mm) | \$148.00 | 1 |
| | CO-590-RD,3 Watts - 3"Ø (76 mm) | \$183.00 | 1 |
| | CO-590-RD,4 Watts - 4"Ø (102 mm) | \$243.00 | 1 |
| | CO-590-RD,5 Watts - 5"Ø (126 mm) | \$339.00 | 1 |
| | CO-590-RD,6 Watts - 6"Ø (152 mm) | \$522.00 | 1 |
| Note: Spec 22 13 19 - 3 | | | |
| FD | FD-1100-M6-6-7 Stainless Steel Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) square, stainless steel, adjustable, square strainer, vandal proof, trap primer tapping | | |
| | FD-1100-M6-6-7,2,3,4 Watts - 2" (51mm),3" (76mm), 4" (102mm) | \$609.00 | 1 |

| | | | |
|---|---|------------|---|
| | FD-1100-M6-6-7,6 | \$704.00 | 1 |
| | Watts - 6"(152 mm) | | |
| Note: Spec 22 13 19 - 3 | | | |
| Vent Cap | RD-680-VC | | |
| | Watts - cast iron, vandal proof cover | | |
| | RD-680-VC,2,3,4 | \$372.00 | 1 |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| | RD-680-VC,6 | \$530.00 | 1 |
| | Watts - 6"Ø (152 mm) | | |
| | RD-680-VC,8 | \$607.00 | 1 |
| | Watts - 8"Ø (203 mm) | | |
| Note: Spec 22 13 19 - 4 | | | |
| Expansion Joint | RD-900 | | |
| | Watts - neoprene expansion joint, no hub (MJ) clamps | | |
| | RD-900,2 | \$235.00 | 1 |
| | Watts - 2"Ø (51 mm) | | |
| | RD-900,3 | \$273.00 | 1 |
| | Watts - 3"Ø (76 mm) | | |
| | RD-900,4 | \$319.00 | 1 |
| | Watts - 4"Ø (102 mm) | | |
| Note: Spec 22 13 19 - 5 | | | |
| RD Cast Iron | RD-300-B-D-K | | |
| | Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, sump receiver, underdeck clamp | | |
| | RD-300-B-D-K,2,3,4 | \$1,127.00 | 1 |
| | Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size | | |
| | RD-300-B-D-K,5,6 | \$1,366.00 | 1 |
| | Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size | | |
| | RD-300-B-D-K,8,10 | \$1,605.00 | 1 |
| | Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size | | |
| Note: Spec 22 14 23 - 1 | | | |
| CO Tee | CO-460 | | |
| | Watts - cast iron stack, no-hub outlet, counter sunk brass plug | | |
| | CO-460,2 | \$180.00 | 1 |
| | Watts - 2"Ø (51 mm) | | |
| | CO-460,3 | \$224.00 | 1 |
| | Watts - 3"Ø (76 mm) | | |
| | CO-460,4 | \$348.00 | 1 |
| | Watts - 4"Ø (102 mm) | | |
| Note: Spec 22 14 23 - 2 | | | |
| NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised*** | | | |

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.