



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-217-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-05-01
Attn.:	N/A	Expiry Date:	2018-05-31
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	300 Center Street, Punxsutawney, Pennsylvania, Uni ted States

Job Name: Punxsutawney School - West End Elementary Reno

Engineer: HHS DR Architects/Engineers

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
L-1	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1

Note: P-0.1 - Lavatories and Sinks

L-2	SS-3803 Sloan - Wall hung china Lavatory with backsplash. White vitreous china, Hanging hardware, 8" centers, overflow, ADA compliant, 21" x 19.25" (3873803)	\$83.40	1
-----	---	---------	---

Note: P-0.1 - Lavatories and Sinks

W-1	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$127.50	1
-----	--	----------	---

	Royal 111 Sloan - Exposed 1 1/2" top spud. 1.6 GPF (3010000)	\$203.45	1
--	--	----------	---

Note: P-0.1 - Water Closets

W-2	ST-2029-A Sloan - ADA Floor Mount Universal, Top Spud (2102029)	\$154.45	1
-----	---	----------	---

	Royal 111 Sloan - Exposed 1 1/2" top spud. 1.6 GPF (3010000)	\$203.45	1
--	--	----------	---

Note: P-0.1 - Water Closets

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-1	LR17201 Elkay - 18 Gauge Stainless Steel 17' x 20' x 7.625' Single Bowl Top Mount Kitchen Sink	\$727.00	1
	LK99 Elkay - DRAIN	\$114.00	1
	LK1000CR Elkay - SINGLE LEVER KIT W/ ESC, CR	\$129.00	1

Note: P-0.1 - Lavatories and Sinks

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
S-1	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1

Note: P-0.1 - Lavatories and Sinks Footnotes 4.

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
FD-1	FD-100-A6-5 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, sediment bucket		
	FD-100-A6-5,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$550.00	1
	FD-100-A6-5,6 Watts - 6"Ø (152 mm)	\$645.00	1

Note: P-0.1 - Floor Drain Drain Schedule

Note: Trap seal by others.

L-1/L-2	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$782.00	1
	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,114.00	1

Note: P-0.1 - Lavatories and Sinks

W-1	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,254.00	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,345.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,423.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$2,514.00	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$1,664.00	1

	ISCA-131-D	\$2,750.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
Note: P-0.1 - Water Closets			
HB-1/HB-2	SC8-3	\$65.75	1
	Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, no kink faucet, 1/2" copper sweat connection with vacuum breaker (0611350)		
Note: Spec 22 11 19-4			
<i>Note: Quoting as alternate.</i>			
WH	HY-725		
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	HY-725,-6,-8	\$1,222.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725,-10,-12,-14	\$1,335.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-725,-16	\$1,446.00	1
	Watts - 16" (406 mm)		
Note: Spec 22 11 19-5			
WHA (Piston Type)	LF15M2-DR Series		
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$138.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$265.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$418.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$883.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,099.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,308.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 11 19-6			
FCO	CO-200-R		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$494.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$522.00	1
	Watts - 3"Ø (76 mm)		

	CO-200-R,4	\$696.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19-2			
CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER			
CARPET MARKER (-RC) = \$61.00 LIST ADDER			
NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER			
TILE RECESS (-T) = NO ADDITIONAL			
TERRAZZO RECESS (-U) = \$279.00 LIST ADDER			
CO	CO-300-S7	\$477.00	1
(tee/cover)	Watts - scoriated, square, access cover, nickel bronze, concealed mounting flanges, 7" (148 mm) square		
	CO-460		
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$180.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$224.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$348.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19-2			
CO	FD-830		
(special interior)	Watts - 12" (305 mm) square hopper, cast iron body no-hub outlet, flat bottom strainer, 5-1/4" (133 mm) diameter round strainer		
	FD-830,2,3,4	\$634.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: Spec 22 13 19-2			
CO	CO-200-RFC7		
(surface clamp)	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, nickel bronze top with surface membrane clamp		
	CO-200-RFC7,2	\$1,331.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-RFC7,3	\$1,360.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-RFC7,4	\$1,534.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19-2			
Vent Cap	RD-680-VC		
	Watts - cast iron, vandal proof cover		
	RD-680-VC,2,3,4	\$372.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-680-VC,6	\$530.00	1
	Watts - 6"Ø (152 mm)		
	RD-680-VC,8	\$607.00	1
	Watts - 8"Ø (203 mm)		
Note: Spec 22 13 19-3			
OFD	FD-100-DD-50		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter opening, cast iron hub funnel		
	FD-100-DD-50,2,3,4	\$357.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		

	FD-100-DD-50,6	\$452.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 13 19-4			
<i>Note: Quoting as per description.</i>			
Expansion	RD-900		
Joints	Watts - neoprene expansion joint, no hub (MJ) clamps		
	RD-900,2	\$235.00	1
	Watts - 2"Ø (51 mm)		
	RD-900,3	\$273.00	1
	Watts - 3"Ø (76 mm)		
	RD-900,4	\$319.00	1
	Watts - 4"Ø (102 mm)		

Note: Spec 22 13 19-5

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.