



**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,  
15055 United States

**Phone:** (724) 745-5300

**Quotation:**  
**Q-181-S**

<b>To:</b>	<b>Contractor Holder</b> 202 Commerce Blvd., Lawrence, Pennsylvania 15241	<b>Bid Date:</b>	2018-03-30
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2018-04-29
<b>Phone:</b>	724-745-5300	<b>Creator:</b>	Drew Pomrenke , dpomrenke@jboconnor.com
		<b>Sales Rep.:</b>	Casey Devlin , cdevlin@jboconnor.com
		<b>Shipping Address:</b>	718 Wallace Avenue, Pittsburgh, Pennsylvania, United States

**Job Name: Wilkinsburg School - Turner Elementary Alt & Add**

**Engineer:** Fortier Engineering    **Architect:** JC Pierce LLC

**Comments:**

**Section Brand: Sloan**

Label	Product No. Description	List Price	Qty.
L-1 /L-2 /L-3	<b>SS-3803</b> Sloan - Wall hung china Lavatory with backsplash. White vitreous china, Hanging hardware, 8" centers, overflow, ADA compliant, 21" x 19.25" (3873803)	\$83.40	1
<i>Note: P-10: Plumbing Fixture Schedule</i>			
WC-1 /WC-2	<b>ST-2459</b> Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$127.50	1
	<b>Sloan 8111</b> Sloan - Battery powered, sensor activated, 1-1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. 1.6 GPF (3790011)	\$547.50	1
<i>Note: P-10: Plumbing Fixture Schedule; Quoting Battery Operated Flush Valve in-lieu of Hardwired Model.</i>			
WC-3	<b>ST-2309-A</b> Sloan - Vitreous china universal Junior Toilet bowl only, 1.28, 1.6/1.1 and 1.6 GPF, Floor mounted, Top supply, "baby bowl". (2102309)	\$206.90	1
	<b>Sloan 8111</b> Sloan - Battery powered, sensor activated, 1-1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. 1.6 GPF (3790011)	\$547.50	1
<i>Note: P-10: Plumbing Fixture Schedule; Quoting Battery Operated Flush Valve in-lieu of Hardwired Model.</i>			
UR-1	<b>SU-1006-A</b> Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$262.30	1
	<b>Sloan 8186-1</b> Sloan - Battery powered, sensor activated, 3/4" top spud, exposed urinal flushometer. Courtesy flush override button. Requires no AC hookups, uses four AA batteries. 1.0 GPF. Override button (3790013)	\$547.50	1
<i>Note: P-10: Plumbing Fixture Schedule; Quoting Battery Operated Flush Valve in-lieu of Hardwired Model.</i>			

**Section Brand: Elkay**

Label	Product No. Description	List Price	Qty.
S-1	<b>DRKADQ2217400</b> Elkay - 18 Gauge Stainless Steel 22' x 17' x 4' Single Bowl Top Mount Sink	\$732.00	1

	<b>LK99</b> Elkay - DRAIN	\$114.00	1
<i>Note: P-10: Plumbing Fixture Schedule</i>			
DF-1	<b>EZSTL8LC</b> Elkay - VERSATILE BI-LVL 8GPH LT GRY	\$1,538.00	1
<i>Note: P-10: Plumbing Fixture Schedule</i>			
DF-2	<b>EZDL</b> Elkay - BARRIER FREE W/O REFRIG	\$611.00	1
<i>Note: P-10: Plumbing Fixture Schedule; Quoting Model based on description, quoting as a suggestion.</i>			

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
TMV	<b>LFE480-00</b> Powers - 1/2 LFE480-00	\$230.00	1
	<b>LFE480-10</b> Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1

*Note: P-11: Numbered Notes #6*

**Section Brand: Watts Drainage**

**Header: \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\***

Label	Product No. Description	List Price	Qty.
L-1 /L-2 /L-3	<b>TCA-411 Series</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$782.00	1
	<b>TCA-411-D</b> Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,114.00	1
<i>Note: P-10: Plumbing Fixture Schedule</i>			
WC-1 /WC-2	<b>ISCA-101-L/R</b> Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,254.00	1
	<b>ISCA-101-D</b> Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,345.00	1
	<b>ISCA-121</b> Watts - single, vertical, cast iron fitting	\$1,423.00	1
	<b>ISCA-121-D</b> Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$2,514.00	1

	<b>ISCA-131-L/R</b>	\$1,664.00	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	<b>ISCA-131-D</b>	\$2,750.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
	<b>Note: P-10: Plumbing Fixture Schedule</b>		
FD-1	<b>FD-103-A5</b>	\$380.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 3"Ø (76 mm)		
	<b>Note: P-10: Plumbing Fixture Schedule</b>		
FD-2	<b>FD-104-A5</b>	\$380.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 4"Ø (102 mm)		
	<b>Note: P-10: Plumbing Fixture Schedule</b>		
FD-3	<b>FD-200-DD-50</b>		
	Watts - 7" (178 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter opening, cast iron hub funnel		
	<b>FD-200-DD-50,2,3,4</b>	\$308.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>Note: P-10: Plumbing Fixture Schedule</b>		
UR-1	<b>CA-321</b>	\$663.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
	<b>Note: P-10: Plumbing Fixture Schedule</b>		
DF-1	<b>CA-431-1</b>	\$960.00	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	<b>Note: P-10: Plumbing Fixture Schedule</b>		
DF-2	<b>CA-311</b>	\$594.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate with integral mounting brackets, plated hardware.		
	<b>Note: P-10: Plumbing Fixture Schedule</b>		
FD	<b>FD-104-A5</b>	\$380.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 4"Ø (102 mm)		
	<b>Note: P-11: Plumbing Fixture Schedule</b>		
FS-1	<b>FS-734-1-150</b>	\$2,266.00	1
	Watts - cast iron body, 6-1/4" (159 mm) deep, no-hub outlet, aluminum dome bottom strainer, 9" x 9" (229 mm x 229 mm) square, nickel bronze top, 1/2 grate; 4"Ø (102 mm) outlet size		
	<b>Note: P-11: Plumbing Fixture Schedule</b>		
GI	<b>WD-35</b>	\$7,784.00	1
	Watts - steel, removable baffle assembly, skid-proof cover, secured with hex head center bolts, external cast iron flow control fitting, deep seal trap with cleanout, no-hub connections, flow rate of 35 GPM		
	<b>Note: P-11: Plumbing Fixture Schedule</b>		
WHA Bellows	<b>SS Series</b>		
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		

<b>SS-A</b>		\$434.00	1
Watts - 1-11 fixture units, 1/2" (13 mm) connection			
<b>SS-B</b>		\$884.00	1
Watts - 12-32 fixture units, 3/4" (19 mm) connection			
<b>SS-C</b>		\$1,321.00	1
Watts - 33-60, fixture units, 1" (25 mm) connection			
<b>SS-D</b>		\$3,313.00	1
Watts - 61-113 fixture units, 1" (25 mm) connection			
<b>SS-E</b>		\$3,740.00	1
Watts - 114-154 fixture units, 1" (25 mm) connection			
<b>SS-F</b>		\$4,596.00	1
Watts - 155-330 fixture units, 1" (25 mm) connection			

**Note:** Spec 22 40 00 - 3

WHA Piston	<b>LF15M2-DR Series</b>		
Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)			
	<b>LF15M2-A-DR</b>	\$138.00	1
Watts - 1-11 fixture units, 1/2" (13 mm) connection			
	<b>LF15M2-B-DR</b>	\$265.00	1
Watts - 12-32 fixture units, 3/4" (19 mm) connection			
	<b>LF15M2-C-DR</b>	\$418.00	1
Watts - 33-60, fixture units, 1" (25 mm) connection			
	<b>LF15M2-D-DR</b>	\$883.00	1
Watts - 61-113 fixture units, 1" (25 mm) connection			
	<b>LF15M2-E-DR</b>	\$1,099.00	1
Watts - 114-154 fixture units, 1" (25 mm) connection			
	<b>LF15M2-F-DR</b>	\$1,308.00	1
Watts - 155-330 fixture units, 1" (25 mm) connection			

**Note:** Spec 22 40 00 - 3

CO	<b>CO-200P-R</b>		
Watts - 7" (178 mm) diameter, cast iron body push-on outlet, brass plug, 5" (127 mm) round, nickel bronze top			
	<b>CO-200P-R,2</b>	\$494.00	1
Watts - 2"Ø (51 mm)			
	<b>CO-200P-R,3</b>	\$522.00	1
Watts - 3"Ø (76 mm)			
	<b>CO-200P-R,4</b>	\$696.00	1
Watts - 4"Ø (102 mm)			

**Note:** Spec 22 40 00 - 4;

CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER

CARPET MARKER (-RC) = \$61.00 LIST ADDER

NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER

TILE RECESS (-T) = NO ADDITIONAL

TERRAZZO RECESS (-U) = \$279.00 LIST ADDER

**NOTE :** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

**Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

NOTE: Watts Drainage does not meet PA.DGS please be advised

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.