



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-269-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-05-25
Attn.:	N/A	Expiry Date:	2018-06-24
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Ambridge, Pennsylvania, United States

Job Name: Ambridge Junior High School - Phase II Restroom Renovation

Engineer: HHS DR, Architects/Engineers **Architect:** HHS DR, Architects/Engineers

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
L-1 /L-2	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1
	EAF-350-0.5 Sloan - Battery operated, chrome plated die cast metal, hand washing faucet, one piece construction with all serviceable components above deck. 0.5 GPM (3335110)	\$482.25	1
	ETF-312-A Sloan - 4" Trim plate, Single hole (3365468)	\$43.95	1
<i>Note: Spec 22 40 00 - 2</i>			
U-1 /U-2	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$262.30	1
	ROYAL 186-0.125 DBP SMO Sloan - Sensor Exposed Flushometer for Wall Hung Urinals, 11.5" Rough in, SMO, Battery-powered 0.125 gpf/0.5 Lpf, dual by-pass side mount operator (3912654)	\$494.35	1
<i>Note: Spec 22 40 00 - 3</i>			
WC-1 /WC-2	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$127.50	1
	Royal 111-1.28 SMO M Sloan - Sensor Exposed Flushometer for Floor Mount or Wall Hung Water Closets, 11.5" Rough in, SMO, Battery-powered 1.28 gpf/4.8 Lpf, side mount operator	\$494.35	1
<i>Note: Spec 22 40 00 - 4</i>			
WC-3	ST-2029-A Sloan - ADA Floor Mount Universal, Top Spud (2102029)	\$154.45	1
	Royal 111-1.28 SMO M Sloan - Sensor Exposed Flushometer for Floor Mount or Wall Hung Water Closets, 11.5" Rough in, SMO, Battery-powered 1.28 gpf/4.8 Lpf, side mount operator	\$494.35	1
<i>Note: Spec 22 40 00 - 4</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV	LFLM495-1 Powers - 1/2 LFLM495-1	\$252.00	1

Note: Spec 22 05 23 - 4; NOTE: *Model Does not Come w/ Mounting bracket*

L-1	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1
-----	--	----------	---

Note: Spec 22 40 00 - 2

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
VB	LF800M4-FR : 3/4 Watts - acetal bonnet with silicon rubber O-ring seal, Lead Free cast copper silicon alloy body, v-notch guided check assembly full replaceable seats and silicone rubber seat disc, built-in repeatable, automatically re-seating when pressure within the valve is below the set point of freeze relief valve, quarter turn ball valve shut-offs, 3/4"Ø (19 mm) pipe connection (0792017)	\$304.50	1

	LF800M4-FR : 1 Watts - acetal bonnet with silicon rubber O-ring seal, Lead Free cast copper silicon alloy body, v-notch guided check assembly full replaceable seats and silicone rubber seat disc, built-in repeatable, automatically re-seating when pressure within the valve is below the set point of freeze relief valve, quarter turn ball valve shut-offs, 1"Ø (25 mm) pipe connection (0792018)	\$308.00	1
--	--	----------	---

Note: Spec 22 05 23 - 4

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
FD	FD-104-A5 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 4"Ø (102 mm)	\$380.00	1

Note: P-0.1: Plumbing Drain Schedule; Spec 22 40 00 - 2; Quoting as a suggestion, no model given.

L-1 /L-2	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
----------	--	--	--

	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$782.00	1
--	---	----------	---

	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,114.00	1
--	---	------------	---

Note: Spec 22 40 00 - 3

U-1 /U-2	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$663.00	1
----------	--	----------	---

Note: Spec 22 40 00 - 3

WC-1 /WC-2	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,254.00	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,345.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,423.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$2,514.00	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$1,664.00	1
	ISCA-131-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support	\$2,750.00	1
Note: Spec 22 40 00 - 4			
WHA	SS Series Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$434.00	1
	SS-B Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$884.00	1
	SS-C Watts - 33-60, fixture units, 1" (25 mm) connection	\$1,321.00	1
	SS-D Watts - 61-113 fixture units, 1" (25 mm) connection	\$3,313.00	1
	SS-E Watts - 114-154 fixture units, 1" (25 mm) connection	\$3,740.00	1
	SS-F Watts - 155-330 fixture units, 1" (25 mm) connection	\$4,596.00	1
Note: P-1.1: Numbered Notes #9 #10 Quoting Bellows Option			
WHA	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$138.00	1
	LF15M2-B-DR Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$265.00	1
	LF15M2-C-DR Watts - 33-60, fixture units, 1" (25 mm) connection	\$418.00	1
	LF15M2-D-DR Watts - 61-113 fixture units, 1" (25 mm) connection	\$883.00	1

LF15M2-E-DR	\$1,099.00	1
Watts - 114-154 fixture units, 1" (25 mm) connection		
LF15M2-F-DR	\$1,308.00	1
Watts - 155-330 fixture units, 1" (25 mm) connection		

Note: P-1.1: Numbered Notes #9 #10 Quoting Piston Option

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.