



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-265-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-05-29
Attn.:	N/A	Expiry Date:	2018-06-28
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Beckley, West Virginia, United States

Job Name: Beckley VA Emergency Room Dept.

Engineer: Toland Mizell Molnar **Architect:** Clark Nexsen

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
P-101 /P-102	ST-2009 Sloan - Floor mounted china water closet, 1.28, 1.6/1.1 AND 1.6 GPF, elongated bowl with 1-1/2" IPS top spud. Standard height (2102009).	\$129.95	1
	Sloan 8111-1.28 Sloan - Battery powered, sensor activated, 1 1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. Standard DFB. Override button, 1.28 GPF, (3790071)	\$547.50	1
<i>Note: P001 - Plumbing Fixture Schedule; Spec 22 40 00 - 5; Quoting Model based on description.</i>			
P-103 /P-107 /P-114	ST-2029 Sloan - Vitreous china, ADA compliant water closet bowl only, 1.28, 1.6/1.1 AND 1.6 gpf, Floor mounted elongated bowl with 1-1/2" IPS top spud inlet. 1,000 LB load tested (2102029)	\$154.45	1
	Sloan 8111-1.28 Sloan - Battery powered, sensor activated, 1 1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. Standard DFB. Override button, 1.28 GPF, (3790071)	\$547.50	1
<i>Note: P001 - Plumbing Fixture Schedule; Spec 22 40 00 - 5,6; Quoting Model based on description.</i>			
P-201 /P-202	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$262.30	1
	Sloan 8186-0.5 Sloan - Battery powered, sensor activated, 3/4" top spud, exposed urinal flushometer. Courtesy flush override button. Requires no AC hookups, uses four AA batteries. Override button. 0.5 GPF (3790068)	\$547.50	1
<i>Note: P001 - Plumbing Fixture Schedule; Spec 22 40 00 - 6; Quoting Model based on description.</i>			
P-413	SS-3002 Sloan - Complete vitreous china Oval drop in lavatory, 4" centers, overflow, Self rimming. 20"x16-3/4" (3873002)	\$73.55	1
	ETF-80-4-LT Sloan - Optima sensor operated chrome plated brass lavatory, vandal proof aerator nozzle, 0.5 GPM flow rate. 24V AC solenoid operator. 4" trim plate, less transformer. (3365022)	\$684.50	1
	EL-154 Sloan - 50 VA Transformer (0345154PK)	\$45.20	1

Note: P001 - Plumbing Fixture Schedule; Spec 22 40 00 - 7; Quoting Lavatory based on description.

P-401	SS-3003	\$83.40	1
Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)			
<i>Note: P001 - Plumbing Fixture Schedule; Quoting model based on description.</i>			
P-418	SS-3103	\$83.40	1
Sloan - Wall hung lavatory with backsplash, single hole centerset. Overflow, 20.75" x 18.25" (3873103)			
	EAF-700-LT	\$778.45	1
Sloan - Automatic Sink Faucets, 1.5 gpm, Single Hole install, Polished Chrome, Less Transformer, Activated Sensor (3335094)			
	EL-154	\$45.20	1
Sloan - 50 VA Transformer (0345154PK)			
<i>Note: P001 - Plumbing Fixture Schedule; Spec 22 40 00 - 7; Quoting Lavatory based on description.</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
P-520	EWS3120SACC Elkay - SINK & SENSOR FAUCET PACKAGE	\$3,014.00	1
<i>Note: P001 - Plumbing Fixture Schedule; Spec 22 40 00 - 8; Quoting as an suggestion based on description, Please be advised quoting dimensions 31" x 19.5" x 10.5" in lieu of 28" x 22" x 12"</i>			
P-524	PSR33220 Elkay - 20 Gauge Stainless Steel 33' x 22' x 7.5' Double Bowl Top Mount Kitchen Sink	\$839.00	1
	LK99 Elkay - DRAIN	\$114.00	1
<i>Note: P001 - Plumbing Fixture Schedule; Spec 22 40 00 - 9; Quoting as an suggestion based on description</i>			
P-528	PSR22190 Elkay - 20 Gauge Stainless Steel 22" x 19.5" x 7.125" Single Bowl Top Mount Kitchen Sink	\$534.00	1
	LK99 Elkay - DRAIN	\$114.00	1
<i>Note: P001 - Plumbing Fixture Schedule; Spec 22 40 00 - 10; Quoting as an suggestion based on description, Please be advised quoting dimensions 22" x 19.5" x 7.125" in Lieu of 21" x 22" x 7.5"</i>			
P-609	EZSTL8WSLK Elkay - BFS VERS BI-LVL 8GPH LT GRY	\$2,191.00	1
<i>Note: P001 - Plumbing Fixture Schedule; Spec 22 40 00 - 10; No Model Provided, Quoting based on description.</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
MV-1	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1
<i>Note: PP101 - Thermostatic Mixing Valve Schedule</i>			
MV-2	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$913.00	1
<i>Note: PP101 - Thermostatic Mixing Valve Schedule</i>			
P-704	P910HH104WY Powers - Pressure Balancing Valve, 1/2" Copper sweat connection, Low Flow Shower (1.5 gpm), Arm & Flange, Professional, Vinyl Hose, 30" Glide Rail, Vacuum Breaker, in-Line, Diverter, Concealed, 1/2" IPS Metal Handle	\$896.00	1
<i>Note: P001 - Plumbing Fixture Schedule; Spec 22 40 00 - 10,11; No Model Provided, Quoting based on description.</i>			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
P-103 /P-107 /P-114	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,254.00	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,345.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,423.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$2,514.00	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$1,664.00	1
	ISCA-131-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support	\$2,750.00	1
Note: P001 - Plumbing Fixture Schedule; Spec 22 40 00 - 5			
P-201 /P-202	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$663.00	1
Note: P001 - Plumbing Fixture Schedule			
P-401 /P-418	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$782.00	1
	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,114.00	1
Note: P001 - Plumbing Fixture Schedule			
P-505	ISCA-560 Series Watts - floor mounted, cast iron fitting, no hub waste connection, no hub vent connection (specify size). Cast iron compression seal faceplate assembly with steel mounting brackets, adjustable ABS nipple with integral test cap, heavy gauge, steel, offset uprights with welded feet	\$1,130.00	1
Note: P001 - Plumbing Fixture Schedule			

P-609	CA-431-1	\$960.00	1
Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.			
Note: P001 - Plumbing Fixture Schedule			
P-812	HY-725-3		
Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, stainless steel box and door			
	HY-725-3,-6,-8	\$1,222.00	1
Watts - 6" (152 mm), 8" (203 mm) thick			
	HY-725-3,-10,-12,-14	\$1,335.00	1
Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick			
	HY-725-3-16	\$1,446.00	1
Watts - 16" (406 mm) thick			

Note: P001 - Plumbing Fixture Schedule; No Model Provided, Quoting based on description.

NOTE : *NOTE: Watts Drainage does not meet PA.DGS please be advised*****

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.