



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-235-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-05-04
Attn.:	N/A	Expiry Date:	2018-06-01
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Pittsburgh, Pennsylvania, United States

Job Name: CMU ECE B Level Plumbing

Engineer: Barton Associates **Architect:** r3 Architecture

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1 /WC-2	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$127.50	1
	Sloan 111-1.28 Sloan - Exposed water closet flushometer, 1.28 gpf/4.8 Lpf (3780046)	\$185.40	1
<i>Note: Spec 22 40 10 - 1</i>			
L-1	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1
<i>Note: Spec 22 40 10 - 2</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
L-1	LK402L2 Elkay - DECK MNT 4IN, CS, 1PC SPT, LVR HNDL, 2IN	\$215.00	1
<i>Note: Spec 22 40 10 - 2</i>			
S-1	LK35 Elkay - DRAIN	\$72.00	1
<i>Note: Spec 22 40 10 - 2</i>			
EWC-1	EZSTL8WSLK Elkay - BFS VERS BI-LVL 8GPH LT GR	\$2,191.00	1
<i>Note: Spec 22 40 10 - 4</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV-1	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$913.00	1
<i>Note: P501 - Plumbing Equipment Schedule; Quoting based on description.</i>			
TMV-2	LFLM490-1 Powers - 1/2 LFLM490-1	\$239.00	1
<i>Note: P501 - Plumbing Equipment Schedule; Quoting based on description.</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
EXP-1	PLT-12 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 4.5 gallons (0067371)	\$104.50	1

Note: P501 - Plumbing Fixture Schedule; Quoting based on Volume.

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
FD-1	FD-100-A5-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, trap primer connection		
	FD-100-A5-7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$380.00	1
	FD-100-A5-7,6 Watts - 6"Ø (152 mm)	\$475.00	1

Note: P501 - Detail 3; Quoting as a Suggestion. Spec 22 13 10 - 1

WC-1 /WC-2	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,254.00	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,345.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,423.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$2,514.00	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$1,664.00	1
	ISCA-131-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support	\$2,750.00	1

Note: P501 - Plumbing Fixture Schedule

L-1	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$782.00	1

	TCA-411-D	\$1,114.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	Note: P501 - Plumbing Fixture Schedule		
EWC-1	CA-431-1	\$960.00	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	Note: P501 - Plumbing Fixture Schedule		
WHA	SS Series		
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$434.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$884.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,321.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$3,313.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$3,740.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$4,596.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
	Note: Spec 22 05 20 - 1		
TP-1 /TP-2	LFTP300-DR Series		
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$274.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$274.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300-DU-DR	\$149.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
	Note: Spec 22 05 20 - 1		
WCO	CO-380-RD		
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2	\$183.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$226.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,4	\$271.00	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,6	\$574.00	1
	Watts - 6"Ø (152 mm)		
	Note: Spec 22 13 10 - 1		
	NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***		

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.