



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-262-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-05-22
Attn.:	N/A	Expiry Date:	2018-06-21
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Princeton, West Virginia, United States

Job Name: Mercer Co. Elementary School

Engineer: ZMM Architects Engineers **Architect:** ZMM Architects Engineers

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
P-1	ST-2009 Sloan - Floor mounted china water closet, 1.28, 1.6/1.1 AND 1.6 GPF, elongated bowl with 1-1/2" IPS top spud. Standard height (2102009).	\$129.95	1
	ECOS 8111-1.6/1.1 Sloan - Battery-powered Flushometer, Sensor activated, 1.6/1.1 gpf/6.0/4.2 Lpf (3370400)	\$621.60	1
<i>Note: Spec 22 42 13 - 3</i>			
P-1H /P-2	ST-2029 Sloan - Vitreous china, ADA compliant water closet bowl only, 1.28, 1.6/1.1 AND 1.6 gpf, Floor mounted elongated bowl with 1-1/2" IPS top spud inlet. 1,000 LB load tested (2102029)	\$154.45	1
	ECOS 8111-1.6/1.1 Sloan - Battery-powered Flushometer, Sensor activated, 1.6/1.1 gpf/6.0/4.2 Lpf (3370400)	\$621.60	1
<i>Note: Spec 22 42 13 - 3; Quoting ST-2029 to meet ADA requirements for P-1H</i>			
P-6H	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$262.30	1
	ECOS 8186-0.125 Sloan - Ecos electronic Battery powered, sensor activated, 3/4" top spud, exposed urinal flushometer. Courtesy flush override button. Requires no AC hookups, uses four AA batteries. Override button 0.13 GPF (3250325)	\$583.60	1
<i>Note: Spec 22 42 13.16 - 2</i>			
P-4H /P-5H	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1
	EBF-85-4 Sloan - Sensor activated, battery powered lavatory faucet. Faucet is chrome plated brass with integral sensor throat plated for hand operation. Includes matching trim plate for 4" centerset sinks. Includes bak-chek tee for hot/cold supply, vandal proof, 0.5 GP	\$834.60	1
	ETF-1028-A Sloan - Spray Head 1.5 gpm Female Vandal Resistant - Laminar Stream (3365161)	\$25.85	1
<i>Note: Spec 22 42 13.16 - 2</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV	LFLM495-1 Powers - 1/2 LFLM495-1	\$252.00	1

Note: Spec 22 11 19 - 2

P-4H /P-5H	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1
------------	---	----------	---

Note: Spec 22 42 16.13 - 3

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
P-4H /P-5H	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		

TCA-411	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$782.00	1
----------------	---	----------	---

TCA-411-D	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,114.00	1
------------------	---	------------	---

Note: P510 - Plumbing Fixture Schedule

P-6H	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$663.00	1
------	--	----------	---

Note: P510 - Plumbing Fixture Schedule

NFWH-1	HY-420 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker		
--------	--	--	--

HY-420,-4,-6,-8	Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick	\$683.00	1
------------------------	---	----------	---

HY-420,-10,-12,-14	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$795.00	1
---------------------------	--	----------	---

HY-420,-16	Watts - 16" (406 mm) thick	\$906.00	1
-------------------	----------------------------	----------	---

Note: Spec 22 11 19 - 3

NFWH-2	HY-700 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze, dual-temp, all bronze head, wall mount, concealed, polished bronze hydrant face, integral vacuum breaker, nickel bronze box and door, galvanized casing, 8-1/2" x 6-1/2" (165 mm)		
--------	--	--	--

HY-700,-6,-8	Watts - 6" (152 mm), 8" (203 mm) thick	\$3,057.00	1
---------------------	--	------------	---

	HY-700,-10,-12,-14	\$3,235.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-700-16	\$3,417.00	1
	Watts - 16" (406 mm) thick		
Note: Spec 22 11 19 - 3			
WHA	SS Series		
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$434.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$884.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,321.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$3,313.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$3,740.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$4,596.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 11 19 - 4,5			
CO-1	CO-200-R-6		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof		
	CO-200-R-6,2	\$569.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-R-6,3	\$597.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R-6,4	\$772.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19 - 3;			
<i>CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER</i>			
<i>CARPET MARKER (-RC) = \$61.00 LIST ADDER</i>			
<i>NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER</i>			
<i>TILE RECESS (-T) = NO ADDITIONAL</i>			
<i>TERRAZZO RECESS (-U) = \$279.00 LIST ADDER</i>			
CO-2	CO-270		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 6-9/16" (167 mm) round, heavy duty, ductile iron top		
	CO-270,2,3,4	\$357.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: Spec 22 13 19 - 3			
CO-3	CO-380-RD		
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2	\$183.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$226.00	1
	Watts - 3"Ø (76 mm)		

	CO-380-RD,4	\$271.00	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,6	\$574.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 13 19 - 3			
CO-4	CO-590		
	Watts - Round, threaded brass cleanout plug with countersunk head		
	CO-590,1.5	\$36.00	1
	Watts - 1-1/2"Ø (39 mm)		
	CO-590,2	\$43.00	1
	Watts - 2"Ø (51 mm)		
	CO-590,3	\$76.00	1
	Watts - 3"Ø (76 mm)		
	CO-590,4	\$132.00	1
	Watts - 4"Ø (102 mm)		
	CO-590,5	\$205.00	1
	Watts - 5"Ø (126 mm)		
	CO-590,6	\$276.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 13 19 - 3			
FD-1	FD-320-Y-SET		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6-1/2" (165 mm) diameter, ductile iron loose set grate supported by bucket		
	FD-320-Y-SET,2,3,4	\$473.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-320-Y-SET,6	\$567.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 13 19 - 3; Trap Seal by Others.			
FD-2	FD-100-A5-5-6		
Round	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, sediment bucket, vandal proof		
	FD-100-A5-5-6,2,3,4	\$508.00	1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm)		
	FD-100-A5-5-6,6	\$603.00	1
	Watts - 6"(152 mm)		
Note: Spec 22 13 19 - 4			
FD-2	FD-100-M6-5-6		
Square	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" x 6" (152 mm x 152 mm) nickel bronze, square strainer, sediment bucket, vandal proof		
	FD-100-M6-5-6,2,3,4	\$694.00	1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm)		
	FD-100-M6-5-6,6	\$789.00	1
	Watts - 6"(152 mm) outlet size		
Note: Spec 22 13 19 - 4			
Vent Cap	RD-680-VC		
	Watts - cast iron, vandal proof cover		
	RD-680-VC,2,3,4	\$372.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-680-VC,6	\$530.00	1
	Watts - 6"Ø (152 mm)		

	RD-680-VC,8	\$607.00	1
	Watts - 8"Ø (203 mm)		
Note: Spec 22 13 19 - 4			
Expansion	RD-900		
Joints	Watts - neoprene expansion joint, no hub (MJ) clamps		
	RD-900,2	\$235.00	1
	Watts - 2"Ø (51 mm)		
	RD-900,3	\$273.00	1
	Watts - 3"Ø (76 mm)		
	RD-900,4	\$319.00	1
	Watts - 4"Ø (102 mm)		

Note: Spec 22 13 19 - 4

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.