



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-258-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-05-18
Attn.:	N/A	Expiry Date:	2018-06-17
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	Foster Plaza 9 Suite 200, 750 Holiday Drive, Pittsburg, Pennsylvania, United States

Job Name: PNC Bank Two PNC Plaza Main Lobby Renovations

Engineer: CJL Engineering **Architect:** DLA

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1	ST-2019 Sloan - Standard Rear Spud Floor Mount Water Closet,White Vitreous china,Floor Mount,Integral flushing rim,Elongated bowl,Water spot area 10" x 8 1/4",Closet bolts and caps included,2 3/8" fully glazed trapway	\$152.25	1
	ROYAL 152-1.6 ES-S TMO SWB Sloan - Concealed, Sensor Activated Royal® Model Water Closet Flushometer with True Mechanical Override button, enclosed behind a 13 1/2" x 13 1/2" (343 mm x 343 mm) Wall Frame with Stainless Steel Access Panel, for rear spud bowls (3451671)	\$973.40	1
	EL-154 Sloan - 50 VA Transformer (0345154PK)	\$45.20	1
<i>Note: Spec 22 40 00-3/4</i>			
WC-2	ST-2039 Sloan - Floor Mount Rear Spud ADA Water Closet,Universal model works with Sloan flushometers from 1.1 to 1.6 gpf,Durable, hygienc vitreous china with elongated rim,Syphonjet flushing achieves 1000g Map Scores when used with Sloan flushometers,IAPMO certified to meet or exceed ASME A112.19.2 standards,	\$176.80	1
	ROYAL 152-1.6 ES-S TMO SWB Sloan - Concealed, Sensor Activated Royal® Model Water Closet Flushometer with True Mechanical Override button, enclosed behind a 13 1/2" x 13 1/2" (343 mm x 343 mm) Wall Frame with Stainless Steel Access Panel, for rear spud bowls (3451671)	\$973.40	1
	EL-154 Sloan - 50 VA Transformer (0345154PK)	\$45.20	1
<i>Note: Spec 22 40 00-3/4</i>			
U-1 /U-2	SU-7019-A Sloan - Small Urinal Fixture, Universal High Efficiency (0.125 to 0.5 gpf), Rear Spud -1107019	\$193.85	1
	Royal 195-0.125 ES-S TMO SWB Sloan - Concealed, sensor operated urinal flushometer for 3/4" back spud urinals. True mechanical override button (TMO), enclosed behind a 13-1/2" x 13-1/2" wall frame with stainless steel access panel. (SWB) 0.125 gal (3453281)	\$973.40	1
	EL-154 Sloan - 50 VA Transformer (0345154PK)	\$45.20	1

Note: Spec 22 40 00-3/4

L-1	EFX-375.200.0000	\$994.95	1
Sloan - Basys Solar powered, sensor activated, electronic, chrome plated die cast body, Pedestal hand washing faucet for pre-tempered or hot and cold water operations. Below deck thermostatic mixing valve, 0.5 GPM (3324395)			

Note: Spec 22 40 00-5

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-1	ELUHAD191645 Elkay - 18 Gauge Stainless Steel 21.5' x 18.5' x 4.375' Single Bowl Undermount Kitchen Sink	\$678.00	1

LK35B	\$93.00	1
Elkay - DRAIN		

Note: Spec 22 40 00-6

EWC-1	LZSTL8WSVRSK Elkay - BFS VERS BI-LVL FILTRD VR-BUBB LT SS	\$2,544.00	1
-------	---	------------	---

Note: Spec 22 47 00-2

EWC-2	LZS8WSVRSK Elkay - EZH2O COOLER VR BUBB KIT-SS	\$1,782.00	1
-------	--	------------	---

Note: Spec 22 47 00-2

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1

Note: Spec 22 11 19-4/5 & 22 40 00-5

RV	LFN36M1 : 1/2 Watts - Lead Free Vacuum Relief Valve, 1/2"(15mm)	\$63.25	1
----	---	---------	---

Note: P001 - Detail 2; Quoting as specified.

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Expansion Tank	DETA 5 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 3.5 gallons (0212026)	\$1,486.00	1

Note: Spec 22 34 00-3 & P001 - Detail 2: Electric Water Heater Detail

Note: Quoting as specified.

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
WHA	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		

LF15M2-A-DR	\$138.00	1
Watts - 1-11 fixture units, 1/2" (13 mm) connection		

	LF15M2-B-DR	\$265.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$418.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$883.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,099.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,308.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

Note: Spec 22 11 19-6

Trap Primer	LFTP300-DR Series		
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$274.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$274.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300-DU-DR	\$149.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		

Note: Spec 22 11 19-6

CO	CO-460		
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$180.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$224.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$348.00	1
	Watts - 4"Ø (102 mm)		

Note: Spec 22 13 19-2 & 22 14 23-2

FCO	CO-200-R		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$494.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$522.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$696.00	1
	Watts - 4"Ø (102 mm)		

Note: Spec 22 13 19-2 & 22 14 23-2;

CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER

CARPET MARKER (-RC) = \$61.00 LIST ADDER

NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER

TILE RECESS (-T) = NO ADDITIONAL

TERRAZZO RECESS (-U) = \$279.00 LIST ADDER

WCO	CO-460-RD		
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$287.00	1
	Watts - 2"Ø (51 mm)		

	CO-460-RD,3	\$330.00	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$483.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19-2 & 22 14 23-2			
FD-1	FD-100-A6-6-7		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, vandal proof, trap primer connection		
	FD-100-A6-6-7,2,3,4	\$508.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-6-7,6	\$603.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 13 19-3			
FD-2	FD-320-Y		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate		
	FD-320-Y,2,3,4	\$401.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-320-Y,6	\$496.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 13 19-3			
FS-1	FS-740-1-150		
	Watts - cast iron body, 8-1/4" (209 mm) deep, no-hub outlet, aluminum dome bottom strainer, 9" x 9" (229 mm x 229 mm) square, nickel bronze top, 1/2" Grate		
	FS-740-1-150,2,3,4	\$2,354.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: Spec 22 13 19-3			
Vent Caps	RD-680-VC		
	Watts - cast iron, vandal proof cover		
	RD-680-VC,2,3,4	\$372.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-680-VC,6	\$530.00	1
	Watts - 6"Ø (152 mm)		
	RD-680-VC,8	\$607.00	1
	Watts - 8"Ø (203 mm)		
Note: Spec 22 13 19-5			
AD-1	FD-320		
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7-7/8" (200 mm) diameter, ductile iron, round grate		
	FD-320,2,3,4	\$562.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-320,6	\$656.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 14 23-3			
<i>Note: Quoting as suggestion based on description.</i>			
U-1 /U-2	CA-321	\$663.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: Spec 22 40 00-4/5 & 22 47 00-2			

EWC-1	CA-431-1	\$960.00	1
Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.			

Note: Spec 22 47 00-2

EWC-2	CA-421	\$594.00	1
Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.			

Note: Spec 22 47 00-2

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.