



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-271-S

| | | | |
|---------------|---------------------------------------------------------------------------------|--------------------------|-------------------------------------------------------------|
| To: | Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241 | Bid Date: | 2018-06-01 |
| Attn.: | N/A | Expiry Date: | 2018-07-01 |
| Phone: | 724-745-5300 | Creator: | Drew Pomrenke , dpomrenke@jboconnor.com |
| | | Sales Rep.: | Casey Devlin , cdevlin@jboconnor.com |
| | | Shipping Address: | 2501 Main Street, Verona, Pennsylvania, United States |

Job Name: Penn Hills Charter School of Entrepreneurship Interior RENO

Engineer: My Engineering **Architect:** LGA Architectural Partners (Levitt Goodman Arch)

Comments:

Section Brand: Sloan

| Label | Product No. Description | List Price | Qty. |
|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------|
| L-1 | SS-3002 Sloan - Complete vitreous china Oval drop in lavatory, 4" centers, overflow, Self rimming. 20"x16-3/4" (3873002) | \$73.55 | 1 |
| | SF-2350 Sloan - Sensor activated, electronic, 4" centerset hand washing faucet for tempered or hot/cold water operation. Battery operated 0.5 GPM (3362119) | \$436.65 | 1 |
| | ETF-1028-A Sloan - Spray Head 1.5 gpm Female Vandal Resistant - Laminar Stream (3365161) | \$25.85 | 1 |
| <i>Note: P001 - Fixture Connection Schedule</i> | | | |
| WC-1 /WC- 2 | ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459) | \$127.50 | 1 |
| | Sloan 8111 Sloan - Battery powered, sensor activated, 1-1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. 1.6 GPF (3790011) | \$547.50 | 1 |
| <i>Note: P001 - Fixture Connection Schedule</i> | | | |
| WC-3 | ST-2009-STG Sloan - Standard Top Spud Floor Mount Water Closet (2172009) | \$153.95 | 1 |
| | Sloan 8111 Sloan - Battery powered, sensor activated, 1-1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. 1.6 GPF (3790011) | \$547.50 | 1 |
| <i>Note: P001 - Fixture Connection Schedule</i> | | | |
| WC-4 | ST-2029-A Sloan - ADA Floor Mount Universal, Top Spud (2102029) | \$154.45 | 1 |
| | Sloan 8111 Sloan - Battery powered, sensor activated, 1-1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. 1.6 GPF (3790011) | \$547.50 | 1 |
| <i>Note: P001 - Fixture Connection Schedule</i> | | | |
| UR-1 | SU-7006-A Sloan - Universal Vitreous china, 3/4" top spud, small urinal. 1.0 GPF (1107006) | \$171.60 | 1 |

Sloan 8186-1

\$547.50 1

Sloan - Battery powered, sensor activated, 3/4" top spud, exposed urinal flushometer.
 Courtesy flush override button. Requires no AC hookups, uses four AA batteries. 1.0 GPF.
 Override button (3790013)

Note: P001 - Fixture Connection Schedule;

Note: Quoting as per model name, as no model number stated.

Section Brand: Elkay

| Label | Product No. Description | List Price | Qty. |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------|
| S-1 | LRADQ3322650 Elkay - 18 Gauge Stainless Steel 33' x 22' x 6.5' Double Bowl Top Mount Kitchen Sink | \$1,313.00 | 1 |
| | D1125 Elkay - Type 304 stainless steel body, brass threads and removable, type 304 stainless steel basket strainer with metal stem and rubber stopper, Fits 3-1/2" opening, Matte finish | \$21.00 | 2 |

Note: P001 - Fixture Connection Schedule**Section Brand: Powers**

| Label | Product No. Description | List Price | Qty. |
|----------|--------------------------------------------------------------------------------------------------------------------|------------|------|
| L-1 /S-1 | LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish | \$230.00 | 1 |

Note: P001 - Fixture Connection Schedule; Quoting as specified.**Section Brand: Watts Drainage****Header:** ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

| Label | Product No. Description | List Price | Qty. |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------|
| WC-1 /WC-2 | ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet | \$1,254.00 | 1 |
| | ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support | \$2,345.00 | 1 |
| | ISCA-121 Watts - single, vertical, cast iron fitting | \$1,423.00 | 1 |
| | ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts | \$2,514.00 | 1 |
| | ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet | \$1,664.00 | 1 |
| | ISCA-131-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support | \$2,750.00 | 1 |

Note: P001 - Fixture Connection Schedule

| | | | |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---|
| FD-1 | FD-104-A6-7 | \$465.00 | 1 |
| | Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 4" (102 mm), trap primer tapping | | |
| | Note: P001 - Fixture Connection Schedule | | |
| UR-1 | CA-321 | \$663.00 | 1 |
| | Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware. | | |
| | Note: P001 - Fixture Connection Schedule | | |
| TP | LFTP300-DR Series | | |
| | Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap | | |
| | LFTP300T | \$274.00 | 1 |
| | Watts - 1/2", Threaded Inlet and Outlet Connect | | |
| | LFTP300S | \$274.00 | 1 |
| | Watts - 1/2", Soldered Inlet and Outlet Connect | | |
| | LFTP300-DU-DR | \$149.00 | 1 |
| | Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit | | |
| | Note: P001 - Fixture Connection Schedule; | | |
| | NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised*** | | |

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.