



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-249-S

To: **Contractor Holder**
202 Commerce Blvd., Lawrence, Pennsylvania
15241
Attn.: N/A
Phone: 724-745-5300

Bid Date: 2018-05-24
Expiry Date: 2018-06-23
Creator: Drew Pomrenke ,
dpomrenke@jboconnor.com
Sales Rep.: Casey Devlin , cdevlin@jboconnor.com
Shipping Address: , Harrisville, West Virginia, United States

Job Name: Ritchie County BOE Middle-High School Renovations

Architect: Thrasher Architecture

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1H	ST-2029-A Sloan - ADA Floor Mount Universal, Top Spud (2102029)	\$154.45	1

	ECOS 8111-1.28 OR Sloan - Exposed, battery powered, sensor activated water closet flushometer for floor mounted or wall hung top spud bowls. Override button (OR) 1.28 GPM (3370448)	\$583.60	1
--	--	----------	---

Note: P1.01 - Plumbing Fixture Schedule

L-1H	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1
------	---	---------	---

	EBF-650 Sloan - Battery powered, chrome plated brass sensor operated 4" center-set electronic hand washing faucet for tempered or hot/cold water. .5 GPM vandal resistant spray head. (3315025)	\$744.80	1
--	---	----------	---

Note: P1.01 - Plumbing Fixture Schedule

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
L-1H	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1

Note: P1.01 - Plumbing Fixture Schedule

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
HB	SC8-3 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, no kink faucet, 1/2" copper sweat connection with vacuum breaker (0611350)	\$65.75	1

SC8-4

\$65.75 1

Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)

Note: Spec 22 11 19-3

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
L-1H	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$782.00	1
	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,114.00	1
Note: P1.01 - Plumbing Fixture Schedule			
FD-A	FD-100-A5 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer		
	FD-100-A5,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$380.00	1
	FD-100-A5,6 Watts - 6"Ø (152 mm)	\$475.00	1
Note: P1.01 - Plumbing Speciality Schedule; Note: Trap seal primer by others.			
FCO /SCO	CO-200P-R Watts - 7" (178 mm) diameter, cast iron body push-on outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200P-R,2 Watts - 2"Ø (51 mm)	\$494.00	1
	CO-200P-R,3 Watts - 3"Ø (76 mm)	\$522.00	1
	CO-200P-R,4 Watts - 4"Ø (102 mm)	\$696.00	1
Note: P1.01 - Plumbing Speciality Schedule			
NFWH	HY-420 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker		
	HY-420,-4,-6,-8 Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick	\$683.00	1
	HY-420,-10,-12,-14 Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$795.00	1

	HY-420,-16	\$906.00	1
	Watts - 16" (406 mm)		
Note: Spec 22 11 19-3			
WHA	LF15M2-DR Series		
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$138.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$265.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$418.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$883.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,099.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,308.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 11 19-4			
ECO	CO-460		
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$180.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$224.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$348.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 21 31 9-1			
FCO	CO-200X-RX		
	Watts - 7" (178 mm) diameter, cast iron body inside caulk outlet, brass plug, 5" (127 mm) round, heavy duty, nickel bronze top		
	CO-200X-RX,2	\$615.00	1
	Watts - 2"Ø (51 mm)		
	CO-200X-RX,3	\$644.00	1
	Watts - 3"Ø (76 mm)		
	CO-200X-RX,4	\$818.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 21 31 9-1;			
<i>CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER</i>			
<i>CARPET MARKER (-RC) = \$61.00 LIST ADDER</i>			
<i>NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER</i>			
<i>TILE RECESS (-T) = NO ADDITIONAL</i>			
<i>TERRAZZO RECESS (-U) = \$279.00 LIST ADDER</i>			
WCO	CO-480-RD		
	Watts - round, stainless steel access cover and stainless steel vandal proof screw		
	CO-480-RD,5,6	\$105.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) cover size		
	CO-480-RD,7	\$134.00	1
	Watts - 7"Ø (178 mm) cover size		

	CO-480-RD,8	\$237.00	1
	Watts - 8"Ø (203 mm) cover size		
	CO-480-RD,10	\$375.00	1
	Watts - 10"Ø (254 mm) cover size		
Note: Spec 21 31 9-2			
RD	RD-300-K		
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome		
	RD-300-K,2,3,4	\$725.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-K,5,6	\$964.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-K,8,10	\$1,203.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		

Note: Spec 21 31 9-2

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.