



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-228-S

To: **Contractor Holder**
202 Commerce Blvd., Lawrence, Pennsylvania
15241
Attn.: N/A
Phone: 724-745-5300

Bid Date: 2018-05-03
Expiry Date: 2018-06-02
Creator: Drew Pomrenke ,
dpomrenke@jboconnor.com
Sales Rep.: Casey Devlin , cdevlin@jboconnor.com
Shipping Address: , Greensburg, Pennsylvania, United
States

Job Name: SETON HILL DORMS

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
LAV-A	SS-3001	\$73.55	1
/LAV-B	Sloan - Standard undermount lavatory, 19-1/2" x 17-1/2" outside, 17" x 14" inside dimensions (3873001)		

Note: Plumbing Fixture Schedule

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
CTS-A	ELUHAD191655	\$678.00	1
	Elkay - 18 Gauge Stainless Steel 21.5' x 18.5' x 5.375' Single Bowl Undermount Kitchen Sink		
	LK35	\$72.00	1
	Elkay - DRAIN		
	LK5000CR	\$286.00	1
	Elkay - SINGLE HANDLE PULL-OUT FCT CR		

Note: Plumbing Fixture Schedule

EWC-A	LZS8WSSP	\$1,859.00	1
	Elkay - BFS FILTRD 8GPH SS		

Note: Plumbing Fixture Schedule

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
SHR-A	P910HH101WY	\$904.00	1
/SHR-B	Powers - Pressure Balancing Valve, 1/2" Copper sweat connection, Low Flow Shower (1.5gpm), Arm & Flange, 24" Chrome ADA Wall Grab Bar System, Vacuum Breaker, in-Line, Diveter, Concealed, 1/2" IPS Metal Handle		

Note: Plumbing Fixture Schedule; Cannot find model specified, Quoting based on description.

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
HB-A	SC8-4 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$65.75	1
<i>Note: Spec 22 40 00 - 6</i>			

WB-A	2-M2DWB Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)	\$161.50	1
<i>Note: Drainage Specialty Schedule</i>			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
HY	HY-725-3 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, stainless steel box and door		
	HY-725-3,-6,-8 Watts - 6" (152 mm), 8" (203 mm) thick	\$1,222.00	1
	HY-725-3,-10,-12,-14 Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$1,335.00	1
	HY-725-3-16 Watts - 16" (406 mm) thick	\$1,446.00	1
<i>Note: Spec 22 40 00 - 6</i>			

EWC-A	CA-421 Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$594.00	1
<i>Note: Plumbing Fixture Schedule</i>			

FD-A	FD-324-Y-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron grate, trap primer tapping, 4" (102 mm)	\$401.00	1
<i>Note: Drainage Specialty Schedule</i>			

FD-B	FD-100-A6-7-F4-1 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, trap primer tapping, 4" round nickel bronze funnel		
	FD-100-A6-7-F4-1,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$803.00	1
	FD-100-A6-7-F4-1,6 Watts - 6"Ø (152 mm)	\$898.00	1
<i>Note: Drainage Specialty Schedule</i>			

RD-A	RD-304-D-F-K80 Watts - epoxy coated, 16-5/8" (422 mm) diameter, cast iron body, flashing clamp and integral gravel stop, no-hub outlet, self locking, 15-1/4" (387 mm) diameter, aluminum dome, underdeck clamp, adjustable extension flange, 4"Ø (102 mm) outlet size	\$1,463.00	1
<i>Note: Drainage Specialty Schedule</i>			

OD-A	RD-304-D-F-W-K80	\$1,797.00	1
------	-------------------------	------------	---

Watts - epoxy coated, 16-5/8" (422 mm) diameter, cast iron body, flashing clamp and integral 4" (102 mm) high internal stand pipe, no-hub outlet, self locking, 15-1/4" (387 mm) diameter, aluminum dome, underdeck clamp, adjustable extension flange, 4"Ø (102 mm) outlet size

Note: *Drainage Specialty Schedule*

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.