



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-270-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-06-01
Attn.:	N/A	Expiry Date:	2018-07-01
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Pittsburgh, Pennsylvania, United States

Job Name: Washington Area Humane Society

Engineer: CJL Engineering **Architect:** Strada Architecture

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
Lavatory	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1

Note: P601 - Plumbing Fixture Schedule, Quoting model based on DWG.

CL-1	Sloan 117-H Sloan - Exposed, service sink flush valve for use with top spud service sinks. 6.5 GPF Handle on front (H) (3780528)	\$215.65	1
------	--	----------	---

Note: P700 - Plumbing Fixture Schedule; Quoting model as a suggestion based on description.

U-1	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$262.30	1
	Sloan 8186-0.5 Sloan - Battery powered, sensor activated, 3/4" top spud, exposed urinal flushometer. Courtesy flush override button. Requires no AC hookups, uses four AA batteries. Override button. 0.5 GPF (3790068)	\$547.50	1

Note: P700 - Plumbing Fixture Schedule; Quoting model as a suggestion based on description.

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-1 /S-2	LRAD2219500 Elkay - 18 Gauge Stainless Steel 22' x 19.5' x 5' Single Bowl Top Mount Kitchen Sink	\$843.00	1
	LK99 Elkay - DRAIN	\$114.00	1

Note: P700 - Plumbing Fixture Schedule; Quoting model as a suggestion based on description.

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
Emergency Eyewash	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$913.00	1

Note: P601 - Mop Basin Emergency Eyewash piping Schematic, Quoting as a Suggestion based on DWG.

TMV-1	LFSH1435AEMS40	\$6,215.00	1
Powers - HydroGuard XP, Rough Bronze, Exposed, no cabinet, Standard 90 - 160°F (32 - 71°C), Combination T/P Gauge on Inlets			
Note: P700 - Thermostatic Mixing Valve Schedule; P601 - TMV-1 Schematic; P400 - Enlarged Mechanical Room Plan - Water & Gas Piping (Size); Quoting as a Suggestion, no model given.			

TMV-2	LFE480-10	\$230.00	1
Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish			
Note: P700 - Thermostatic Mixing Valve Schedule			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
DCDA	LF007-OSY : 2 1/2	\$4,357.00	1
Watts - Lead Free cast copper silicon alloy body for 1/2" to 2" connections or fused epoxy coated cast iron body for 2-1/2" to 3" connections, replaceable seat and seat discs, resilient seated isolation valves, UL/FM outside stem & yoke gate valve, flange connections, 2-1/2"Ø (64 mm) pipe connection (0122633)			

	77F-DI-125 : 2 1/2	\$201.50	1
Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 2-1/2"Ø (64 mm) valve (0825201)			
Note: P600 - Water Service Detail; Quoting model as a suggestion based on DWG.			

ET	DETA 20	\$1,902.00	1
Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 8 gallons (0212028)			
Note: P601 - Gas Fired Water Heater Piping Schematic, Quoting based on acceptance volume.			

WSB-1	2-M2DWB	\$161.50	1
Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)			
Note: P601 - Laundry Supply and Drain Box; P700 - Plumbing Fixture Schedule; Quoting based on description.			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
Lavatory	TCA-411 Series		
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.			

	TCA-411	\$782.00	1
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.			

	TCA-411-D	\$1,114.00	1
Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.			

Note: P601 - Fixture Thermostatic Mixing Valve Piping Schematic; Quoting model based on DWG.

EWC-1	CA-431-1	\$960.00	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	Note: P700 - Plumbing Fixture Schedule		
HB-1	HY-700		
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze, dual-temp, all bronze head, wall mount, concealed, polished bronze hydrant face, integral vacuum breaker, nickel bronze box and door, galvanized casing, 8-1/2" x 6-1/2" (165 mm)		
	HY-700,-6,-8	\$3,057.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-700,-10,-12,-14	\$3,235.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-700-16	\$3,417.00	1
	Watts - 16" (406 mm) thick		
	Note: P700 - Plumbing Fixture Schedule; Quoting based on description.		
LI-1	LI-820	\$14,522.00	1
	Watts - steel, epoxy coated, skid-proof cover, secured with hex head center bolts, removable steel filter screens, IPS threaded connections, flow rate of 200 GPM		
	Note: P700 - Plumbing Fixture Schedule		
U-1	CA-321	\$663.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
	Note: P700 - Plumbing Fixture Schedule		
WH-1	HY-725		
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	HY-725,-6,-8	\$1,222.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725,-10,-12,-14	\$1,335.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-725-16	\$1,446.00	1
	Watts - 16" (406 mm) thick		
	Note: P700 - Plumbing Fixture Schedule; Quoting based on description.		
CB-1	CB-624-DI	\$1,168.00	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) and 6" (152 mm) no hub bottom outlets, 6" (152 mm) wide, 24" (610 mm) long, ductile iron grate, Class F		
	Note: P700 - Plumbing Fixture Schedule; Quoting as an alternate to given description, Model is 6" wide not 12" wide, provide 2 catch basins in parallel to meet requirements.		
FD-1	FD-104-A5	\$380.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 4"Ø (102 mm)		
	Note: P700 - Plumbing Drain Schedule; Quoting as a suggestion no model provided.		
FD-2	FD-324-Y	\$401.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron grate, 4"Ø (102 mm)		
	Note: P700 - Plumbing Drain Schedule; Quoting as a suggestion no model provided.		

FD-3	FD-104-A5-F4-1	\$718.00	1
Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 4"(102 mm),4" Round Nickel Bronze funnel			
Note: P700 - Plumbing Drain Schedule; Quoting as a suggestion no model provided.			
FS-1	FS-734-22	\$1,468.00	1
Watts - white porcelain enamel coated interior, 14-7/16" (367 mm) square, cast iron, 6-1/4" (159 mm) deep, no-hub outlet, aluminum dome bottom strainer, less grate, 4"Ø (102mm) outlet size			
Note: P700 - Plumbing Drain Schedule; Quoting as a suggestion no model provided.			
RD-1	RD-306	\$798.00	1
Watts - epoxy coated, 16-5/8" (422 mm) diameter, cast iron body, flashing clamp and integral gravel stop, no-hub outlet, self locking, 15-1/4" (387 mm) diameter, polyethylene dome, 6"Ø (152 mm) outlet size			
Note: P700 - Plumbing Drain Schedule; Quoting as a suggestion no model provided.			
TD-1 /TD-2	D-DI	\$432.00	1
Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet(s), pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F			
Note: P700 - Plumbing Drain Schedule; Quoting as a suggestion no model provided; Please note trench drain price is per foot.			
NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***			

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.