



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-298-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-06-26
Attn.:	N/A	Expiry Date:	2018-07-26
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Hurricane, West Virginia, United States

Job Name: AEP HURRICANE JOB

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
LAV-1	SS-3802 Sloan - Standard Drop In Lavatory 20" x 16-3/4", 8" centerset-3873802	\$73.55	1
	SF-2150-4 Sloan - Sensor activated, electronic, pedestal hand washing faucet for tempered or hot/cold water operated. ADA compliant, Battery operated. 4" trim plate. (3362102)	\$436.65	1
<i>Note: Pg 1 of 25 - Plumbing Fixture Schedule</i>			
LAV-2	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1
	SF-2150-4 Sloan - Sensor activated, electronic, pedestal hand washing faucet for tempered or hot/cold water operated. ADA compliant, Battery operated. 4" trim plate. (3362102)	\$436.65	1
<i>Note: Pg 1 of 25 - Plumbing Fixture Schedule</i>			
UR-1	SU-1009-STG Sloan - Universal Vitreous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. SloanTec Glaze (1171009)	\$286.30	1
	Sloan 8186-0.5 Sloan - Battery powered, sensor activated, 3/4" top spud, exposed urinal flushometer. Courtesy flush override button. Requires no AC hookups, uses four AA batteries. Override button. 0.5 GPF (3790068)	\$547.50	1
<i>Note: Pg 2 of 25 - Plumbing Fixture Schedule</i>			
UR-2	SU-1009-A Sloan - Universal Vitreous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$262.30	1
	Sloan 8186-0.5 Sloan - Battery powered, sensor activated, 3/4" top spud, exposed urinal flushometer. Courtesy flush override button. Requires no AC hookups, uses four AA batteries. Override button. 0.5 GPF (3790068)	\$547.50	1
<i>Note: Pg 2 of 25 - Plumbing Fixture Schedule;</i> <i>Note: Quoting as alternate.</i>			
WC-1 /WC-2	ST-2459-STG Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud, with Sloan-Tec Hydrophobic antibacterial glaze (2172459)	\$151.50	1

ECOS 8111-1.6/1.1

\$621.60 1

Sloan - Battery-powered Flushometer, Sensor activated, 1.6/1.1 gpf/6.0/4.2 Lpf (3370400)

*Note: Pg 2 of 25 - Plumbing Fixture Schedule***Section Brand: Elkay**

Label	Product No. Description	List Price	Qty.
-------	----------------------------	------------	------

EWC-1	LZOSTL8LC Elkay - VERSATILE BI-LVL W/SENSR 8GPH FILTR LT GRY	\$2,008.00	1
-------	--	------------	---

Note: Pg 1 of 25 - Plumbing Fixture Schedule

KS-1	LRADQ1722600 Elkay - 18 Gauge Stainless Steel 17' x 22' x 6' Single Bowl Top Mount Kitchen Sink	\$773.00	1
------	---	----------	---

	LK99 Elkay - DRAIN	\$114.00	1
--	------------------------------	----------	---

Note: Pg 1 of 25 - Plumbing Fixture Schedule

US-1	WNSF81360 Elkay - SCULLERY SINK	\$3,191.00	1
------	---	------------	---

*Note: Pg 2 of 25 - Plumbing Fixture Schedule;
Note: Quoting as alternate.***Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
-------	----------------------------	------------	------

EW-1 /MV- 2	ETV400AEQ000 Powers - HydroGuard XP Emergency Tempering Valve with Cold Water Bypass, Rough Bronze, Bottom/Top, Stainless Steel, Wall Mounted	\$4,295.00	1
----------------	---	------------	---

Note: Pg 1/2 of 25 - Plumbing Fixture Schedule

MV-1	LFSH1434-13 Powers - HydroGuard Hi/Lo Master Tempering Valve - 127 gpm, Rough brass, Standard, T/P Gauge on outlet, Rough Brass	\$4,523.00	1
------	---	------------	---

Note: Pg 2 of 25 - Plumbing Fixture Schedule

SHF-1	P910HH1000 Powers - Pressure Balancing Valve, 1/2" Copper sweat connection, Low Flow Shower (1.5 gpm), Arm & Flange	\$382.00	1
-------	---	----------	---

*Note: Pg 2 of 25 - Plumbing Fixture Schedule;
Note: Quoting as alternate.*

SHF-2	P910HH101WY Powers - Pressure Balancing Valve, 1/2" Copper sweat connection, Low Flow Shower (1.5gpm), Arm & Flange, 24" Chrome ADA Wall Grab Bar System, Vacuum Breaker, in-Line, Diveter, Concealed, 1/2" IPS Metal Handle	\$904.00	1
-------	--	----------	---

*Note: Pg 2 of 25 - Plumbing Fixture Schedule;
Note: Quoting as alternate.***Section Brand: Watts Regulators**

Label	Product No. Description	List Price	Qty.
-------	----------------------------	------------	------

HB-2	SC8-4 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$65.75	1
------	---	---------	---

*Note: Pg 1 of 25 - Plumbing Fixture Schedule;
Note: Quoting as alternate.*

WB-1	2-M2DWB	\$161.50	1
Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)			

Note: Pg 2 of 25 - Plumbing Fixture Schedule

BFP	957-OSY : 2 1/2	\$3,412.00	1
Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 2-1/2"Ø (64 mm) pipe connection (0111584)			

	957-AG	\$212.50	1
Watts - 957-AG Air Gap (0111764)			

	LF777SI : 2 1/2	\$747.00	1
Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2-1/2"Ø (64 mm) valve (0379117)			

Note: Pg 3 of 25 - A3: Domestic Cold Water Rise Elevation; No Model Provided, Quoting based on DWG.

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
CB-1	CB-624-DI	\$1,168.00	1
Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) and 6" (152 mm) no hub bottom outlets, 6" (152 mm) wide, 24" (610 mm) long, ductile iron grate, Class F			

Note: Pg 1 of 25 - Plumbing Fixture Schedule;

Note: Quoting as alternate.

EWC-1	CA-431-1	\$960.00	1
Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.			

Note: Pg 1 of 25 - Plumbing Fixture Schedule

FD-1	FD-104-A5-6-7	\$423.00	1
Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, vandal proof, trap primer tapping 4"Ø (102 mm)			

Note: Pg 1 of 25 - Plumbing Fixture Schedule

FD-2	FD-100-EF-1-6-7		1
Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter nickel bronze, adjustable round strainer, 4" (102 mm) diameter nickel bronze funnel, trap primer tapping, vandal proof			

	FD-100-EF-1-6-7,4	\$761.00	1
Watts - 4"Ø (102 mm) outlet size			

Note: Pg 1 of 25 - Plumbing Fixture Schedule

HB-1	HY-725		1
Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door			

	HY-725,-6,-8	\$1,222.00	1
Watts - 6" (152 mm), 8" (203 mm) thick			

	HY-725,-10,-12,-14	\$1,335.00	1
Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick			

	HY-725,-16	\$1,446.00	1
	Watts - 16" (406 mm)		
<i>Note: Pg 1 of 25 - Plumbing Fixture Schedule</i>			
LAV-2	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$782.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,114.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
<i>Note: Pg 1 of 25 - Plumbing Fixture Schedule</i>			
RD-1 /RD-2	RD-200X		1
	Watts - 8-1/8" (206 mm) diameter cast iron body, flashing clamp, Inside-caulk outlet, 8-1/8" (206 mm) diameter, polyethylene dome;		
	RD-200X,2,3,4	\$387.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
<i>Note: Pg 2 of 25 - Plumbing Fixture Schedule;</i>			
<i>SUMP RECEIVER (-B) = \$212.00 LIST ADDER</i>			
<i>UNDERDECK CLAMP (-D) = \$190.00 LIST ADDER</i>			
<i>DECK FLANGE/ADJ. EXTENSION (-F) = \$521.00 LIST ADDER</i>			
<i>DUCTILE IRON DOME (-K) = \$166.00 LIST ADDER</i>			
<i>2" EXTERNAL WATER DAM (-R) = \$182.00 LIST ADDER</i>			
<i>ADJUSTABLE INTERNAL WATER DAM (-W) = \$334.00 LIST ADDER</i>			
TD-1	D-DI	\$432.00	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet(s), pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F		
<i>Note: Pg 2 of 25 - Plumbing Fixture Schedule;</i>			
<i>Note: Quoting as alternate.</i>			
<i>Please note trench drain price is per foot.</i>			
TP-1	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$274.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$274.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300-DU-DR	\$149.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
<i>Note: Pg 2 of 25 - Plumbing Fixture Schedule</i>			
UR-1 /UR-1	CA-321	\$663.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
<i>Note: Pg 2 of 25 - Plumbing Fixture Schedule</i>			
WC-1 /WC-2	ISCA-101-L/R	\$1,254.00	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		

	ISCA-101-D	\$2,345.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	ISCA-121	\$1,423.00	1
	Watts - single, vertical, cast iron fitting		
	ISCA-121-D	\$2,514.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	ISCA-131-L/R	\$1,664.00	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	ISCA-131-D	\$2,750.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
Note: Pg 2 of 25 - Plumbing Fixture Schedule			
WH	HY-420		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker		
	HY-420,-4,-6,-8	\$683.00	1
	Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick		
	HY-420,-10,-12,-14	\$795.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-420,-16	\$906.00	1
	Watts - 16" (406 mm)		
Note: Spec 22 11 00-9;			
<i>Note: Quoting as suggestion.</i>			
WHA (piston type)	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$138.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$265.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$418.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$883.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,099.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,308.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 11 00-11			
CO (interior)	CO-200-R		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		

	CO-200-R,2	\$494.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$522.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$696.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 00-5;			
Note: Quoting as specified.			
CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER			
CARPET MARKER (-RC) = \$61.00 LIST ADDER			
NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER			
TILE RECESS (-T) = NO ADDITIONAL			
TERRAZZO RECESS (-U) = \$279.00 LIST ADDER			
CO (wall)	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$287.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$330.00	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$483.00	1
	Watts - 4"Ø (102 mm)		

Note: Spec 22 13 00-5;

Note: Quoting as specified.

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.