



**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,  
15055 United States

**Phone:** (724) 745-5300

**Quotation:**  
**Q-283-S**

<b>To:</b>	<b>Contractor Holder</b> 202 Commerce Blvd., Lawrence, Pennsylvania 15241	<b>Bid Date:</b>	2018-06-14
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2018-07-14
<b>Phone:</b>	724-745-5300	<b>Creator:</b>	Drew Pomrenke , dpomrenke@jboconnor.com
		<b>Sales Rep.:</b>	Casey Devlin , cdevlin@jboconnor.com
		<b>Shipping Address:</b>	, Pittsburgh, Pennsylvania, United States

**Job Name: AHN WPH Mellon Pavilion**

**Engineer:** Stantec **Architect:** Stantec

**Comments:**

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
Emergency MV	<b>ES150AEP500</b> Powers - ES150 HydroGuard emergency tempering valve with internal cold water bypass, ough bronze valve & pipe finish, SS Semi-Recessed cabinet, gauges on inlets & out.	\$2,268.00	1

**Note:** P501 - Emergency Eyewash / Mixing Valve Detail; P203A - Key Notes #6

**Section Brand: Watts Drainage**

Label	Product No. Description	List Price	Qty.
L-2 /S-2	<b>TCA-411 Series</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411</b>	\$782.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411-D</b>	\$1,114.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		

**Note:** P001 - Plumbing Fixture Schedule

CS-1	<b>ISCA-560 Series</b> Watts - floor mounted, cast iron fitting, no hub waste connection, no hub vent connection (specify size). Cast iron compression seal faceplate assembly with steel mounting brackets, adjustable ABS nipple with integral test cap, heavy gauge, steel, offset uprights with welded feet	\$1,130.00	1
------	--	------------	---

**Note:** P001 - Plumbing Fixture Schedule

EWC-1A	<b>CA-421</b> Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$594.00	1
--------	---	----------	---

**Note:** P001 - Plumbing Fixture Schedule

FD-1	<b>FD-103-A5-7</b>	\$380.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, trap primer connection, 3"Ø (76 mm)		
	<i>Note: P001 - Plumbing Fixture Schedule</i>		
EWC-1B	<b>CA-431-1</b>	\$960.00	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	<i>Note: P001 - Plumbing Fixture Schedule</i>		
TP-1	<b>LFTP300-DR Series</b>		
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	<b>LFTP300T</b>	\$274.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	<b>LFTP300S</b>	\$274.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	<b>LFTP300-DU-DR</b>	\$149.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
	<i>Note: P001 - Equipment and Component Schedule; P501 - Trap Primer Assembly Detail</i>		
Floor CO	<b>CO-200-R</b>		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200-R,2</b>	\$494.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-R,3</b>	\$522.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-R,4</b>	\$696.00	1
	Watts - 4"Ø (102 mm)		
	<i>Note: P001 - Equipment and Component Schedule; Quoting as a suggestion, no model given.</i>		
	CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER		
	CARPET MARKER (-RC) = \$61.00 LIST ADDER		
	NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER		
	TILE RECESS (-T) = NO ADDITIONAL		
	TERRAZZO RECESS (-U) = \$279.00 LIST ADDER		
Exterior CO	<b>CO-200-RX-4</b>		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	<b>CO-200-RX-4,2</b>	\$332.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-RX-4,3</b>	\$385.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-RX-4,4</b>	\$471.00	1
	Watts - 4"Ø (102 mm)		
	<i>Note: P001 - Equipment and Component Schedule; Quoting as a suggestion, no model given.</i>		
Wall CO	<b>CO-460-RD</b>		
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	<b>CO-460-RD,2</b>	\$287.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460-RD,3</b>	\$330.00	1
	Watts - 3"Ø (76 mm)		

	<b>CO-460-RD,4</b>	\$483.00	1
	Watts - 4"Ø (102 mm)		
<i>Note: P001 - Equipment and Component Schedule; Quoting as a suggestion, no model given.</i>			
Exposed CO	<b>CO-460</b>		
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	<b>CO-460,2</b>	\$180.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460,3</b>	\$224.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460,4</b>	\$348.00	1
	Watts - 4"Ø (102 mm)		
<i>Note: P001 - Equipment and Component Schedule; Quoting as a suggestion, no model given.</i>			
CO	<b>CO-380</b>		
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	<b>CO-380,2</b>	\$76.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-380,3</b>	\$117.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-380,4</b>	\$162.00	1
	Watts - 4"Ø (102 mm)		
	<b>CO-380,6</b>	\$332.00	1
	Watts - 6"Ø (152 mm)		
<i>Note: P001 - Equipment and Component Schedule; Quoting as a suggestion, no model given.</i>			

### Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
TMV	<b>LFUSG-B-M2</b>	\$241.00	1
	Watts - Lead Free brass body construction, copper thermostat with stainless steel springs, integral checks and 40 mesh stainless steel screens, 4-port with cap for three port application, "H" pattern body, ASSE 1070 and cUPC, valve shall control temperature from a low of 1/4gpm, 3/8"Ø (10 mm) male compression (0204143)		
<i>Note: P501 - Lavatory and Sink Tempering Valve Detail.</i>			
Beverage BFP	<b>SD-3-FN : 3/8</b>	\$216.00	1
	Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, female flare connection, 3/8"Ø (10 mm) pipe connection(0061657)		
<i>Note: P501 - Coffee Machine Piping Detail / Ice Maker Installation Detail.</i>			
WMB	<b>2-M2DWB</b>	\$161.50	1
	Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)		
<i>Note: P501 - Washer Supply and Drain Box for Ice Maker</i>			
DCVB	<b>LF7 : 3/8</b>	\$163.50	1
	Watts - Lead Free cast copper silicon alloy body, silicon disc, 3/8"Ø (10 mm) pipe connection (0792076)		
<i>Note: P501 - Emergency Eyewash / Mixing Valve Detail.</i>			

#### Special Terms:

All pricing is plus freight unless Mfr freight terms are met.  
Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.  
Watts Drainage does not meet PA.DGS please be advised.

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.