



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-299-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-06-22
Attn.:	N/A	Expiry Date:	2018-07-22
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Pittsburgh, Pennsylvania, United States

Job Name: UPMC PUH 3 HVI GMP

Engineer: Karpinski Engineering **Architect:** Bostwick Design Partnership

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Net Price	Qty.	Amount
L-1	ETF-700-4-B-0.5 Sloan - Automatic Sink Faucets, 0.5gpm, Single Holeinstall, 4 inch Trim Plate, Polished Chrome, Activated Sensor (3365178)	\$843.00	\$421.50	1	\$421.50
<i>Note: P002 - Plumbing Fixture Schedule 'Basin Fixtures'</i>					
L-2 /S-7	SS-3103 Sloan - Wall hung lavatory with backsplash, single hole centerset. Overflow, 20.75" x 18.25" (3873103)	\$83.40	\$41.70	1	\$41.70
	ETF-700-4-B-0.5 Sloan - Automatic Sink Faucets, 0.5gpm, Single Holeinstall, 4 inch Trim Plate, Polished Chrome, Activated Sensor (3365178)	\$843.00	\$421.50	1	\$421.50
<i>Note: P002 - Plumbing Fixture Schedule 'Basin Fixtures'</i>					
S-5	ETF-700-4-B-1.5 Sloan - Automatic Sink Faucets, 1.5gpm, Single Holeinstall, 4 inch Trim Plate, Polished Chrome, Activated Sensor (3365178)	\$843.00	\$421.50	1	\$421.50
<i>Note: P002 - Plumbing Fixture Schedule 'Basin Fixtures'</i>					
WC-1	ST-2029 Sloan - Vitreous china, ADA compliant water closet bowl only, 1.28, 1.6/1.1 AND 1.6 gpf, Floor mounted elongated bowl with 1-1/2" IPS top spud inlet. 1,000 LB load tested (2102029)	\$154.45	\$77.23	1	\$77.23
	Royal 111-1.28 Sloan - Exposed Water Closet Flushometer, for floor mounted or wall hung top spud bowls 1.28 GPF (3910168)	\$203.45	\$101.73	1	\$101.73
	EL-154 Sloan - 50 VA Transformer (0345154PK)	\$45.20	\$22.60	1	\$22.60
<i>Note: P002 - Plumbing Fixture Schedule 'Flushing Fixtures'</i>					
WC-2	ST-2009-A Sloan - Standard Height Universal, Top Spud (3873103)	\$129.95	\$129.95	1	\$129.95
	Royal 111-1.28 ES-S Sloan - Hardwired 1.28 gpf/4.8 Lpf, electronic sensor solenoid operated (3450049)	\$670.80	\$335.40	1	\$335.40

	EL-154	\$45.20	\$22.60	1	\$22.60
	Sloan - 50 VA Transformer (0345154PK)				
Note: P002 - Plumbing Fixture Schedule 'Flushing Fixtures'					
U-1 /U-2	SU-1006-A	\$262.30	\$262.30	1	\$262.30
	Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)				
	Royal 180-1 ES-S	\$653.50	\$326.75	1	\$326.75
	Sloan - Flushometer, Hardwired 1 gpf/3.8 Lpf, electronic sensor solenoid operated (3452473)				
	EL-154	\$45.20	\$22.60	1	\$22.60
	Sloan - 50 VA Transformer (0345154PK)				
Note: P002 - Plumbing Fixture Schedule 'Flushing Fixtures'; Please Be Advised, Model is not available in 0.5 GPF, Quoting 1.0 GPF in-lieu					
U-1 /U-2	SU-1009-A	\$262.30	\$262.30	1	\$262.30
	Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)				
	Royal 186-0.5 ES-S	\$653.50	\$326.75	1	\$326.75
	Sloan - Optima sensor activated flushometer for exposed urinals. Equipped with 24V AC solenoid operator and optima sensor EL-1500-L. 3/4" top spud. 0.5 GPM (3452674)				
	EL-154	\$45.20	\$22.60	1	\$22.60
	Sloan - 50 VA Transformer (0345154PK)				
Note: P002 - Plumbing Fixture Schedule 'Flushing Fixtures'; Please Be Advised, Specified Model not available in 0.5GPF, Quoting 0.5GPF Flush Valve model.					
CS-1	Royal 117	\$218.05	\$109.03	1	\$109.03
	Sloan - Exposed, service sink flush valve for use with top spud service sinks. 6.5 GPF (3010500)				
Note: P002 - Plumbing Fixture Schedule 'Flushing Fixtures'					
Section Total:					\$3,328.04

Section Brand: Elkay

Label	Product No. Description	List Price	Net Price	Qty.	Amount
S-1	ELUH2816	\$827.00	\$413.50	1	\$413.50
	Elkay - 18 Gauge Stainless Steel 30.5' x 18.5' x 7.5' Single Bowl Undermount Kitchen Sink				
	LK99	\$114.00	\$57.00	1	\$57.00
	Elkay - DRAIN				
Note: P002 - Plumbing Fixture Schedule 'Basin Fixtures'					
S-3	ELUH1212	\$386.00	\$193.00	1	\$193.00
	Elkay - 18 Gauge Stainless Steel 14.5' x 14.5' x 7' Single Bowl Undermount Kitchen Sink				
	LK99	\$114.00	\$57.00	1	\$57.00
	Elkay - DRAIN				
Note: P002 - Plumbing Fixture Schedule 'Basin Fixtures'					
EWC-1	LZWS-LRPBM28K	\$6,814.00	\$3,407.00	1	\$3,407.00
	Elkay - EZH2O INTEGRAL- EDFPBM117 - FILTRD				
Note: P002 - Plumbing Fixture Schedule 'Basin Fixtures'					
Section Total:					\$4,127.50

Section Brand: Powers

Label	Product No. Description	List Price	Net Price	Qty.	Amount
L-1 /L-2 /S-1 /S-2 /S-3 /S-4 /S-6 /S-7	LFE480-TEE Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish, w/ Cold Water Bypass	\$230.00	\$35.00	1	\$35.00
<i>Note: P002 - Plumbing Fixture Schedule 'Basin Fixtures'</i>					
SH-1	e70700010W Powers - Powers HyrdoGuard T/P Series e700, euro trim valves,24" Chrome ADA Wall Grab Bar System,Vacuum Breaker, In-Line	\$736.00	\$368.00	1	\$368.00
<i>Note: P002 - Plumbing Fixture Schedule 'Bathing Fixtures'</i>					
EEW-1 /EEW-2	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$913.00	\$456.50	1	\$456.50
<i>Note: P002 - Plumbing Fixture Schedule 'EmergencyFixtures'; P601 - Emergency Fixture Thermostatic Mixing Valve Diagram.</i>					
Section Total:					\$859.50

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Net Price	Qty.	Amount
3/4" BFP	LF009M3-QT : 3/4 Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 3/4"Ø (19 mm) pipe connection (0391003)	\$545.50	\$272.75	1	\$272.75
<i>Note: P103.1B2 - Plan Notes #4</i>					
Beverage BFP	SD3-MF : 1/4 Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 1/4"Ø (6 mm) pipe connection (0061653)	\$317.50	\$158.75	1	\$158.75
	SD3-MF : 3/8 Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 3/8"Ø (10 mm) pipe connection (0061657)	\$317.50	\$158.75	1	\$158.75
<i>Note: P601 - Countertop Coffee Maker Piping Diagram.</i>					
Refrigerator BFP	LF7 : 3/8 Watts - Lead Free cast copper silicon alloy body, silicon disc, 3/8"Ø (10 mm) pipe connection (0792076)	\$163.50	\$81.75	1	\$81.75
<i>Note: P601 - Refrigerator w/ Ice Maker Piping Diagram.</i>					
Section Total:					\$672.00

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Net Price	Qty.	Amount
L-2 /S-7	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.			1	
	TCA-411	\$782.00	\$101.66	1	\$101.66
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.				
	TCA-411-D	\$1,114.00	\$144.82	1	\$144.82
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.				
Note: P002 - Plumbing Fixture Schedule 'Basin Fixtures'					
EWC-1	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$960.00	\$124.80	1	\$124.80
Note: P002 - Plumbing Fixture Schedule 'Drinking Fixtures'					
U-1 /U-2	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$663.00	\$86.19	1	\$86.19
Note: P002 - Plumbing Fixture Schedule 'Flushing Fixtures'					
CS-1	ISCA-101 Series Watts - horizontal, cast iron fitting, 4"Ø no hub waste connection, side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$1,254.00	\$163.02	1	\$163.02
	ISCA-101-L	\$1,254.00	\$163.02	1	\$163.02
	Watts - horizontal, cast iron fitting, 4"Ø no hub waste connection, side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support				
	ISCA-101-R	\$1,254.00	\$163.02	1	\$163.02
	Watts - horizontal, cast iron fitting, 4"Ø no hub waste connection, side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support				
Note: P002 - Plumbing Fixture Schedule 'Flushing Fixtures'					

FD	FD-103-A5-7	\$380.00	\$49.40	1	\$49.40
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, trap primer connection, 3"Ø (76 mm)				
	<i>Note: P002 - Plumbing Fixture Pipe Drop Schedule; Quoting base model as a suggestion.</i>				
TP	LFTP300-DR Series			1	
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap				
	LFTP300T	\$274.00	\$35.62	1	\$35.62
	Watts - 1/2", Threaded Inlet and Outlet Connect				
	LFTP300S	\$274.00	\$35.62	1	\$35.62
	Watts - 1/2", Soldered Inlet and Outlet Connect				
	LFTP300-DU-DR	\$149.00	\$149.00	1	\$149.00
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit				
	<i>Note: P002 - Plumbing Fixture Pipe Drop Schedule;</i>				
FS-1	FS-713-7-FC	\$1,536.00	\$199.68	1	\$199.68
	Watts - white porcelain enamel coated interior, 10" (254 mm) square, cast iron, 6-1/4" (159 mm) deep, no-hub outlet, aluminum dome bottom strainer, 7-11/16" (195 mm) square, loose set, porcelain enamel coated cast iron grate, trap primer tapping, flange w/ weepholes & flashing clamp, 3" (76mm) outlet size				
	<i>Note: P103.1B2 - AP2 Imaging Equipment, Quoting as a suggestion based on designation.</i>				
RH	HY-900	\$2,497.00	\$324.61	1	\$324.61
	Watts - 3/4" (19 mm) diameter hose connection, combination 3/4" female of 1" male threaded inlet connection, non-freeze, epoxy coated heavy duty cast iron head, bronze internal working parts and valve housing with 1" galvanized steel casing, roof hydrant with and lift handle and lock option, integral epoxy coated cast iron roof mounting plate with clamping collar, 1/8" NPT drain port				
	<i>Note: P601 - Roof Hydrant Detail, Quoting as an alternate.</i>				
				Section Total:	\$1,740.46
NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***					

Subtotal: \$10,727.50

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.