



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-296-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-06-26
Attn.:	N/A	Expiry Date:	2018-07-26
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Beckley, West Virginia, United States

Job Name: WVU Beckley Student Housing

Engineer: Andrews, Hammock And Powell, Inc **Architect:** Lord, Aeck And Sargent, Inc

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
P-1 /P-2	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$127.50	1
	CROWN 111-1.28 Sloan - Exposed Piston operated, 1 1/2" top spud. 1.2 GPM (3120001)	\$209.00	1
<i>Note: P301 - Fixture Connection Schedule & Spec 22 40 00-2</i>			
P-3 /P-4	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$262.30	1
	CROWN 186-0.125 Sloan - Exposed, Piston operated, 3/4" top spud 1 GPF (3122665)	\$209.00	1
<i>Note: P301 - Fixture Connection Schedule & Spec 22 40 00-2</i>			
P-5 /P-6	SS-3803 Sloan - Wall hung china Lavatory with backsplash. White vitreous china, Hanging hardware, 8" centers, overflow, ADA compliant, 21" x 19.25" (3873803)	\$83.40	1
<i>Note: P301 - Fixture Connection Schedule & Spec 22 40 00-2/3</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
P-7	LR33210 Elkay - 18 Gauge Stainless Steel 33' x 21.25' x 7.875' Double Bowl Top Mount Kitchen Sink	\$1,252.00	1
	LK35 Elkay - DRAIN	\$72.00	2
	LK53 Elkay - CONT.WASTE CONNECT.	\$150.00	1
<i>Note: P301 - Fixture Connection Schedule & Spec 22 40 00-3/4</i>			
P-12 /P-13	VRC8S Elkay - BARRIER FREE CHILD VR	\$1,138.00	1
<i>Note: P301 - Fixture Connection Schedule & Spec 22 40 00-5</i>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
P-9	450-4000 Powers - Hydropanel II with Fixed Showerhead and Soap Dish	\$935.00	1
<i>Note: P301 - Fixture Connection Schedule & Spec 22 40 00-4; Note: Quoting model as an Alternate.</i>			
P-10	450-4005 Powers - HydroPanel II with Professional Hand Shower, Slide Bar, less Soap Dish	\$1,135.00	1
<i>Note: P301 - Fixture Connection Schedule & Spec 22 40 00-5; Note: Quoting model as an Alternate.</i>			
P-11	P910H Powers - 910-W/Metal Lever PC	\$236.00	1
	141-903A Powers - Small Ball Joint Shower Head with Wall Bracket, Anchor Plate, and Adjustable Spray, Chrome Plated, Brass	\$208.00	1
<i>Note: P301 - Fixture Connection Schedule & Spec 22 40 00-5 Note: Quoting as alternate.</i>			
Mixing Valve	LFSH1434-10 Powers - HydroGuard XP Lead Free* Series LFSH1430 Hi/Lo Master Tempering Valves	\$4,231.00	1
<i>Note: Spec 22 34 00-2; Note: Quoting as specified. Quoting only valve, cabinet not specified.</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
P-14	2-M2DWB Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)	\$161.50	1
<i>Note: P301 - Fixture Connection Schedule</i>			
HB	SC8-4 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$65.75	1
<i>Note: Spec 22 11 19-2 & P301 - Hose Bibb Detail;</i>			
Hose Bibb (non-freeze)	FHB-2 Watts - Freezeless Wall Hydrant, Anti-Siphon Frost-Proff Sill Cock		1
	FHB-2,4 Watts - 4"(102 mm)	\$57.25	1
	FHB-2,6 Watts - 6"(152 mm)	\$59.50	1
	FHB-2,8 Watts - 8" (203 mm)	\$61.75	1
	FHB-2,12 Watts - 12"(305mm)	\$66.00	1
	FHB-2,14 Watts - 14"(356mm)	\$71.25	1

Note: Spec 22 11 19-2

BFP (coffee maker)	SD-2-FN : 1/4 Watts - Backflow Preventer for Carbonated Beverage Machines, 1/4" (8mm), Female NPT	\$144.00	1
	SD-2-FN : 3/8 Watts - Backflow Preventer for Carbonated Beverage Machines, 3/8"(10mm) Female NPT	\$155.50	1
Note: Spec 22 11 19-3			
BFP (single equipment)	9D M2 : 3/4 Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 3/4"Ø (19 mm) pipe connection (0061888)	\$111.00	1
	9D M3 : 1/2 Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 1/2"Ø (13 mm) pipe connection (0061935)	\$108.50	1
Note: Spec 22 11 19-3			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
P-1 /P-2	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,254.00	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,345.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,423.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$2,514.00	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$1,664.00	1
	ISCA-131-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support	\$2,750.00	1
Note: P301 - Fixture Connection Schedule & Spec 22 40 00-2/7			
P-3 /P-4	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$663.00	1
Note: P301 - Fixture Connection Schedule & Spec 22 40 00-2			
P-5 /P-6	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$782.00	1

	TCA-411-D	\$1,114.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	Note: P301 - Fixture Connection Schedule Spec 22 40 00-2/3		
P-12 /P-13	CA-421	\$594.00	1
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	Note: P301 - Fixture Connection Schedule & Spec 22 40 00-5/7		
Solids Interceptor	SI-750	\$746.00	1
	Watts - 10" (254mm) clearance required above cover to remove sediment bucket, epoxy coated, cast iron, gasketed cover, slip joint elbow, removable sediment basket, 1-1/2" (36mm) IPS threaded connections, 6-1/2" (165mm) clearance required above cover to remove sediment bucket		
	Note: P301 - Fixture Connection Schedule. Note 13 & Spec 22 40 00-6		
Solids Interceptor (plaster trap)	SI-742	\$1,121.00	1
	Watts - epoxy coated, cast aluminum body, gasketed cover, removable stainless steel sediment basket, 2" (51 mm) IPS threaded connections. 10" (254 mm) clearance required above cover to remove sediment bucket.		
	Note: P301 - Fixture Connection Schedule. Note 13 & Spec 22 40 00-7		
Wall Hydrant	HY-725-88		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door, wall clamp		
	HY-725-88,-6,-8	\$1,222.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725-88,-10,-12,-14	\$1,335.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-725-88,-16	\$1,446.00	1
	Watts - 16" (406 mm)		
	Note: Spec 22 11 19-2;		
	Note: Quoting nickel bronze finish and quoting model with vacuum breaker in lieu of double check.		
Yard Hydrant	HY-500		1
	Watts - non-freeze, all bronze head, concealed, bronze face, nickel bronze box and door		
	HY-503-3/4	\$1,717.00	1
	Watts - non-freeze, all bronze head, seat casting and internal working parts, deck type, concealed, bronze face, nickel bronze box and door, bronze box, loose key, 3' (914 mm) depth, 3/4" (19 mm) connection size		
	HY-504-3/4	\$1,843.00	1
	Watts - non-freeze, all bronze head, seat casting and internal working parts, deck type, concealed, bronze face, nickel bronze box and door, bronze box, loose key, 4' (1219 mm) depth, 3/4" (19 mm) connection size		
	HY-505-3/4	\$1,968.00	1
	Watts - non-freeze, all bronze head, seat casting and internal working parts, deck type, concealed, bronze face, nickel bronze box and door, bronze box, loose key, 5' (1524 mm) depth. 3/4" (19 mm) connection size		
	Note: Spec 22 11 19-2		
WHA	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		

	LF15M2-A-DR	\$138.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$265.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$418.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$883.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,099.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,308.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
	Note: Spec 22 11 19-2/3		
Trap Primer	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$274.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$274.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300-DU-DR	\$149.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
	Note: Spec 22 11 19-3		
FD-A	FD-100-A7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter nickel bronze, adjustable round strainer		
	FD-100-A7,2,3,4	\$537.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A7,6	\$632.00	1
	Watts - 6"Ø (152 mm)		
	Note: Spec 22 13 19-2		
FD-B	FD-320		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7-7/8" (200 mm) diameter, ductile iron, round grate		
	FD-320,2,3,4	\$562.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-320,6	\$656.00	1
	Watts - 6"Ø (152 mm)		
	Note: Spec 22 13 19-2		
RD	RD-300-D-F-K80		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, aluminum dome, underdeck clamp, adjustable extension flange		
	RD-300-D-F-K80,2,3,4	\$1,463.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-K80,5,6	\$1,702.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-K80,8,10	\$1,941.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	Note: Spec 22 13 19-2		

ORD	RD-300-D-F-W-K80		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp and 4" (102 mm) high internal stand pipe, no-hub outlet, 15-1/4" (387 mm) diameter, aluminum dome, underdeck clamp, adjustable extension flange		
	RD-300-D-F-W-K80,2,3,4	\$1,797.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-W-K80,5,6	\$2,036.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-W-K80,8,10	\$2,275.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
Note: Spec 22 13 19-2			
CO	CO-200-R		1
(finished floor and acid waste)	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$494.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$522.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$696.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19-3 and P301 - Outside Cleanout CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER CARPET MARKER (-RC) = \$61.00 LIST ADDER NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$279.00 LIST ADDER			
CO (wall)	CO-480-RD		1
	Watts - round, stainless steel access cover and stainless steel vandal proof screw		
	CO-480-RD,5,6	\$105.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) cover size		
	CO-480-RD,7	\$134.00	1
	Watts - 7"Ø (178 mm) cover size		
	CO-480-RD,8	\$237.00	1
	Watts - 8"Ø (203 mm) cover size		
	CO-480-RD,10	\$375.00	1
	Watts - 10"Ø (254 mm) cover size		
Note: Spec 22 13 19-3			
CO	CO-300-MF	\$1,099.00	1
(outside)	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	CO-380		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$76.00	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$117.00	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$162.00	1
	Watts - 4"Ø (102 mm)		

Watts - 6"Ø (152 mm)

Note: *Spec 22 13 19-3 and P301 - Outside Cleanout***NOTE :** ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.