



**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,  
15055 United States

**Phone:** (724) 745-5300

**Quotation:**  
**Q-316-S**

<b>To:</b>	<b>Contractor Holder</b> 202 Commerce Blvd., Lawrence, Pennsylvania 15241	<b>Bid Date:</b>	2018-07-17
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2018-08-16
<b>Phone:</b>	724-745-5300	<b>Creator:</b>	Drew Pomrenke , dpomrenke@jboconnor.com
		<b>Sales Rep.:</b>	Casey Devlin , cdevlin@jboconnor.com
		<b>Shipping Address:</b>	, Pittsburgh, Pennsylvania, United States

**Job Name: AHN Neighborhood Hospital**

**Engineer:** H.F. Lenz Company    **Architect:** CBLH Architecture Planning Interior Design

**Comments:**

**Section Brand: Sloan**

Label	Product No. Description	List Price	Qty.
WC-1	<b>ST-2459</b> Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$127.50	1
	<b>BPW-1150-1.6 REGAL XL</b> Sloan - Bedpan washer water closet flushometer for floor mounted or wall hung top spud bowls. Installation meets ADA requirements. 1 1/2" top spud. 1.6 GPM (3089601)	\$613.05	1
	<b>YG</b> Sloan - Angle stop extended bumper (H-576) (3308867)	\$14.95	1
<i>Note: Emerus P-401: Plumbing Fixture Schedule</i>			
WC-2	<b>ST-2459</b> Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$127.50	1
	<b>Sloan 111 YO</b> Sloan - Exposed 1 1/2" top spud. Seat bumper (YO) 1.6 GPF (3780001)	\$185.40	1
<i>Note: Emerus P-401: Plumbing Fixture Schedule</i>			
L-1/L-3 Emerus	<b>SS-3165</b> Sloan - 21" x 20" Wall Hung Ledgeback Lavatory-Single hole (3873165)	\$190.55	1
	<b>SS-27</b> Sloan - White vitreous china Ceramic Shroud 7 3/4" x 10 1/2" x 9 3/4" (197 mm x 267 mm x 248 mm) (387678)	\$189.30	1
<i>Note: Emerus P-401: Plumbing Fixture Schedule</i>			
L-2	<b>SS-3001</b> Sloan - Standard undermount lavatory, 19-1/2" x 17-1/2" outside, 17" x 14" inside dimensions (3873001)	\$73.55	1
<i>Note: Emerus P-401: Plumbing Fixture Schedule</i>			
CS-1	<b>Sloan 117-H</b> Sloan - Exposed, service sink flush valve for use with top spud service sinks. 6.5 GPF Handle on front (H) (3780528)	\$215.65	1
<i>Note: Emerus P-401: Plumbing Fixture Schedule</i>			
L-1/L-2 AHN	<b>SS-3003</b> Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1
<i>Note: Emerus P-401: Plumbing Fixture Schedule</i>			

**Section Brand: Elkay**

Label	Product No. Description	List Price	Qty.
SK-1	<b>LRAD2219500</b> Elkay - 18 Gauge Stainless Steel 22' x 19.5' x 5' Single Bowl Top Mount Kitchen Sink	\$843.00	1
	<b>LK99</b> Elkay - DRAIN	\$114.00	1
<i>Note: Emerus P-401: Plumbing Fixture Schedule</i>			
SK-3	<b>LRAD1517400</b> Elkay - 18 Gauge Stainless Steel 15' x 17.5' x 4' Single Bowl Top Mount Kitchen Sink	\$692.00	1
	<b>LK99</b> Elkay - DRAIN	\$114.00	1
<i>Note: Emerus P-401: Plumbing Fixture Schedule</i>			
SK-4	<b>LK24RT</b> Elkay - WASTE FTG. W/ T.P.	\$143.00	1
	<b>LK76</b> Elkay - CONT.WASTE CONNECT.	\$189.00	1
<i>Note: Emerus P-401: Plumbing Fixture Schedule</i>			
SK-5	<b>CHSB1716C</b> Elkay - HAND SINK COMPLETE	\$587.00	1
<i>Note: Emerus P-401: Plumbing Fixture Schedule; P-Trap not Included.</i>			
EDF-1	<b>ERPBMV28K</b> Elkay - FTN, ECH8 CHILLER, MF200	\$4,630.00	1
<i>Note: Emerus P-401: Plumbing Fixture Schedule</i>			
S-1 /S-2	<b>LR19180</b> Elkay - 18 Gauge Stainless Steel 19' x 18' x 7.625' Single Bowl Top Mount Kitchen Sink	\$741.00	1
	<b>LK99</b> Elkay - DRAIN	\$114.00	1
<i>Note: AHN P-401: Plumbing Fixture Schedule</i>			
S-4	<b>EWSF13026SACC</b> Elkay - SURGEON SINK PACKAGE	\$6,124.00	1
<i>Note: AHN P-401: Plumbing Fixture Schedule</i>			
S-5	<b>DLR2918100</b> Elkay - 18 Gauge Stainless Steel 29' x 18' x 10' Double Bowl Top Mount Kitchen Sink	\$1,416.00	1
<i>Note: AHN P-401: Plumbing Fixture Schedule</i>			

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
TMV-1/L-1 /L-2	<b>LFMM435-1</b> Powers - HydroGuard XP Master Tempering Valve, 208gpm, Rough Bronze, Standard	\$2,892.00	1
<i>Note: Core and Shell P-402: Thermostatic Mixing Valve; Quoting Suggestion based on valve Size</i>			
SK-5/SK-7	<b>LFE480-10</b> Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1
<i>Note: Emerus P-401: Plumbing Fixture Schedule; AHN Tenant P6-01: Lavatories and Sinks</i>			
S-4	<b>ES150-11</b> Powers - ES150 EMERGENCY TEMPER	\$913.00	1
<i>Note: AHN Tenant P6-01: Lavatories and Sinks</i>			

SH-1	<b>P910H0005W</b>	\$440.00	1
	Powers - 1/2" Copper Sweat Connections, Standard, Metal Hose, Two Wall Hooks, Vacuum Breaker, in-Line		

**Note:** Emerus P-401: Plumbing Fixture Schedule

SH-2	<b>P910HG102WY</b>	\$932.00	1
	Powers - Pressure Balancing Valve, 1/2" copper sweat connections, Low flow shower (1.6gpm), Arm & Flange, 36" Chrome ADA Wall Grab Bar System, Vacuum Breaker, in-Line, Diverter Concealed, 1/2" IPS Metal Handle		

**Note:** Emerus P-401: Plumbing Fixture Schedule

**Section Brand: Watts Regulators**

Label	Product No. Description	List Price	Qty.
RPZ-1	<b>LF909M1-QT : 2</b>	\$2,729.00	1
	Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391012)		
	<b>909-AGF</b>	\$164.00	1
	Watts - 909-AGF Air Gap (0881378)		
	<b>LF777SI : 2</b>	\$239.00	1
	Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)		

**Note:** Core and Shell P-401: Plumbing Fixture Schedule; P-501: Typical Water Softener System

ET-1	<b>DETA 100</b>	\$3,348.00	1
	Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 45 gallons (0212033)		

**Note:** Core and Shell P-402: Expansion Tank Schedule; Quoting based on 30 Gal. Acceptance Volume.

RELIEF VALVE	<b>LFN36M1 : 1/2</b>	\$63.25	1
	Watts - Lead Free Vacuum Relief Valve, 1/2"(15mm)		
	<b>LFN36M1 : 3/4</b>	\$76.75	1
	Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)		

**Note:** Core and Shell P-501: Typical Dual Temperature Gas Water Heaters

ET	<b>DETA 5</b>	\$1,486.00	1
	Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 3.5 gallons (0212026)		

**Note:** AHN Tenant P5-01: Domestic Hot Water Piping Diagram

HB-1	<b>SC8-2</b>	\$66.00	1
	Watts - Hydrant - cast brass, wall mount, Model 8B tamper-proof vacuum breaker with break-away screw, adjustable packing nut cartridge, no kink faucet, 3/4" (19 mm) male NPT of copper sweat connection with tee handle. (0611250)		

**Note:** AHN Tenant P6-01: Hose Bibb Schedule

**Section Brand: Watts Drainage**

Label	Product No. Description	List Price	Qty.
TP-1	<b>LFTP300-DR Series</b>		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	<b>LFTP300T</b>	\$316.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		

	<b>LFTP300-DU-DR</b>	\$149.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
<b>Note: Core and Shell P-200: Plumbing Keyed Notes; P-401: Plumbing Fixture Schedule</b>			
WH-1	<b>HY-725</b>		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	<b>HY-725,-6,-8</b>	\$1,406.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	<b>HY-725,-10,-12,-14</b>	\$1,536.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	<b>HY-725-16</b>	\$1,663.00	1
	Watts - 16" (406 mm) thick		
<b>Note: Core and Shell P-401: Plumbing Fixture Schedule</b>			
RH-1	<b>HY-900</b>	\$2,497.00	1
	Watts - 3/4" (19 mm) diameter hose connection, combination 3/4" female of 1" male threaded inlet connection, non-freeze, epoxy coated heavy duty cast iron head, bronze internal working parts and valve housing with 1" galvanized steel casing, roof hydrant with and lift handle and lock option, integral epoxy coated cast iron roof mounting plate with clamping collar, 1/8" NPT drain port		
<b>Note: Core and Shell P-401: Plumbing Fixture Schedule</b>			
RD-2	<b>RD-300-K</b>		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome		
	<b>RD-300-K,2,3,4</b>	\$834.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-300-K,5,6</b>	\$1,109.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	<b>RD-300-K,8,10</b>	\$1,384.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
<b>Note: Core and Shell P-401: Plumbing Fixture Schedule</b>			
OD-2	<b>RD-300-R-K</b>		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp and 2" (51 mm) high external water dam, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome		
	<b>RD-300-R-K,2,3,4</b>	\$1,042.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-300-R-K,5,6</b>	\$1,318.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	<b>RD-300-R-K,8,10</b>	\$1,593.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
<b>Note: Core and Shell P-401: Plumbing Fixture Schedule</b>			
FS-1	<b>FS-740-1-150-7</b>		1
	Watts - cast iron body, 8-1/4" (209 mm) deep, no-hub outlet, aluminum dome bottom strainer, 9" x 9" (229 mm x 229 mm) square, nickel bronze top, 1/2" Grate, w/ 1/2" trap primer connection.		
	<b>FS-740-1-150-7,2,3,4</b>	\$2,708.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
<b>Note: Core and Shell P-401: Plumbing Fixture Schedule; Emerus P-401: Plumbing Fixture Schedule</b>			
DS-1	<b>RD-950</b>		1
	Watts - round, fabricated type 304 stainless steel, securing flange and secured perforated hinged strainer, no hub		

	<b>RD-950,3,4</b>	\$2,645.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-950,6</b>	\$2,794.00	1
	Watts - 6"Ø (152 mm)		
	<b>RD-950,8</b>	\$2,927.00	1
	Watts - 8"Ø (203 mm)		
	<b>RD-950,10</b>	\$3,097.00	1
	Watts - 10"Ø (254 mm)		
	<b>RD-950,12</b>	\$3,286.00	1
	Watts - 12"Ø (305 mm)		
<b>Note: Core and Shell P-401: Plumbing Fixture Schedule</b>			
SA-A	<b>LF15M2-DR Series</b>		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	<b>LF15M2-A-DR</b>	\$159.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	<b>LF15M2-B-DR</b>	\$305.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	<b>LF15M2-C-DR</b>	\$481.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	<b>LF15M2-D-DR</b>	\$1,016.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	<b>LF15M2-E-DR</b>	\$1,264.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	<b>LF15M2-F-DR</b>	\$1,505.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
<b>Note: Core and Shell P-401: Water Hammer; Spec 22 11 19 - 4</b>			
CO w/ Box	<b>CO-300-MF</b>	\$1,099.00	1
	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	<b>CO-380</b>		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	<b>CO-380,2</b>	\$87.50	1
	Watts - 2"Ø (51 mm)		
	<b>CO-380,3</b>	\$135.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-380,4</b>	\$187.00	1
	Watts - 4"Ø (102 mm)		
	<b>CO-380,6</b>	\$382.00	1
	Watts - 6"Ø (152 mm)		
<b>Note: Core and Shell P-501: Double Cleanout to Grade and One Way Cleanout</b>			
FD-1 (CS)	<b>FD-100-A5-7</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, trap primer connection		
	<b>FD-100-A5-7,2,3,4</b>	\$437.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		

	<b>FD-100-A5-7,6</b>	\$547.00	1
	Watts - 6"Ø (152 mm)		
<b>Note: Core and Shell P-501: Typical Floor Drain</b>			
WCO	<b>CO-460-RD</b>		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	<b>CO-460-RD,2</b>	\$331.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460-RD,3</b>	\$380.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460-RD,4</b>	\$556.00	1
	Watts - 4"Ø (102 mm)		
<b>Note: Core and Shell P-501: Wall Cleanout</b>			
CO Test Tee	<b>CO-460</b>		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	<b>CO-460,2</b>	\$207.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460,3</b>	\$258.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460,4</b>	\$401.00	1
	Watts - 4"Ø (102 mm)		
<b>Note: Core and Shell Spec 22 14 26 - 2</b>			
WC-1/WC-2	<b>ISCA-101-L/R</b>	\$1,443.00	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	<b>ISCA-101-D</b>	\$2,697.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	<b>ISCA-121</b>	\$1,423.00	1
	Watts - single, vertical, cast iron fitting		
	<b>ISCA-121-D</b>	\$2,892.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	<b>ISCA-131-L/R</b>	\$1,914.00	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	<b>ISCA-131-D</b>	\$3,163.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
<b>Note: Emerus P-401: Plumbing Fixture Schedule</b>			
L-1/L-3 /SK-5	<b>TCA-411 Series</b>		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411</b>	\$900.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		

	<b>TCA-411-D</b>	\$1,282.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>Note:</b> Emerus P-401: Plumbing Fixture Schedule; AHN Tenant P6-01: Lavstories and Sinks		
EDF-1 /DF-1	<b>CA-431-1</b>	\$960.00	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	<b>Note:</b> Emerus P-401: Plumbing Fixture Schedule		
CS-1	<b>ISCA-550 Series</b>	\$1,130.00	1
	Watts - floor mounted, cast iron fitting, no hub waste connection, no hub vent connection (specify size). Cast iron compression seal faceplate assembly with steel mounting brackets, adjustable ABS nipple with integral test cap, heavy gauge, steel, offset uprights with welded feet		
	<b>Note:</b> Emerus P-401: Plumbing Fixture Schedule; AHN Tenant P6-01: Plumbing Fixture Schedule		
FD-1 (Emerus)	<b>FD-103-A5</b>	\$437.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 3"Ø (76 mm)		
	<b>Note:</b> Emerus P-401: Plumbing Fixture Schedule;		
FD-1 (Emerus) w/ TP	<b>FD-103-A5-7</b>	\$437.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, trap primer connection, 3"Ø (76 mm)		
	<b>Note:</b> Emerus P-401: Plumbing Fixture Schedule; Quoting Trap Primer Connection as per description.		
FD-2	<b>FD-104-A5</b>	\$437.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 4"Ø (102 mm)		
	<b>Note:</b> Emerus P-401: Plumbing Fixture Schedule		
FS-2	<b>FS-770</b>		1
	Watts - rectangular, cast iron body, 4" (102 mm) deep, no-hub outlet, aluminum dome bottom strainer, 4" x 8" (102 mm x 203 mm) rectangular, porcelain enamel coated cast iron grate		
	<b>FS-770,2,3</b>	\$1,430.00	1
	Watts - 2"Ø (51mm), 3"Ø (76mm) outlet size		
	<b>Note:</b> Emerus P-401: Plumbing Fixture Schedule		
SH-1/SH-2	<b>FD-1100-A5</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, stainless steel, round strainer		
	<b>FD-1100-A5,2,3,4</b>	\$547.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-1100-A5,6</b>	\$656.00	1
	Watts - 6"Ø (152 mm)		
	<b>Note:</b> Emerus P-401: Plumbing Fixture Schedule; Quoting Stainless Steel in-lieu of Chrome Plated.		
CO	<b>CO-200-R</b>		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200-R,2</b>	\$569.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-R,3</b>	\$601.00	1
	Watts - 3"Ø (76 mm)		

	<b>CO-200-R,4</b>	\$801.00	1
	Watts - 4"Ø (102 mm)		
	<b>Note:</b> AHN Tenant P5-01: Interior Cleanout Detail; CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER CARPET MARKER (-RC) = \$61.00 LIST ADDER NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$279.00 LIST ADDER		
FD-1 AHN	<b>FD-100-A6-5-7</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, sediment bucket, trap primer connection		
	<b>FD-100-A6-5-7,2,3,4</b>	\$633.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-100-A6-5-7,6</b>	\$742.00	1
	Watts - 6"Ø (152 mm)		
	<b>Note:</b> AHN Tenant P6-01: Plumbing Fixture Schedule;		
FD-2	<b>FD-320-Y-5</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron grate, sediment bucket		
	<b>FD-320-Y-5,2,3,4</b>	\$587.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-320-Y-5,6</b>	\$696.00	1
	Watts - 6"Ø (152 mm)		
	<b>Note:</b> AHN Tenant P6-01: Plumbing Fixture Schedule; Trap Seal by Others		
FD-3/FD-4	<b>FD-320-Y-5-F4-50</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate, 4" (102 mm) cast iron funnel, sediment bucket		
	<b>FD-320-Y-5-F4-50,2,3,4</b>	\$749.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-320-Y-5-F4-50,6</b>	\$858.00	1
	Watts - 6"Ø (152 mm)		
	<b>Note:</b> AHN Tenant P6-01: Plumbing Fixture Schedule; Trap Seal by Others		
Vent Cap	<b>RD-680-VC</b>		1
	Watts - cast iron, vandal proof cover		
	<b>RD-680-VC,2,3,4</b>	\$428.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-680-VC,6</b>	\$610.00	1
	Watts - 6"Ø (152 mm)		
	<b>RD-680-VC,8</b>	\$699.00	1
	Watts - 8"Ø (203 mm)		
	<b>Note:</b> Spec 22 13 19 - 3		

**Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.  
Pricing good for 30 days.  
Pricing subject to change if Mfr pricing changes.  
Watts Drainage does not meet PA.DGS please be advised.

**Terms**

Above prices are net.  
All taxes are extra.  
Partial or expedited shipments, at customer request, may result in additional freight charges.  
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.  
Please ensure that all quoted product meets your projects specifications.  
Our company will only be responsible for products shown on the attached quotation.