



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-318-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-07-23
Attn.:	N/A	Expiry Date:	2018-08-22
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	100 Crossroads Plaza, Mount Pleasant, Pennsylvania, United States

Job Name: Aldi - Mt. Pleasant

Engineer: MS Consultants Inc

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-A	ST-2029-STG Sloan - Top Spud Floor Mount Closet Fixture (2172029)	\$178.45	1
	SOLIS 8111-1.28 Sloan - Solis Powered, electronic single flush. 1-1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. 1.28 GPF (3370002)	\$639.10	1

Note: P-501 - Plumbing Material List

UR-A	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$262.30	1
	SOLIS 8186-0.5 Sloan - Solis Powered, electronic flush valve, 3/4" top spud, exposed urinal flushometer. Courtesy flush override button. Requires no AC hookups, uses four AA batteries. 0.5 GPF (3370004)	\$639.10	1

Note: P-501 - Plumbing Material List

LAV-A	SS-3103 Sloan - Wall hung lavatory with backsplash, single hole centerset. Overflow, 20.75" x 18.25" (3873103)	\$83.40	1
	SF-2450-4 Sloan - Sensor activated, battery operated, 4" trim plate, 0.5 GPM flow spary head, Pedestal hand washing faucet for tempered or hot/cold water operation (3362124)	\$436.65	1

Note: P-501 - Plumbing Material List.

Note: Quoting 0.5 GPM in lieu of 2.2 GPM.

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
DF-A	EDFP210C Elkay - SHORT SGL RFT FTN	\$1,078.00	1
	EDFP214C Elkay - EXTND RFT FTN	\$1,078.00	1

Note: P-501 - Plumbing Material List

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Expansion Tank	PLT-5 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 2.1 gallons (0067370)	\$73.25	1
<i>Note: P-501 - Plumbing Material List</i>			
MV-A	LFMMVM1-US : 1/2 Watts - Lead Free cast copper silicon alloy body, solid wax hydraulic principle thermostat, integral filter washers and check valves, ASSE 1069, ASSE 1070, ASSE 1017, cUPC AND IAPMO listed, valve shall control temperature from a low of 1/2gpm, 5gpm at 10psi and 8gpm at 20psi drop across the valve, 1/2"Ø valve, union solder (0559115)	\$254.50	1
<i>Note: P-501 - Plumbing Material List</i>			
RPZ-A	LF009M3-QT : 3/4 Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 3/4"Ø (19 mm) pipe connection (0391003)	\$545.50	1
	909-AGA Watts - 909-AGA Air Gap (0881399)	\$72.75	1
	LF777SI : 3/4 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 3/4"Ø (19 mm) valve (0379112)	\$69.50	1
<i>Note: P-501 - Plumbing Material List</i>			
Vacuum Breaker	LFN36M1 : 1/2 Watts - Lead Free Vacuum Relief Valve, 1/2"(15mm)	\$63.25	1
	LFN36M1 : 3/4 Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)	\$76.75	1
<i>Note: P-401 - Water Heater Piping Diagram</i>			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
UR-A	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$663.00	1
<i>Note: P-501 - Plumbing Material List</i>			
LAV-A	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$900.00	1

	TCA-411-D	\$1,282.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		

Note: P-501 - Plumbing Material List

SA-A (bellows type)	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$500.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,017.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,520.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$3,810.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,301.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,286.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

Note: P-501 - Plumbing Material List

SA-A (piston type)	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$159.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$305.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$481.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,016.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,264.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,505.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

Note: P-501 - Plumbing Material List

DF-A/DF-B (single)	CA-421	\$594.00	1
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		

Note: P-501 - Plumbing Material List

DF-A/DF-B (bi-level)	CA-431-1	\$960.00	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		

Note: P-501 - Plumbing Material List

WH-1	HY-725-88		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door, wall clamp		
	HY-725-88,-6,-8	\$1,406.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725-88,-10,-12,-14	\$1,536.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-725-88,-16	\$1,663.00	1
	Watts - 16" (406 mm)		
	Note: P-501 - Plumbing Material List		
RH-1	HY-900	\$2,497.00	1
	Watts - 3/4" (19 mm) diameter hose connection, combination 3/4" female of 1" male threaded inlet connection, non-freeze, epoxy coated heavy duty cast iron head, bronze internal working parts and valve housing with 1" galvanized steel casing, roof hydrant with and lift handle and lock option, integral epoxy coated cast iron roof mounting plate with clamping collar, 1/8" NPT drain port		
	Note: P-501 - Plumbing Material List.		
	<i>Note: Quoting as alternate.</i>		
FD-1	FD-100-A6		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer		
	FD-100-A6,2,3,4	\$535.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6,6	\$644.00	1
	Watts - 6"Ø (152 mm)		
	Note: P-501 - Plumbing Material List.		
	<i>Note: Deep seal trap and trap guard to be provided by others.</i>		
FD-2	FD-300		1
	Watts - 7" (178 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter, ductile iron, round grate		
	FD-300,2,3,4	\$428.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	Note: P-501 - Plumbing Material List.		
	<i>Note: Deep seal trap and trap guard to be provided by others.</i>		
HD-1	FD-100-DD-50		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter opening, cast iron hub funnel		
	FD-100-DD-50,2,3,4	\$411.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-DD-50,6	\$520.00	1
	Watts - 6"Ø (152 mm)		
	Note: P-501 - Plumbing Material List.		
	<i>Note: Quoting as suggestion. Deep seal trap and trap guard to be provided by others.</i>		
RD-2	RD-100-K-SO		1
	Watts - 14-1/8" (359 mm) diameter cast iron body, flashing clamp, no-hub outlet, 12-3/8" (314 mm) diameter, ductile iron dome, side outlet		
	RD-100-K-SO,2,3,4	\$1,138.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		

	RD-100-K-SO,5,6	\$1,414.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	Note: P-501 - Plumbing Material List.		
	SUMP RECEIVER (-B) = \$212.00 LIST ADDER		
	UNDERDECK CLAMP (-D) = \$190.00 LIST ADDER		
	DECK FLANGE/ADJ. EXTENSION (-F) = \$521.00 LIST ADDER		
	DUCTILE IRON DOME (-K) = \$166.00 LIST ADDER		
	2" EXTERNAL WATER DAM (-R) = \$182.00 LIST ADDER		
	ADJUSTABLE INTERNAL WATER DAM (-W) = \$334.00 LIST ADDER		
DPCO	CO-200-RX-4		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	CO-200-RX-4,2	\$382.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX-4,3	\$443.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX-4,4	\$542.00	1
	Watts - 4"Ø (102 mm)		
	Note: P-501 - Plumbing Material List		
WPCO	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$331.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$380.00	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$556.00	1
	Watts - 4"Ø (102 mm)		
	Note: P-501 - Plumbing Material List		
	NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***		

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.