



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-326-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-07-23
Attn.:	N/A	Expiry Date:	2018-08-22
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Cambridge Springs, Pennsylvania, United States

Job Name: Riverside Brewing - Cambridge Springs, PA

Engineer: WNA Engineering **Architect:** Robert Humphreys Architect, LLC

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
LAV-1	SS-3001 Sloan - Standard undermount lavatory, 19-1/2" x 17-1/2" outside, 17" x 14" inside dimensions (3873001)	\$73.55	1
	EBF-650 Sloan - Battery powered, chrome plated brass sensor operated 4" center-set electronic hand washing faucet for tempered or hot/cold water. .5 GPM vandal resistant spray head. (3315025)	\$744.80	1
<i>Note: P0.0 - Plumbing Fixture Schedule; Quoting as a Suggestion based on description.</i>			
LAV-2	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$83.40	1
	EBF-650 Sloan - Battery powered, chrome plated brass sensor operated 4" center-set electronic hand washing faucet for tempered or hot/cold water. .5 GPM vandal resistant spray head. (3315025)	\$744.80	1
<i>Note: P0.0 - Plumbing Fixture Schedule; Quoting as a Suggestion based on description.</i>			
WC-1	ST-2009 Sloan - Floor mounted china water closet, 1.28, 1.6/1.1 AND 1.6 GPF, elongated bowl with 1-1/2" IPS top spud. Standard height (2102009).	\$129.95	1
	Sloan 8186 Sloan - Battery powered, sensor activated, 3/4" top spud, exposed urinal flushometer. Courtesy flush override button. Requires no AC hookups, uses four AA batteries. 1.5 GPF. Override button (3790012)	\$547.50	1
<i>Note: P0.0 - Plumbing Fixture Schedule; Quoting as a Suggestion based on description.</i>			
WC-2	ST-2029 Sloan - Vitreous china, ADA compliant water closet bowl only, 1.28, 1.6/1.1 AND 1.6 gpf, Floor mounted elongated bowl with 1-1/2" IPS top spud inlet. 1,000 LB load tested (2102029)	\$154.45	1
	Sloan 8111 Sloan - Battery powered, sensor activated, 1-1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. 1.6 GPF (3790011)	\$547.50	1
<i>Note: P0.0 - Plumbing Fixture Schedule; Quoting as a Suggestion based on description.</i>			

UR-1	SU-1009-A	\$262.30	1
	Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)		
	Sloan 8186-0.5	\$547.50	1
	Sloan - Battery powered, sensor activated, 3/4" top spud, exposed urinal flushometer. Courtesy flush override button. Requires no AC hookups, uses four AA batteries. Override button. 0.5 GPF (3790068)		

Note: P0.0 - Plumbing Fixture Schedule; Quoting as a Suggestion based on description.

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
ES-1	ES150-11	\$913.00	1
	Powers - ES150 EMERGENCY TEMPER		

Note: P0.0 - Plumbing Fixture Schedule

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
ET-1	PLT-5	\$73.25	1
	Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 2.1 gallons (0067370)		

Note: P0.0 - Expansion Tank Schedule

BP-1	994-OSY : 6	\$8,197.00	1
	Watts - thermoplastic construction with stainless steel hinge pins, cam arm and cam bearing, 300 series stainless steel body stainless steel differential relief valve with rolling diaphragm, bottom mounted, resilient seated shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 6"Ø (152 mm) pipe connection (0438057)		
	994-AGKP	\$229.00	1
	Watts - 994-AGKP Air Gap		
	77F-DI-125 : 6	\$777.00	1
	Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 6"Ø (152 mm) valve (0825205)		

Note: P0.0 - Backflow Preventer Schedule; P1.0 - Basement Plumbing Supply Plan

BP-2	LF009-OSY : 3	\$4,441.00	1
	Watts - Reduced Pressure Zone Assembly (0122651)		
	909-AGK	\$322.50	1
	Watts - 909-AGK Air Gap (0881385)		
	77F-DI-125 : 3	\$291.50	1
	Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825202)		

Note: P0.0 - Backflow Preventer Schedule; P1.0 - Basement Plumbing Supply Plan

BP-3	SD-2-FN : 1/4	\$144.00	1
	Watts - Backflow Preventer for Carbonated Beverage Machines, 1/4" (8mm), Female NPT		
	SD-2-FN : 3/8	\$155.50	1
	Watts - Backflow Preventer for Carbonated Beverage Machines, 3/8"(10mm) Female NPT		

Note: P0.0 - Backflow Preventer Schedule

BP-4	LF7 : 3/8	\$163.50	1
	Watts - Lead Free cast copper silicon alloy body, silicon disc, 3/8"Ø (10 mm) pipe connection (0792076)		

	LF7 : 1 1/4		1
	Watts - Lead Free cast copper silicon alloy body, silicon disc, 1 1/4" (32 mm) pipe connection (0792076)		
Note: P0.0 - Backflow Preventer Schedule			
MV	LFUSG-B-M2	\$241.00	1
	Watts - Lead Free brass body construction, copper thermostat with stainless steel springs, integral checks and 40 mesh stainless steel screens, 4-port with cap for three port application, "H" pattern body, ASSE 1070 and cUPC, valve shall control temperature from a low of 1/4gpm, 3/8"Ø (10 mm) male compression (0204143)		
Note: P3.0 - Sink Mixing Valve Detail			
RELIEF VALVE	LFN36M1 : 1/2	\$63.25	1
	Watts - Lead Free Vacuum Relief Valve, 1/2"(15mm)		
	LFN36M1 : 3/4	\$76.75	1
	Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)		
Note: P3.0 - Water Heater Detail			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
FD-1	FD-100-A6-7-US		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer, trap primer connection, Buy American Compliant		
	FD-100-A6-7-US,2,3,4	\$535.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-7-US,6	\$644.00	1
	Watts - 6"Ø (152 mm)		
Note: P0.0 - Drain Schedule			
TD-1	D-DI-ADA-US	\$559.00	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet(s), pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron ADA, Class C, Buy American Compliant		
Note: P0.0 - Drain Schedule; Please note trench drain price is per foot.			
FS-1	FS-710-US		1
	Watts - cast iron body, 6-1/4" (159 mm) deep, no-hub outlet, aluminum dome bottom strainer, 7-11/16" (195 mm) square, porcelain enamel coated cast iron grate, Buy American Compliant		
	FS-710-US,2,3,4	\$1,430.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size, Buy American Compliant		
Note: P0.0 - Drain Schedule			
FCO	CO-200-R-6-US		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof, Buy American Compliant		
	CO-200-R-6-US,2	\$655.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-R-6-US,3	\$687.00	1
	Watts - 3"Ø (76 mm)		

	CO-200-R-6-US,4	\$888.00	1
	Watts - 4"Ø (102 mm)		
	Note: P0.0 - Cleanout Schedule; CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER CARPET MARKER (-RC) = \$61.00 LIST ADDER NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$279.00 LIST ADDER		
WCO	CO-460-RD-US		1
	Watts - cast iron stack, no-hub outlet, counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw, Buy American Compliant		
	CO-460-RD-US,2	\$331.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD-US,3	\$380.00	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD-US,4	\$556.00	1
	Watts - 4"Ø (102 mm)		
	Note: P0.0 - Cleanout Schedule		
CO	CO-380-US		1
	Watts - 6" (152 mm) diameter, cast iron body, no-hub outlet, removable, counter sunk, brass plug, Buy American Compliant		
	CO-380-US,2	\$87.50	1
	Watts - 2"Ø (51 mm)		
	CO-380-US,3	\$135.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-US,4	\$187.00	1
	Watts - 4"Ø (102 mm)		
	CO-380-US,6	\$382.00	1
	Watts - 6"Ø (152 mm)		
	Note: P0.0 - Cleanout Schedule		
LAV-2	TCA-411-US Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. Buy American Compliant.		
	TCA-411-US	\$900.00	1
	Watts - Single, Concealed Arms		
	TCA-411-D-US	\$1,282.00	1
	Watts - Back to Back, Concealed Arms		
	Note: P0.0 - Plumbing Fixture Schedule		
UR-1	CA-321-US	\$763.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware. Buy American Compliant.		
	Note: P0.0 - Plumbing Fixture Schedule		
	NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***		

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.