



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-321-S

To: **Contractor Holder**
202 Commerce Blvd., Lawrence, Pennsylvania
15241
Attn.: N/A
Phone: 724-745-5300

Bid Date: 2018-07-24
Expiry Date: 2018-08-23
Creator: Drew Pomrenke ,
dpomrenke@jboconnor.com
Sales Rep.: Casey Devlin , cdevlin@jboconnor.com
Shipping Address: 120 Pullman Square
, Butler, Pennsylvania, United States

Job Name: Save-a-Lot - Butler

Engineer: PB2 Engineering **Architect:** PB2 Achitecture

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
LAV1	SS-3006 Sloan - 20x18 Wall Hung Ledgeback Lav - 4" CS(3873006)	\$130.00	1

Note: P5.0 - Plumbing Fixture Schedule.
Note: Quoting as alternate, as lav has larger dimensions.

WC1	ST-2029-A Sloan - ADA Floor Mount Universal, Top Spud (2102029)	\$154.45	1
	Sloan 8111-1.28 Sloan - Battery powered, sensor activated, 1 1/2" top spud, exposed closet flushometer. Requires no AC hookups, uses four AA batteries. Standard DFB. Override button, 1.28 GPF, (3790071)	\$547.50	1

Note: P5.0 - Plumbing Fixture Schedule.

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
EWC1	EZTLVR8LC Elkay - T/L ADA	\$1,553.00	1
KS1	CR25210 Elkay - 20 Gauge Stainless Steel 25' x 21.25' x 6.875' Single Bowl Top Mount Kitchen Sink	\$374.00	1
	LK99 Elkay - DRAIN	\$114.00	1
	LKD2423BHC Elkay - FAUCET ASSEMBLY	\$830.00	1

Note: P5.0 - Plumbing Fixture Schedule

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
LAV1 (MV)	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1

*Note: P5.0 - Plumbing Fixture Schedule.
Note: Quoting as specified.*

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
HB1	SC8-4 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$65.75	1

Note: P5.0 - Plumbing Fixture Schedule

HB3	SC8-2 Watts - Hydrant - cast brass, wall mount, Model 8B tamper-proof vacuum breaker with break-away screw, adjustable packing nut cartridge, no kink faucet, 3/4" (19 mm) male NPT of copper sweat connection with tee handle. (0611250)	\$66.00	1
-----	---	---------	---

Note: P5.0 - Plumbing Fixture Schedule

ETA	PLT-12 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 4.5 gallons (0067371)	\$104.50	1
-----	---	----------	---

Note: P5.0 - Expansion Tank Schedule

DCDA	LF007M1-QT : 2 Watts - Lead Free cast copper silicon alloy body for 1/2" to 2" connections or fused epoxy coated cast iron body for 2-1/2" to 3" connections, replaceable seat and seat discs, resilient seated isolation valves, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0063235)	\$802.50	1
------	---	----------	---

Note: P5.0 - Specialty Plumbing Fixture Schedule & P3.1 - Plumbing Keynotes 1

Vacuum Relief Valve	LFN36M1 : 1/2 Watts - Lead Free Vacuum Relief Valve, 1/2"(15mm)	\$63.25	1
---------------------	---	---------	---

	LFN36M1 : 3/4 Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)	\$76.75	1
--	---	---------	---

Note: P5.0 - Specialty Plumbing Fixture Schedule

Section Brand: Watts Drainage

Header: *NOTE: Watts Drainage does not meet PA.DGS please be advised*****

Label	Product No. Description	List Price	Qty.
EWC1	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$960.00	1

Note: P5.0 - Plumbing Fixture Schedule

FCO1	CO-200-RX-4 Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		1
------	---	--	---

	CO-200-RX-4,2 Watts - 2"Ø (51 mm)	\$382.00	1
--	---	----------	---

	CO-200-RX-4,3	\$443.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX-4,4	\$542.00	1
	Watts - 4"Ø (102 mm)		
Note: P5.0 - Plumbing Fixture Schedule; CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER CARPET MARKER (-RC) = \$61.00 LIST ADDER NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$279.00 LIST ADDER			
FD1	FD-100-A5-7-60		1
	Watts - 8-1/8" (206 mm) diameter PVC body socket outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, trap primer tapping		
	FD-100-A5-7-60,2,3,4	\$437.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: P5.0 - Plumbing Fixture Schedule			
FD3	FD-100-A8		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter nickel bronze, adjustable round strainer		
	FD-100-A8,2,3,4	\$774.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A8,6	\$774.00	1
	Watts - 6"Ø (152 mm)		
Note: P5.0 - Plumbing Fixture Schedule; Please be advised, 9" Diameter PVC Half Grate Not Available with this Floor Drain.			
FS1	FS-500-150		1
	Watts - PVC body, 6" (152 mm) deep, socket outlet, 12" x 12" (305 mm x 305 mm) square, secured grate, 1/2 grate		
	FS-500-150,2,3,4	\$885.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: P5.0 - Plumbing Fixture Schedule. Note: Quoting without stainless steel debris bucket.			
LAV1	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$900.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,282.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: P5.0 - Plumbing Fixture Schedule.			
WCO	CO-590-RD		1
	Watts - threaded brass cleanout plug with countersunk head, stainless steel access cover and vandal proof stainless steel screw		
	CO-590-RD,1.5	\$167.00	1
	Watts - 1-1/2"Ø (39 mm)		
	CO-590-RD,2	\$170.50	1
	Watts - 2"Ø (51 mm)		

	CO-590-RD,3	\$211.00	1
	Watts - 3"Ø (76 mm)		
	CO-590-RD,4	\$280.00	1
	Watts - 4"Ø (102 mm)		
	CO-590-RD,5	\$390.00	1
	Watts - 5"Ø (126 mm)		
	CO-590-RD,6	\$601.00	1
	Watts - 6"Ø (152 mm)		
Note: P5.0 - Plumbing Fixture Schedule.			
WHA	SS Series		1
Bellows	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$500.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,017.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,520.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$3,810.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,301.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,286.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: P5.0 - Specialty Plumbing Fixture Schedule; Quoting Bellows Option			
WHA	LF15M2-DR Series		1
Piston	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$159.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$305.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$481.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,016.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,264.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,505.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: P5.0 - Specialty Plumbing Fixture Schedule; Quoting Piston Option			
Trap	LFTP300-DR Series		1
Primer	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$316.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$316.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		

	LFTP300-DU-DR	\$149.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: P5.0 - Specialty Plumbing Fixture Schedule			
FCO	CO-200-R		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$569.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$601.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$801.00	1
	Watts - 4"Ø (102 mm)		
Note: P4.0 - Detail 1.			
CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER			
CARPET MARKER (-RC) = \$61.00 LIST ADDER			
NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER			
TILE RECESS (-T) = NO ADDITIONAL			
TERRAZZO RECESS (-U) = \$279.00 LIST ADDER			
WCO (tee)	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$331.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$380.00	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$556.00	1
	Watts - 4"Ø (102 mm)		
Note: P4.0 - Detail 3.			
Note: Quoting as per detail.			
GI	GI-200-K	\$45,463.00	1
	Watts - steel, epoxy coated, skid-proof cover, secured with hex head center bolts, integral stainless steel flow control plate, double wall, deep seal trap, no-hub connections, flow rate of 200 GPM		
Note: P4.0 - Detail 13			
NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***			

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.