



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-396-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2018-09-14
Attn.:	N/A	Expiry Date:	2018-10-14
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Bridgeport, West Virginia, United States

Job Name: Murran Energy Mine Harrison County,

Architect: Robert V Buonaspina Inc

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Multiplier	Net Price	Qty.	Amount
A/B/C/D (WC)	ST-2459-STG Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud, with Sloan-Tec Hydrophobic antibacterial glaze (2172459)	\$151.50	1	\$62.00	1	\$62.00
	CROWN 111 Sloan - Exposed Water Closet Flushometer for floor mounted or wall hung top spud bowls (3120000)	\$209.00	0.475	\$99.27	1	\$99.27
<i>Note: P-13 - Fixture Schedule</i>						
E/F (UR)	SU-1006 Sloan - Urinal, vitreous china, 1.0 US Gal (3.8L) per flush, wall hung (1101006)	\$103.00	1	\$103.00	1	\$103.00
	CROWN 186-1 Sloan - Exposed, Piston operated, 3/4" top spud 1 GPF (3122636)	\$209.00	0.475	\$99.27	1	\$99.27
<i>Note: P-13 - Fixture Schedule</i>						
G/H (LAV)	SS-3803 Sloan - Wall hung china Lavatory with backsplash. White vitreous china, Hanging hardware, 8" centers, overflow, ADA compliant, 21" x 19.25" (3873803)	\$83.40	1	\$31.00	1	\$31.00
<i>Note: P-13 - Fixture Schedule</i>						
J (LAV)	SS-3802 Sloan - Standard Drop In Lavatory 20" x 16-3/4", 8" centerset-3873802	\$73.55	1	\$27.00	1	\$27.00
<i>Note: P-13 - Fixture Schedule</i>						
Section Total:						\$421.54

Section Brand: Elkay

Label	Product No. Description	List Price	Multiplier	Net Price	Qty.	Amount
P (water cooler - alternate)	EMABFTLR8SC Elkay - BAR FREE BILEVEL REV 8 GL	\$1,674.00	1	\$679.00	1	\$679.00

	98324C****	\$127.00	1	\$127.00	1	\$127.00
Note: P-13 - Fixture Schedule						
Q (water cooler - alternate)	EMABF8S Elkay - BAR FREE SINGLE 8 GA	\$956.00	1	\$385.00	1	\$385.00
Note: P-13 - Fixture Schedule						
R (SINK)	LR33220 Elkay - 18 Gauge Stainless Steel 33' x 22' x 8.125' Double Bowl Top Mount Kitchen Sink	\$1,252.00	0.3	\$375.60	1	\$375.60
	LK99 Elkay - DRAIN	\$114.00	1	\$38.00	2	\$76.00
Note: P-13 - Fixture Schedule						
Section Total:						\$1,642.60

Section Brand: Halsey Taylor

Label	Product No. Description	List Price	Multiplier	Net Price	Qty.	Amount
P (water cooler)	HAC8FS-BLR-Q Halsey Taylor - Barrier-Free Reverse Water Cooler, electric refrigerated, wall-mounted	\$900.00	1	\$679.00	1	\$679.00
Note: P-13 - Fixture Schedule						
Q (water cooler)	HAC8FS-Q*****	\$385.00	1	\$385.00	1	\$385.00
Note: P-13 - Fixture Schedule						
p13	98324c	\$127.00	1	\$127.00	1	\$127.00
Section Total:						\$1,191.00

Section Brand: Powers

Label	Product No. Description	List Price	Multiplier	Net Price	Qty.	Amount
L/M (SHR)	E420S12H20000*****	\$391.00	1	\$391.00	1	\$391.00
Note: P-13 - Fixture Schedule						
N (SHR)	4504210E Powers - E420 W/FIXED SHOWERHEAD	\$1,302.00	1	\$615.00	1	\$615.00
Note: P-13 - Fixture Schedule						
TMV	LFSH1432-1 Powers - Hi-Lo Master Tempering Valve, 57 gpm, Rough Brass, Standard Finish, Standard 90 - 160°F (32 - 71°C)	\$2,961.00	1	\$1,300.00	1	\$1,300.00
Note: P-13 - Electric Water Heater Detail. Note: Quoting as suggestion as model number incomplete.						
Section Total:						\$2,306.00

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Multiplier	Net Price	Qty.	Amount
ET-1	DETA 210 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 90 gallons (0212037)	\$4,734.00	1	\$2,538.12	1	\$2,538.12
Note: P-13 - Expansion Tank Schedule						

ET-2	PLT-5	\$73.25	1	\$21.64	1	\$21.64
	Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 2.1 gallons (0067370)					

Note: P-13 - Expansion Tank Schedule

ET-3	PLT-12	\$104.50	1	\$32.56	1	\$32.56
	Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 4.5 gallons (0067371)					

Note: P-13 - Expansion Tank Schedule

Vacuum Relief Valve	LFN36M1 : 1/2	\$63.25	1	\$31.63	1	\$31.63
	Watts - Lead Free Vacuum Relief Valve, 1/2" (15mm)					
	LFN36M1 : 3/4	\$76.75	1	\$22.44	1	\$22.44
	Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)					

Note: P-13 - Electric Water Heater Detail

Section Total: \$2,646.39

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Multiplier	Net Price	Qty.	Amount
A/B/C/D (WC)	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,443.00	0.1	\$144.30	1	\$144.30
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,697.00	0.1	\$269.70	1	\$269.70
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,423.00	0.1	\$142.30	1	\$142.30
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$2,892.00	0.1	\$289.20	1	\$289.20
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$1,914.00	0.1	\$191.40	1	\$191.40

	ISCA-131-D	\$3,163.00	0.1	\$316.30	1	\$316.30
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support					
	Note: P-13 - Fixture Schedule					
E/F (UR)	CA-321	\$663.00	0.1	\$66.30	1	\$66.30
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.					
	Note: P-13 - Fixture Schedule					
G/H (LAV)	TCA-411 Series				1	
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.					
	TCA-411	\$900.00	0.1	\$90.00	1	\$90.00
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.					
	TCA-411-D	\$1,282.00	0.1	\$128.20	1	\$128.20
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.					
	Note: P-13 - Fixture Schedule					
P (water cooler)	CA-431-1	\$1,104.00	0.1	\$110.40	1	\$110.40
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.					
	Note: P-13 - Fixture Schedule					
Q (water cooler)	CA-421	\$594.00	0.1	\$59.40	1	\$59.40
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.					
	Note: P-13 - Fixture Schedule					
S (NFHB)	HY-420-88				1	
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker, loose key, wall clamp					
	HY-420-88,-4,-6,-8	\$786.00	0.1	\$78.60	1	\$78.60
	Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick					

	HY-420-88,-10,-12,-14	\$915.00	0.1	\$91.50	1	\$91.50
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick					
	HY-420-88,-16	\$1,042.00	0.1	\$104.20	1	\$104.20
	Watts - 16" (406 mm)					
Note: P-13 - Fixture Schedule						
T (NFRH)	HY-900	\$2,872.00	0.1	\$287.20	1	\$287.20
	Watts - 3/4" (19 mm) diameter hose connection, combination 3/4" female of 1" male threaded inlet connection, non-freeze, epoxy coated heavy duty cast iron head, bronze internal working parts and valve housing with 1" galvanized steel casing, roof hydrant with and lift handle and lock option, integral epoxy coated cast iron roof mounting plate with clamping collar, 1/8" NPT drain port					
Note: P-13 - Fixture Schedule						
Drain-1	FD-340P-Y-SET-1-60****				1	
Note: P-13 - Drain Schedule.						
<i>Note: Trap seal by others.</i>						
Drain-2	***no equal*****				1	
Drain-3/Drain-5/Drain-7	RD-300X-D-F				1	
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, polyethylene dome, underdeck clamp, adjustable extension flange, inside caulk					
	RD-300X-D-F,3	\$1,461.00	0.1	\$146.10	1	\$146.10
	Watts - 3" (76mm)					
	RD-300X-D-F,6	\$1,736.00	0.1	\$173.60	1	\$173.60
	Watts - 6"(152 mm)					
	RD-300X-D-F,8	\$2,011.00	0.1	\$201.10	1	\$201.10
	Watts - 8" (203 mm)					
Note: P-13 - Drain Schedule						
Drain-4	RD-308X-D-F-W*****				1	
Note: P-13 - Drain Schedule.						
Drain-6/Drain-8	RD-300X-D-F-W				1	
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, polyethylene dome, underdeck clamp, adjustable extension flange, adjustable 4" internal water dam, inside caulk					
	RD-300X-D-F-W,3	\$1,845.00	0.1	\$184.50	1	\$184.50
	Watts - 3" (76mm)					
	RD-300X-D-F-W,6	\$2,120.00	0.1	\$212.00	1	\$212.00
	Watts - 6"(152 mm)					
Note: P-13 - Drain Schedule						
Cleanout-1	CO-200P-R-60				1	
	Watts - 7" (178 mm) diameter, PVC body with poly plug, 5" (127 mm) round, nickel bronze top, Push-On Outlet					

CO-200P-R-60,4	\$801.00	0.1	\$80.10	1	\$80.10
Watts - 4" (102mm)					
Note: P-13 - Cleanout Schedule & Cleanout (Floor Type) Detail.					
CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER					
CARPET MARKER (-RC) = \$61.00 LIST ADDER					
NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER					
TILE RECESS (-T) = NO ADDITIONAL					
TERRAZZO RECESS (-U) = \$279.00 LIST ADDER					
Cleanout-2 CO-300-MF	\$1,099.00	0.1	\$109.90	1	\$109.90
Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top					
CO-380				1	
Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug					
CO-380,2	\$87.50	0.1	\$8.75	1	\$8.75
Watts - 2"Ø (51 mm)					
CO-380,3	\$135.00	0.1	\$13.50	1	\$13.50
Watts - 3"Ø (76 mm)					
CO-380,4	\$187.00	0.1	\$18.70	1	\$18.70
Watts - 4"Ø (102 mm)					
CO-380,6	\$382.00	0.1	\$38.20	1	\$38.20
Watts - 6"Ø (152 mm)					
Note: P-13 - Cleanout Schedule.					
Note: Quoting as alternate.					
Section Total:					\$3,555.45

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Subtotal: \$11,762.98

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.