



**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,  
15055 United States

**Phone:** (724) 745-5300

**Quotation:**  
**Q-427-S**

**To:** **Contractor Holder**  
202 Commerce Blvd., Lawrence, Pennsylvania  
15241  
**Attn.:** N/A  
**Phone:** 724-745-5300

**Bid Date:** 2018-09-27  
**Expiry Date:** 2018-10-27  
**Creator:** Drew Pomrenke ,  
dpomrenke@jboconnor.com  
**Sales Rep.:** Casey Devlin , cdevlin@jboconnor.com  
**Shipping Address:** , Parkersburg, West Virginia, United States

**Job Name: WCS Erickson All Sports Facility Toilets Parkersburg, WV**

**Engineer:** Pickering Associates **Architect:** Pickering Associates

**Comments:**

**Section Brand: Sloan**

Label	Product No. Description	List Price	Qty.
WC-1	<b>ST-2029-STG</b> Sloan - Top Spud Floor Mount Closet Fixture (2172029)	\$185.60	1
	<b>Royal 111</b> Sloan - Exposed 1 1/2" top spud. 1.6 GPF (3010000)	\$211.60	1
<i>Note: P500 - Plumbing Fixture and Equipment Schedule</i>			
UR-1	<b>SU-1006-A</b> Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1
	<b>Royal 186-1</b> Sloan - Exposed 3/4" top spud, 1.0 GPF (3012636)	\$211.60	1
<i>Note: P500 - Plumbing Fixture and Equipment Schedule</i>			
LAV-1/K-1	<b>SS-3003</b> Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
<i>Note: P500 - Plumbing Fixture and Equipment Schedule</i>			

**Section Brand: Elkay**

Label	Product No. Description	List Price	Qty.
DF-1	<b>EHWM14FPK</b> Elkay - 14GA SLIMLINE FTN W/FRZ BOX	\$2,470.00	1
<i>Note: P500 - Plumbing Fixture and Equipment Schedule</i>			

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
TMV	<b>LFSH1434-10</b> Powers - HydroGuard XP Lead Free* Series LFSH1430 Hi/Lo Master Tempering Valves	\$4,231.00	1
<i>Note: P108 - Water Heater &amp; Storage Tank Piping Schematic</i>			

**Section Brand: Watts Regulators**

Label	Product No. Description	List Price	Qty.
BFP	<b>LF909-OSY : 4</b> Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, UL/FM outside stem & yoke gate valve, flange connections, 4"Ø (102 mm) pipe connection (0122763)	\$9,686.00	1
	<b>909-AGK</b> Watts - 909-AGK Air Gap (0881385)	\$322.50	1
	<b>77F-DI-125 : 4</b> Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 4"Ø (102 mm) valve (0825203)	\$364.50	1
<i>Note: P108 - Water Service Entrance Diagram</i>			
RELIEF VALVE	<b>LFN36M1 : 1/2</b> Watts - Lead Free Vacuum Relief Valve, 1/2"(15mm)	\$63.25	1
	<b>LFN36M1 : 3/4</b> Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)	\$76.75	1
<i>Note: P108 - Water Heater &amp; Storage Tank Piping Schematic</i>			
ET	<b>DETA 125</b> Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 60 gallons (0212034)	\$3,735.00	1
<i>Note: P108 - Water Heater &amp; Storage Tank Piping Schematic; Quoting based on Volume.</i>			

**Section Brand: Watts Drainage**

Label	Product No. Description	List Price	Qty.
UR-1	<b>CA-321</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$663.00	1
<i>Note: P500 - Plumbing Fixture Schedule</i>			
LAV-1/K-1	<b>TCA-411 Series</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	<b>TCA-411</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$900.00	1
	<b>TCA-411-D</b> Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,282.00	1
<i>Note: P500 - Plumbing Fixture Schedule</i>			
DF-1	<b>CA-421</b> Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$594.00	1
<i>Note: P500 - Plumbing Fixture Schedule</i>			

FD1	<b>FD-100-A6-7</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer, trap primer connection		
	<b>FD-100-A6-7,2,3,4</b>	\$535.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-100-A6-7,6</b>	\$644.00	1
	Watts - 6"Ø (152 mm)		
<b>Note: P500 - Plumbing Fixture Schedule</b>			
WCO	<b>CO-460-RD</b>		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	<b>CO-460-RD,2</b>	\$331.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460-RD,3</b>	\$380.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460-RD,4</b>	\$556.00	1
	Watts - 4"Ø (102 mm)		
<b>Note: P500 - Plumbing Fixture Schedule</b>			
WHA Bellows	<b>SS Series</b>		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	<b>SS-A</b>	\$500.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	<b>SS-B</b>	\$1,017.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	<b>SS-C</b>	\$1,520.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	<b>SS-D</b>	\$3,810.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	<b>SS-E</b>	\$4,301.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	<b>SS-F</b>	\$5,286.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
<b>Note: P500 - Water Hammer Arrestor Table; Quoting Bellows Option</b>			
WHA Piston	<b>LF15M2-DR Series</b>		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	<b>LF15M2-A-DR</b>	\$159.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	<b>LF15M2-B-DR</b>	\$305.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	<b>LF15M2-C-DR</b>	\$481.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	<b>LF15M2-D-DR</b>	\$1,016.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	<b>LF15M2-E-DR</b>	\$1,264.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		

	<b>LF15M2-F-DR</b>	\$1,505.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
	<i>Note: P500 - Water Hammer Arrestor Table; Quoting Piston Option</i>		
TP	<b>LFTP300-DR Series</b>		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	<b>LFTP300T</b>	\$316.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	<b>LFTP300S</b>	\$316.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	<b>LFTP300-DU-DR</b>	\$149.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		

*Note: P501 - Trap Primer Piping Detail*

**NOTE :** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

**Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.  
Pricing good for 30 days.  
Pricing subject to change if Mfr pricing changes.  
Watts Drainage does not meet PA.DGS please be advised.

**Terms**

Above prices are net.  
All taxes are extra.  
Partial or expedited shipments, at customer request, may result in additional freight charges.  
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.  
Please ensure that all quoted product meets your projects specifications.  
Our company will only be responsible for products shown on the attached quotation.