



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-429-S

To: **Contractor Holder**
202 Commerce Blvd., Lawrence, Pennsylvania
15241
Attn.: N/A
Phone: 724-745-5300

Bid Date: 2018-09-28
Expiry Date: 2018-10-28
Creator: Drew Pomrenke ,
dpomrenke@jboconnor.com
Sales Rep.: Casey Devlin , cdevlin@jboconnor.com
Shipping Address: , Bedford, Pennsylvania, United States

Job Name: Dollar General - Bedford, PA

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
LAV-1	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1

Note: Plumbing Fixture Schedule

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
EDF-1	EZSTLDDLC Elkay - VERSATILE BI-LVL W/O REF LT GRY	\$1,288.00	1

Note: Plumbing Fixture Schedule; Please be advised, Cannot find EZSTLRDDC, Quotign EZSTLDDC in-lieu.

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
LAV-1	LFMMVM1-US : 1/2 Watts - Lead Free cast copper silicon alloy body, solid wax hydraulic principle thermostat, integral filter washers and check valves, ASSE 1069, ASSE 1070, ASSE 1017, CUPC AND IAPMO listed, valve shall control temperature from a low of 1/2gpm, 5gpm at 10psi and 8gpm at 20psi drop across the valve, 1/2"Ø valve, union solder (0559115)	\$254.50	1

Note: Plumbing Fixture Schedule

RELIEF VALVE	LFN36M1 : 1/2 Watts - Lead Free Vacuum Relief Valve, 1/2"(15mm)	\$63.25	1
	LFN36M1 : 3/4 Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)	\$76.75	1

Note: Plumbing Fixture Schedule

ET	PLT-12 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 4.5 gallons (0067371)	\$104.50	1
----	---	----------	---

Note: Plumbing Fixture Schedule

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
EDF-1	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,104.00	1
<i>Note: Plumbing Fixture Schedule</i>			
WH-1	HY-725-88 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door, wall clamp		1
	HY-725-88,-6,-8 Watts - 6" (152 mm), 8" (203 mm) thick	\$1,406.00	1
	HY-725-88,-10,-12,-14 Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$1,536.00	1
	HY-725-88-16 Watts - 16" (406 mm) thick	\$1,663.00	1
<i>Note: Plumbing Fixture Schedule</i>			
WCO-1	CO-460-RD Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		1
	CO-460-RD,2 Watts - 2"Ø (51 mm)	\$331.00	1
	CO-460-RD,3 Watts - 3"Ø (76 mm)	\$380.00	1
	CO-460-RD,4 Watts - 4"Ø (102 mm)	\$556.00	1
<i>Note: Plumbing Fixture Schedule</i>			
ECO-1	CO-202-RX-4 Watts - epoxy coated, cast iron body, 5" (127 mm) round adjustable gasketed heavy duty ductile iron top, removable, gas tight, gasketed, brass plug, 2"Ø (51 mm), no hub outlet.	\$382.00	1
<i>Note: Plumbing Fixture Schedule</i>			
FCO-1	CO-200-R Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		1
	CO-200-R,2 Watts - 2"Ø (51 mm)	\$569.00	1
	CO-200-R,3 Watts - 3"Ø (76 mm)	\$601.00	1
	CO-200-R,4 Watts - 4"Ø (102 mm)	\$801.00	1
<i>Note: Plumbing Fixture Schedule;</i>			
CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER			
CARPET MARKER (-RC) = \$61.00 LIST ADDER			
NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER			
TILE RECESS (-T) = NO ADDITIONAL			
TERRAZZO RECESS (-U) = \$279.00 LIST ADDER			

FD-1	FD-102-A6-7	\$535.00	1
	Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, trap primer tapping 2" (51 mm)		
Note: Plumbing Fixture Schedule;			
TP-1	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$316.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$316.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300-DU-DR	\$149.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: Plumbing Fixture Schedule;			
DSB	RD-970	\$620.00	1
	Watts - epoxy coated, 4" x 3" x 18", cast iron, countersunk securing strap, 4" no hub pipe connection		

Note: Plumbing Coded Notes.

NOTE : *NOTE: Watts Drainage does not meet PA.DGS please be advised*****

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.