



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-598-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-02-14
Attn.:	N/A	Expiry Date:	2019-03-16
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Pittsburgh, Pennsylvania, United States

Job Name: Jim Shorkey Mitsubishi Phase 1 Pittsburgh, PA

Engineer: WNA Engineering **Architect:** NEXT Architecture

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
L-1	SS-3021 Sloan - White vitreous china, Undermount rectangular lavatory fixture. Front overflow, 21-5/8" x 15-3/4" x 8-1/4" (3873021)	\$100.90	1
<i>Note: P0.01 - Plumbing Fixture Schedule</i>			
L-2	SS-3006 Sloan - 20x18 Wall Hung Ledgeback Lav - 4" CS(3873006)	\$135.20	1
<i>Note: P0.01 - Plumbing Fixture Schedule</i>			
WC-1	ST-2009-A Sloan - Standard Height Universal, Top Spud (3873103)	\$86.75	1
	G2 8111 Sloan - Sensor Exposed Flushometer for Floor Mount or Wall Hung Water Closets, 11.5" Rough in, Battery-powered 1.6 gpf/6.0 Lpf (3250400)	\$637.25	1
<i>Note: P0.01 - Plumbing Fixture Schedule</i>			
WC-2	ST-2029-A Sloan - ADA Floor Mount Universal, Top Spud (2102029)	\$160.65	1
	G2 8111 Sloan - Sensor Exposed Flushometer for Floor Mount or Wall Hung Water Closets, 11.5" Rough in, Battery-powered 1.6 gpf/6.0 Lpf (3250400)	\$637.25	1
<i>Note: P0.01 - Plumbing Fixture Schedule</i>			
UR-1	SU-1006-A Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1
	G2 8180-1 Sloan - Flushometers, Urinal, Battery-powered 1 gpf/3.8 Lpf, Activated Sensor (3250406)	\$637.25	1
<i>Note: P0.01 - Plumbing Fixture Schedule</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-1	ELUH2317 Elkay - 18 Gauge Stainless Steel 25.5' x 19.25' x 8' Single Bowl Undermount Kitchen Sink	\$707.00	1

	LK99		\$120.00	1
	Elkay - DRAIN			
<i>Note: P0.01 - Plumbing Fixture Schedule</i>				
S-2	ELUHAD421855PD		\$1,359.00	1
	Elkay - 18 Gauge Stainless Steel 41.75' x 18.5' x 5.375' Double Bowl Undermount Kitchen Sink Kit			
<i>Note: P0.01 - Plumbing Fixture Schedule</i>				
EWC-1	EZSTL8LC		\$1,615.00	1
	Elkay - VERSATILE BI-LVL 8GPH LT GRAY			
<i>Note: P0.01 - Plumbing Fixture Schedule</i>				

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
L-1/L-2	L-7570-BN	\$164.70	1
	Pioneer - LAV-4" TWO LVR HDL W/50/50 POP-UP DRAIN-PVD BN		
<i>Note: P0.01 - Plumbing Fixture Schedule</i>			
S-1/S-2	K-5030	\$163.00	1
	Pioneer - KITCHEN-1 OR 3 HOLE PULL-OUT METAL LVR HDL-CP		
<i>Note: P0.01 - Plumbing Fixture Schedule</i>			
MB-1	0054-ULE-Q	\$193.00	1
	Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC		
	CS-65001	\$60.50	1
	Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER		
	CS-65002	\$44.60	1
	Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE		
<i>Note: P0.01 - Plumbing Fixture Schedule</i>			
SS-1	0054-ULE-Q	\$193.00	1
	Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC		
<i>Note: P0.01 - Plumbing Fixture Schedule</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
MV-1	LFUSG-B-M2	\$297.50	1
	Watts - Lead Free brass body construction, copper thermostat with stainless steel springs, integral checks and 40 mesh stainless steel screens, 4-port with cap for three port application, "H" pattern body, ASSE 1070 and cUPC, valve shall control temperature from a low of 1/4gpm, 3/8"Ø (10 mm) male compression (0204143)		
<i>Note: P0.01 - Plumbing Fixture Schedule</i>			
ET-1	PLT-5	\$90.50	1
	Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 2.1 gallons (0067370)		
<i>Note: P0.01 - Plumbing Fixture Schedule</i>			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
L-2	<p>TCA-411 Series</p> <p>Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.</p>		1
	<p>TCA-411</p> <p>Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.</p>	\$989.50	1
	<p>TCA-411-D</p> <p>Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.</p>	\$1,411.00	1
Note: P0.01 - Plumbing Fixture Schedule			
UR-1	<p>CA-321</p> <p>Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.</p>	\$839.00	1
Note: P0.01 - Plumbing Fixture Schedule			
EWC-1	<p>CA-431-1</p> <p>Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.</p>	\$1,214.50	1
Note: P0.01 - Plumbing Fixture Schedule			
HB-1	<p>HY-725</p> <p>Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door</p>		1
	<p>HY-725,-6,-8</p> <p>Watts - 6" (152 mm), 8" (203 mm) thick</p>	\$1,547.00	1
	<p>HY-725,-10,-12,-14</p> <p>Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick</p>	\$1,690.00	1
	<p>HY-725,-16,-18</p> <p>Watts - 16" (406 mm), 18" (457 mm) thick</p>	\$1,830.00	1
	<p>HY-725,-20,-22,-24</p> <p>Watts - 20" (508 mm), 22" (559 mm), 24" (610 mm) thick</p>	\$1,870.00	1
Note: P0.01 - Plumbing Fixture Schedule			
FCO	<p>CO-200-R-6</p> <p>Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof</p>		1
	<p>CO-200-R-6,2</p> <p>Watts - 2"Ø (51 mm)</p>	\$721.50	1
	<p>CO-200-R-6,3</p> <p>Watts - 3"Ø (76 mm)</p>	\$757.00	1

	CO-200-R-6,4	\$977.00	1
	Watts - 4"Ø (102 mm)		
	Note: P0.01 - Plumbing Fixture Schedule;		
	CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER		
	CARPET MARKER (-RC) = \$78.00 LIST ADDER		
	NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER		
	TILE RECESS (-T) = NO ADDITIONAL		
	TERRAZZO RECESS (-U) = \$354.00 LIST ADDER		
WCO	CO-380-RD		1
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2	\$232.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$286.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,4	\$343.50	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,6	\$727.00	1
	Watts - 6"Ø (152 mm)		
	Note: P0.01 - Plumbing Fixture Schedule;		
SA	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$335.50	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,391.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
	Note: P0.01 - Shock Arrestor Schedule		
RD-1	RD-300-D-F-K		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		
	RD-300-D-F-K,2,3,4	\$1,818.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-K,5,6	\$2,120.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-K,8,10	\$2,423.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	Note: P0.01 - Drain Schedule		
RD-2	RD-300-D-F-K-W		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp and 4" (102 mm) high internal stand pipe, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		

	RD-300-D-F-K-W,2,3,4	\$2,240.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-K-W,5,6	\$2,543.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-K-W,8,10	\$2,845.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
Note: P0.01 - Drain Schedule			
FD-1	FD-100-A6-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer, trap primer connection		
	FD-100-A6-7,2,3,4	\$588.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-7,6	\$709.00	1
	Watts - 6"Ø (152 mm)		
Note: P0.01 - Drain Schedule			
FD-2	FD-320-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7-7/8" (200 mm) diameter, ductile iron, round grate, trap primer connection		
	FD-320-7,2,3,4	\$711.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-320-7,6	\$830.00	1
	Watts - 6"Ø (152 mm)		
Note: P0.01 - Drain Schedule			
TD-1	DX-DI	\$1,133.00	1
	Watts - UV stabilized talc-filled polypropylene channels with 6" (152 mm) no-hub bottom or end outlet(s), pre-sloped trench, 12" (305 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F		
Note: P0.01 - Drain Schedule			
NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***			

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.