



**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,  
15055 United States

**Phone:** (724) 745-5300

**Quotation:**  
**Q-625-S**

<b>To:</b>	<b>Contractor Holder</b> 202 Commerce Blvd., Lawrence, Pennsylvania 15241	<b>Bid Date:</b>	2019-02-28
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2019-03-30
<b>Phone:</b>	724-745-5300	<b>Creator:</b>	Drew Pomrenke , dpomrenke@jboconnor.com
		<b>Sales Rep.:</b>	Casey Devlin , cdevlin@jboconnor.com
		<b>Shipping Address:</b>	2800 Bethel Street, New Kensington, Pennsylvania, United States

**Job Name: Lower Burrell New Public Works Facility & City Hall Lower Burrell, PA**

**Engineer:** AJC Professional Services    **Architect:** Canzian/Johnston Associates

**Comments:**

**Section Brand: Sloan**

Label	Product No. Description	List Price	Qty.
UR	<b>SU-1009-A</b> Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$272.80	1
	<b>G2 8186-0.5</b> Sloan - Exposed, Battery Powered, Sensor Operated G2 Model Urinal Flushometer(3250424)	\$637.25	1
<i>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</i>			
LAV	<b>SS-3003</b> Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
<i>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</i>			

**Section Brand: Elkay**

Label	Product No. Description	List Price	Qty.
KS	<b>LRADQ3322600</b> Elkay - 18 Gauge Stainless Steel 33' x 22' x 6' Double Bowl Top Mount Kitchen Sink	\$1,379.00	1
	<b>LK99</b> Elkay - DRAIN	\$120.00	2
<i>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</i>			
DF	<b>EZSTL8LC</b> Elkay - VERSATILE BI-LVL 8GPH LT GRAY	\$1,615.00	1
<i>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</i>			

**Section Brand: Pioneer**

Label	Product No. Description	List Price	Qty.
LAV	<b>1137-LE</b> Pioneer - LAV-4" CNTRS LVR HDL-PC	\$115.00	1
<i>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting 1.2 GPM in lieu of 0.5 GPM.</i>			

KS	<b>2LG160</b> Pioneer - KIT-LEGACY 8" SINGLE LVR HDL-CP	\$142.00	1
<b>Note:</b> P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule			
MS	<b>0054-ULE-QI</b> Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT INTEG STOPS 1/4 TURN-PC	\$238.00	1
	<b>CS-65001</b> Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	<b>CS-65002</b> Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1
<b>Note:</b> P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule <i>Note: Quoting as alternate, lever handles in lieu of cross handles.</i>			

### Section Brand: Powers

Label	Product No. Description	List Price	Qty.
SH	<b>P910HH102WY</b> Powers - Pressure Balancing Mixing Valve, 1/2" copper sweat connections, Low Flow Shower (1.5gpm), Arm & Flange, 36" Chrome ADA Wall Grab Bar System, Vacuum Breaker,in-Line, Diverter Concealed, 1/2" IPS Metal Handle	\$1,132.00	1
<b>Note:</b> P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule <i>Note: Quoting as alternate.</i>			
TMV	<b>LFE480-10</b> Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1
<b>Note:</b> P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule			

### Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
BFP 1 1/4"	<b>LF009M2-QT : 1 1/4</b> Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 1-1/4"Ø (32 mm) pipe connection (0391005)	\$1,247.00	1
	<b>909-AGF</b> Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	<b>LF777SI : 1 1/4</b> Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 1-1/4"Ø (32 mm) valve (0379114)	\$150.50	1
<b>Note:</b> P601 - Detail 1			
Pressure Reducing Valve 1 1/4"	<b>LF223 : 1 1/4</b> Watts - Lead Free, High Capacity Water Pressure Reducing Valve, NPT threaded female inlet x NPT threaded female outlet, 1-1/4"(32mm)	\$2,036.00	1
<b>Note:</b> P601 - Detail 1 & P601.1 - Detail 3 & P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule <i>Note: Quoting as suggestion.</i>			

Pressure Reducing Valve 3/4"	<b>LF223 : 3/4</b> Watts - high capacity water pressure reducing valves, 3/4" (19 mm) connection with lead-free brass body construction,EPDM valve disc,enlarged diaphragm, spring cage and seat orifice for super capacity,reinforced Buna-N diaphragm,adjustable reduced pressure range: 25 to 75psi (172 to 517 kPa),temperature range: 33°F - 160°F (0.5°C - 71°C),maximum working pressure: 300psi (20.7 bar),standard reduced pressure setting: 50psi (345 kPa). (0298514)	\$735.50	1
<b>Note: P601.1 - Detail 1 &amp; P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</b> <i>Note: Quoting as suggestion.</i>			
Pressure Reducing Valve 2"	<b>LF223 : 2</b> Watts - Lead Free, High Capacity Water Pressure Reducing Valve, NPT threaded female inlet x NPT threaded female outlet 2"(50mm)	\$4,430.00	1
<b>Note: P601.1 - Detail 3 &amp; P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</b> <i>Note: Quoting as suggestion.</i>			
ET	<b>PLT-12</b> Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 4.5 gallons (0067371)	\$129.00	1
<b>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</b>			
BFP-1	<b>LF009M2-QT : 2</b> Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
	<b>909-AGF</b> Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	<b>LF777SI : 2</b> Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1
<b>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule &amp; P601.1 - Detail 1</b>			
BFP-2	<b>LF909-QT : 3/4</b> Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, quarter turn ball-valves, 3/4"Ø (19 mm) pipe connection (0391008)	\$1,464.00	1
	<b>909-AGC</b> Watts - 909-AGC Air Gap (0881376)	\$106.50	1
	<b>LF777SI : 3/4</b> Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 3/4"Ø (19 mm) valve (0379112)	\$91.50	1
<b>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</b>			
BFP-2 Alternate	<b>LF009M3-QT : 3/4</b> Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 3/4"Ø (19 mm) pipe connection (0391003)	\$673.00	1
	<b>909-AGA</b> Watts - 909-AGA Air Gap (0881399)	\$92.50	1
	<b>LF777SI : 3/4</b> Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 3/4"Ø (19 mm) valve (0379112)	\$91.50	1
<b>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</b>			

## Section Brand: Watts Drainage

Header: \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

Label	Product No. Description	List Price	Qty.
UR	<b>CA-321</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$839.00	1
<i>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</i>			
LAV	<b>TCA-411 Series</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	<b>TCA-411</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$989.50	1
	<b>TCA-411-D</b> Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,411.00	1
<i>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</i>			
DF	<b>CA-431-1</b> Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,214.50	1
<i>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</i>			
HB	<b>HY-725-3</b> Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, stainless steel box and door		1
	<b>HY-725-3,-6,-8</b> Watts - 6" (152 mm), 8" (203 mm) thick	\$1,547.00	1
	<b>HY-725-3,-10,-12,-14</b> Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$1,690.00	1
	<b>HY-725-3,-16,-18</b> Watts - 16" (406 mm), 18" (457 mm) thick	\$1,830.00	1
<i>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</i>			
<i>Note: Quoting as alternate.</i>			
WCO	<b>CO-590-RD</b> Watts - threaded brass cleanout plug with countersunk head, stainless steel access cover and vandal proof stainless steel screw		1
	<b>CO-590-RD,1.5</b> Watts - 1-1/2"Ø (39 mm)	\$184.00	1
	<b>CO-590-RD,2</b> Watts - 2"Ø (51 mm)	\$188.00	1
	<b>CO-590-RD,3</b> Watts - 3"Ø (76 mm)	\$232.00	1
	<b>CO-590-RD,4</b> Watts - 4"Ø (102 mm)	\$307.50	1
	<b>CO-590-RD,5</b> Watts - 5"Ø (126 mm)	\$429.00	1

	<b>CO-590-RD,6</b>	\$661.00	1
	Watts - 6"Ø (152 mm)		
<b>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</b>			
FCO	<b>CO-200-R</b>		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200-R,2</b>	\$625.50	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-R,3</b>	\$661.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-R,4</b>	\$881.00	1
	Watts - 4"Ø (102 mm)		
<b>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</b>			
RD	<b>RD-300-D-F-K</b>		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		
	<b>RD-300-D-F-K,2,3,4</b>	\$1,818.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-300-D-F-K,5,6</b>	\$2,120.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	<b>RD-300-D-F-K,8,10</b>	\$2,423.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	<b>RD-300-D-F-K-W</b>		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp and 4" (102 mm) high internal stand pipe, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		
	<b>RD-300-D-F-K-W,2,3,4</b>	\$2,240.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-300-D-F-K-W,5,6</b>	\$2,543.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	<b>RD-300-D-F-K-W,8,10</b>	\$2,845.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
<b>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</b>			
<i>NOTE: The specified roof drain has one (1) deck plate for both drains. Watts Drainage offers separate standard and overflow roof drains with separate deck plates for this product. When installed side-by-side, our offering is equal to the combination roof drain specified.</i>			
FD	<b>FD-100-A5</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer		
	<b>FD-100-A5,2,3,4</b>	\$481.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-100-A5,6</b>	\$601.50	1
	Watts - 6"Ø (152 mm)		
<b>Note: P602 - Plumbing Fixture Schedule &amp; P602.1 - Plumbing Fixture Schedule</b>			
<i>Note: Trap seal by others.</i>			

Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet, pre-sloped trench, pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, UV stabilized glass-filled polypropylene frame, framed anchored grate, ductile iron, Class C

**Note:** P602 - Plumbing Fixture Schedule & P602.1 - Plumbing Fixture Schedule

*Note: Quoting as alternate.*

*Please note trench drain price is per foot.*

**NOTE :** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

---

**Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Watts Drainage does not meet PA.DGS please be advised.

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.