



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-602-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-02-19
Attn.:	N/A	Expiry Date:	2019-03-21
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Pittsburgh, Pennsylvania, United States

Job Name: PPS Student Achievement Center Toilet Renovations Pittsburg,PA

Architect: Buchart Horn Architects

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
LAV-1/LAV-2	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1

Note: P-601: Plumbing Fixture Schedule

LAV-11/LAV-12	ELC-82085 Sloan - SloanStone® 2-Station Wall-Mounted Counter Top Sink Includes Two EBF-85	\$4,953.10	1
---------------	---	------------	---

Note: P-601: Plumbing Fixture Schedule; Quoting Model as an Alternate, Please be advised, Model is P.O.A.

UR-1/UR-2	SU-1006-A Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1
-----------	---	----------	---

	Royal 186-1 Sloan - Exposed 3/4" top spud, 1.0 GPF (3012636)	\$211.60	1
--	--	----------	---

Note: P-601: Plumbing Fixture Schedule

WC-1/WC-2	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$132.60	1
-----------	--	----------	---

	Royal 111-1.28 Sloan - Exposed Water Closet Flushometer, for floor mounted or wall hung top spud bowls 1.28 GPF (3910168)	\$211.60	1
--	---	----------	---

Note: P-601: Plumbing Fixture Schedule

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
EWC-4	LVRCTL8WSK Elkay - VRC8TL WEZH2O-FILTERED	\$3,437.00	1

Note: P-601: Plumbing Fixture Schedule

SK-1	LK35 Elkay - DRAIN	\$76.00	1
------	------------------------------	---------	---

Note: Spec 22 40 40 - 6

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
LAV-1/LAV-2	3LG121 Pioneer - LAV-LEGACY 4" TWO ADA WRIST BLADE HDL-CP	\$96.00	1

Note: P-601: Plumbing Fixture Schedule; Please be advised, Model is 1.2 GPM not 2.2 GPM

SK-1	K-5150 Pioneer - KITCHEN-8" TWO ADA WRIST BLADE HDL SWVL SPT-CP	\$78.00	1
------	---	---------	---

Note: Spec 22 40 40 - 7

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
HB-1	SC8-4 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$81.25	1

Note: P-601: Plumbing Accessory Schedule

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
CO1	CO-200-R Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		1
	CO-200-R,2 Watts - 2"Ø (51 mm)	\$625.50	1
	CO-200-R,3 Watts - 3"Ø (76 mm)	\$661.00	1
	CO-200-R,4 Watts - 4"Ø (102 mm)	\$881.00	1
Note: P-601: Plumbing Accessory Schedule; CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER CARPET MARKER (-RC) = \$78.00 LIST ADDER NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$354.00 LIST ADDER			
CO2	CO-590 Watts - Round, threaded brass cleanout plug with countersunk head		1
	CO-590,1.5 Watts - 1-1/2"Ø (39 mm)	\$45.75	1
	CO-590,2 Watts - 2"Ø (51 mm)	\$54.50	1
	CO-590,3 Watts - 3"Ø (76 mm)	\$96.25	1
	CO-590,4 Watts - 4"Ø (102 mm)	\$167.50	1
	CO-590,5 Watts - 5"Ø (126 mm)	\$260.00	1

	CO-590,6	\$349.50	1
	Watts - 6"Ø (152 mm)		
Note: P-601: Plumbing Accessory Schedule			
CO3	CO-300-S7	\$604.00	1
	Watts - scoriated, square, access cover, nickel bronze, concealed mounting flanges, 7" (148 mm) square		
	CO-380		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$96.25	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$148.50	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$205.50	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$420.50	1
	Watts - 6"Ø (152 mm)		
Note: P-601: Plumbing Accessory Schedule			
FD1	FD-100-A5-6		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter nickel bronze, adjustable round strainer, vandal proof		
	FD-100-A5-6,2,3,4	\$535.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A5-6,6	\$656.00	1
	Watts - 6"Ø (152 mm)		
Note: P-601: Plumbing Accessory Schedule			
EWC-4	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: P-601: Plumbing Accessory Schedule			
LAV-2	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: P-601: Plumbing Fixture Schedule			
UR-1/UR-2	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P-601: Plumbing Fixture Schedule			

WC-1/WC-2	ISCA-103-L/R	\$3,284.00	1
	Watts - single, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-103-D	\$6,328.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-123	\$3,713.00	1
	Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-123-D	\$7,154.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-133-L/R	\$4,017.50	1
	Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-133-D	\$7,454.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome cap nuts.		
	Note: P-601: Plumbing Fixture Schedule		
VENT CAP	RD-680-VC		1
	Watts - cast iron, vandal proof cover		
	RD-680-VC,2,3,4	\$471.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-680-VC,6	\$670.50	1
	Watts - 6"Ø (152 mm)		
	RD-680-VC,8	\$768.50	1
	Watts - 8"Ø (203 mm)		
	Note: P-601: Plumbing Fixture Schedule		
WHA BELLOWS	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		

	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 10 06 - 5			
WHA PISTON	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$335.50	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,391.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

Note: Spec 22 10 06 - 5

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.