



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-608-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-02-20
Attn.:	N/A	Expiry Date:	2019-03-22
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	100 Hospital Ave, DuBois, Pennsylvania, United States

Job Name: Penn Highlands DuBois - Center of Excellence Dubois,PA

Engineer: TLC Engineering **Architect:** KTH Architects

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1	ST-2229-STG Sloan - CL FIX ADA FM TS RO UNIVER (2172229)	\$490.95	1
	Royal 111 Sloan - Exposed 1 1/2" top spud. 1.6 GPF (3010000)	\$211.60	1
<i>Note: P0.1 - Plumbing Fixture Legend</i>			
WC-2	ST-2029 Sloan - Vitreous china, ADA compliant water closet bowl only, 1.28, 1.6/1.1 AND 1.6 gpf, Floor mounted elongated bowl with 1-1/2" IPS top spud inlet. 1,000 LB load tested (2102029)	\$160.65	1
	Royal 111 Sloan - Exposed 1 1/2" top spud. 1.6 GPF (3010000)	\$211.60	1
<i>Note: P0.1 - Plumbing Fixture Legend</i>			
L-1	SS-3803 Sloan - Wall hung china Lavatory with backsplash. White vitreous china, Hanging hardware, 8" centers, overflow, ADA compliant, 21" x 19.25" (3873803)	\$86.75	1
<i>Note: P0.1 - Plumbing Fixture Legend</i>			
L-2	EAF-100-P-ISM-CP Sloan - Electronic operated automatic hand washing faucet for pre tempered or hot and cold water. Integral temperature control sput mixer (ISM) 6 VDC plug in transformer (3335004)	\$843.10	1
<i>Note: P0.1 - Plumbing Fixture Legend; Lavatory by others.</i>			
UR-1/UR-2	SU-1009-A Sloan - Universal Vitreous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$272.80	1
	ROYAL 186-0.125 DBP Sloan - Flushometer, Urinal, Manually activated, 0.125 gpf/0.5 Lpf, dual by-pass (3912633)	\$211.60	1
<i>Note: P0.1 - Plumbing Fixture Legend</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
EWC-1	EZWS-ERPBM28K Elkay - EZH2O INTEGRAL- ERPBM28	\$7,011.00	1

Note: P0.1 - Plumbing Fixture Legend

S-1	LRAD2219650 Elkay - 18 Gauge Stainless Steel 22' x 19.5' x 6.5' Single Bowl Top Mount Kitchen Sink	\$885.00	1
	LK99 Elkay - DRAIN	\$120.00	1

*Note: P0.1 - Plumbing Fixture Legend***Section Brand: Pioneer**

Label	Product No. Description	List Price	Qty.
L-1/S-1 /S-2	0122-ELS18 Pioneer - Two Handle Cast Brass Kitchen Faucet	\$201.90	1

Note: P0.1 - Plumbing Fixture Legend; Lavatory by others.

MS-1	0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1
	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1

*Note: P0.1 - Plumbing Fixture Legend; Lavatory by others.***Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
SH-1	P902HM10LYW Powers - Biltmore Series 900 Pressure Balancing Valves	\$1,152.00	1

Note: P0.1 - Plumbing Fixture Legend

EEW-1	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$1,126.00	1
-------	--	------------	---

*Note: P0.1 - Plumbing Fixture Legend***Section Brand: Watts Regulators**

Label	Product No. Description	List Price	Qty.
HB-1	SC8-4 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$81.25	1

Note: P0.1 - Plumbing Fixture Legend

BFP	957-OSY : 4 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 4"Ø (102 mm) pipe connection (0111586)	\$5,200.00	1
-----	--	------------	---

	957-AG Watts - 957-AG Air Gap (0111764)	\$269.50	1
--	---	----------	---

	77F-DI-125 : 4	\$478.00	1
	Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 4"Ø (102 mm) valve (0825203)		
	Note: P0.1 - Plumbing Fixture Legend; P5.6 - Pressure Riser 2nd Floor		

ET-1	DETA 20	\$2,345.00	1
	Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 8 gallons (0212028)		
	Note: P0.1 - Expansion Tank Schedule		

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
L-1	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	Note: P0.1 - Plumbing Fixture Legend		
EWC-1	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	Note: P0.1 - Plumbing Fixture Legend		
WH-1	HY-420		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker		
	HY-420,-4,-6,-8	\$864.50	1
	Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick		
	HY-420,-10,-12,-14	\$1,006.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-420-16	\$1,146.50	1
	Watts - 16" (406 mm) thick		
	Note: P0.1 - Plumbing Fixture Legend		
WH-2	HY-725-3		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, stainless steel box and door		
	HY-725-3,-6,-8	\$1,547.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725-3,-10,-12,-14	\$1,690.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		

	HY-725-3-16	\$1,830.00	1
	Watts - 16" (406 mm) thick		
	<i>Note: P0.1 - Plumbing Fixture Legend</i>		
FD-1	FD-100-A5-6-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter nickel bronze, adjustable round strainer, trap primer connection, vandal proof		
	FD-100-A5-6-7,2,3,4	\$535.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A5-6-7,6	\$755.50	1
	Watts - 6"Ø (152 mm)		
	<i>Note: P0.1 - Plumbing Fixture Legend</i>		
FD-2	FD-100-B6-5-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable, heavy duty, round strainer, sediment bucket, trap primer connection		
	FD-100-B6-5-7,2,3,4	\$902.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-B6-5-7,6	\$1,022.00	1
	Watts - 6"Ø (152 mm)		
	<i>Note: P0.1 - Plumbing Fixture Legend</i>		
FD-3	FD-1100-A6-60		1
	Watts - 8-1/8" (206 mm) diameter PVC body no-hub outlet, 6" (152 mm) diameter, stainless steel, round strainer		
	FD-1100-A6-60,2,3,4	\$712.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-1100-A6-60,6	\$832.00	1
	Watts - 6"Ø (152 mm)		
	<i>Note: P0.1 - Plumbing Fixture Legend</i>		
TP-1	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300S	\$270.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
	<i>Note: P0.1 - Plumbing Fixture Legend</i>		
SA-1	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$335.50	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		

	LF15M2-E-DR	\$1,391.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: P0.1 - Plumbing Fixture Legend			
UR-1/UR-2	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P0.1 - Plumbing Fixture Legend			
FCO	CO-200-R		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: P0.1 - Plumbing Fixture Legend;			
<i>CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER</i>			
<i>CARPET MARKER (-RC) = \$61.00 LIST ADDER</i>			
<i>NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER</i>			
<i>TILE RECESS (-T) = NO ADDITIONAL</i>			
<i>TERRAZZO RECESS (-U) = \$279.00 LIST ADDER</i>			
WCO	CO-300-S7	\$604.00	1
	Watts - scoriated, square, access cover, nickel bronze, concealed mounting flanges, 7" (148 mm) square		
	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: P0.1 - Plumbing Fixture Legend;			
PLUG CO	CO-380		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$96.25	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$148.50	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$205.50	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$420.50	1
	Watts - 6"Ø (152 mm)		
Note: P0.1 - Plumbing Fixture Legend;			
RD-1	RD-300-D-F-K40-13		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron low dome(4" High), underdeck clamp. all galvanized		

	RD-300-D-F-K40-13,2,3,4	\$2,774.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-K40-13,5,6	\$3,076.50	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-K40-13,8,10	\$3,379.50	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
Note: P0.1 - Plumbing Fixture Legend;			
RD-2	RD-300-D-F-K13-W		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp and 4" (102 mm) high internal stand pipe, no-hub outlet, 15-1/4" (387 mm) diameter, galvanized ductile iron dome, underdeck clamp, adjustable extension flange		
	RD-300-D-F-K13-W,2,3,4	\$2,598.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-K13-W,5,6	\$2,901.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-K13-W,8,10	\$3,203.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
Note: P0.1 - Plumbing Fixture Legend;			
DSN-1	RD-940-83		1
	Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes, no hub, stainless steel bird screen		
	RD-940-83,3,4	\$1,633.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-940-83,5,6	\$2,165.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-940-83,8	\$3,204.00	1
	Watts - 8"Ø (203 mm)		
Note: P0.1 - Plumbing Fixture Legend;			
TD-1	P-PP	\$365.00	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet, pre-sloped trench, pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, UV stabilized glass-filled polypropylene frame, framed anchored grate, polypropylene, Class A		
Note: P0.1 - Plumbing Fixture Legend; Please note trench drain price is per foot.			
NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***			

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.