



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-605-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-02-19
Attn.:	N/A	Expiry Date:	2019-03-17
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, State College, Pennsylvania, United States

Job Name: SCASD Phase II Memorial Field Reno State College, PA

Engineer: Blaine Nagao

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
WC-1	ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459)	\$132.60	1
	Royal 111-1.28 Sloan - Exposed Water Closet Flushometer, for floor mounted or wall hung top spud bowls 1.28 GPF (3910168)	\$211.60	1
<i>Note: P-001: Plumbing Fixture Schedule</i>			
LAV-1	SS-3103 Sloan - Wall hung lavatory with backsplash, single hole centerset. Overflow, 20.75" x 18.25" (3873103)	\$86.75	1
<i>Note: P-001: Plumbing Fixture Schedule</i>			
UR-1	SU-1006-A Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1
	ROYAL 180-1 Sloan - Exposed 1 1/4" top spud 1 GPF (3012436)	\$211.60	1
<i>Note: P-001: Plumbing Fixture Schedule</i>			

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
DF-1	LZWS-LRPBM28K Elkay - EZH2O INTEGRAL- EDFPBM117 - FILTRD	\$7,155.00	1
<i>Note: P-001: Plumbing Fixture Schedule;</i>			

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
LAV-1	B-8180 Pioneer - BAR-4" TWO ADA WRIST BLADE HDL GOOSENECK SPT-CP	\$82.00	1
<i>Note: P-001: Plumbing Fixture Schedule</i>			
MR-1	0054-ULE-QI Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT INTEG STOPS 1/4 TURN-PC	\$238.00	1

CS-65001		\$60.50	1
Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER			
CS-65002		\$44.60	1
Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE			

Note: P-001: Plumbing Fixture Schedule

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
SH-1	P910HH1000 Powers - Pressure Balancing Valve, 1/2" Copper sweat connection, Low Flow Shower (1.5 gpm), Arm & Flange	\$407.00	1

Note: P-001: Plumbing Fixture Schedule

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
RPZ-1	957-OSY : 4 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 4"Ø (102 mm) pipe connection (0111586)	\$5,200.00	1
	957-AG Watts - 957-AG Air Gap (0111764)	\$269.50	1
	77F-DI-125 : 4 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 4"Ø (102 mm) valve (0825203)	\$478.00	1

Note: P-001: Plumbing Fixture Schedule; P-402: Domestic Water Riser Diagram North

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
WC-1	ISCA-103 Series Watts - horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, left side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		1
	ISCA-103-L/R Watts - single, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.	\$3,284.00	1
	ISCA-103-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.	\$6,328.00	1

	ISCA-123	\$3,713.00	1
	Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-123-D	\$7,154.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-133-L	\$4,017.50	1
	Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, left side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-133-R	\$4,017.50	1
	Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.		
	ISCA-133-D	\$7,454.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome cap nuts.		
	Note: P-001: Plumbing Fixture Schedule		
LAV-1	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	Note: P-001: Plumbing Fixture Schedule		
UR-1	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
	Note: P-001: Plumbing Fixture Schedule		
FD-1	FD-320-Y		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate		
	FD-320-Y,2,3,4	\$508.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		

	FD-320-Y,6	\$628.00	1
	Watts - 6"Ø (152 mm)		
	Note: P-001: Plumbing Fixture Schedule;		
	TRAP PRIMER CONNECTION (-7) = NO ADDITIONAL		
TP-1	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300S	\$270.00	1
	Watts - 1/2", Soldered Inlet and Outlet Connect		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
	Note: P-001: Plumbing Fixture Schedule;		
SA	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
	Note: P-001: Plumbing Fixture Schedule;		
RD-1	RD-100-CP-D-B-6		1
	Watts - 14-1/8" (359 mm) diameter cast iron body, flashing clamp, no-hub outlet, 12-3/4" x 12-3/4" (324 mm x 324 mm) square, epoxy coated ductile iron, sump receiver, underdeck clamp, vandal proof grate		
	RD-100-CP-D-B-6,2,3,4	\$1,738.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-100-CP-D-B-6,5,6	\$1,760.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	Note: P-001: Plumbing Fixture Schedule;		
RD-2	RD-300-B-D-L-W		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, polyethylene dome, sump receiver, underdeck clamp, vandal proof dome, flashing clamp and integral 4" (102 mm) high internal standpipe		
	RD-300-B-D-L-W,2,3,4	\$2,421.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-B-D-L-W,5,6	\$2,724.50	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-B-D-L-W,8,10	\$3,026.50	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	Note: P-001: Plumbing Fixture Schedule;		

DF-1	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: P-001: Plumbing Fixture Schedule;			
OOD-1	RD-940		1
	Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes		
	RD-940,2,3,4	\$1,083.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-940,5,6	\$1,942.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-940,8	\$2,655.00	1
	Watts - 8"Ø (203 mm)		
	RD-940,10	\$3,464.00	1
	Watts - 10"Ø (254 mm)		
	RD-940,12	\$4,289.00	1
	Watts - 12"Ø (305 mm)		

Note: P-001: Plumbing Fixture Schedule;

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.