



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-607-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-02-20
Attn.:	N/A	Expiry Date:	2019-03-22
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Pittsburgh, Pennsylvania, United States

Job Name: WCS TECH CENTER

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
P-1/P-1H	ST-2029 Sloan - Vitreous china, ADA compliant water closet bowl only, 1.28, 1.6/1.1 AND 1.6 gpf, Floor mounted elongated bowl with 1-1/2" IPS top spud inlet. 1,000 LB load tested (2102029)	\$160.65	1
	ECOS 8111-1.6/1.1 Sloan - Battery-powered Flushometer, Sensor activated, 1.6/1.1 gpf/6.0/4.2 Lpf (3370400)	\$646.45	1

Note: Plumbing Fixture Schedule

P-2/P-2H	SU-1009-A Sloan - Universal Vireous china, 3/4" top spud. 0.125, 0.25 and 0.5 GPF includes dome strainer. (1101009)	\$272.80	1
	ECOS 8186-0.125 Sloan - Ecos electronic Battery powered, sensor activated, 3/4" top spud, exposed urinal flushometer. Courtesy flush override button. Requires no AC hookups, uses four AA batteries. Override button 0.13 GPF (3250325)	\$606.95	1

Note: Plumbing Fixture Schedule

P-3/P-3H /P-7	SS-3003 Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
	EBF-615-4 Sloan - Battery powered, chrome plated brass sensor operated pedestal, electronic hand washing faucet for tempered or hot/cold water operation. .5 GPM vandal resistant spray head. Trim plate for 4" center set sink. (4) (3315344)	\$685.70	1

Note: Plumbing Fixture Schedule

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
P-4	LR22220 Elkay - 18 Gauge Stainless Steel 22' x 22' x 7.625' Single Bowl Top Mount Kitchen Sink	\$858.00	1
	LK99 Elkay - DRAIN	\$120.00	1

Note: Plumbing Fixture Schedule

P-5	LR37220 Elkay - 18 Gauge Stainless Steel 37' x 22' x 7.625' Double Bowl Top Mount Kitchen Sink	\$1,516.00	1
-----	--	------------	---

	LK99		\$120.00	1
	Elkay - DRAIN			

Note: Plumbing Fixture Schedule

P-6	EMABFTLR8LC		\$1,646.00	1
	Elkay - BAR FREE BILEVEL REV 8 GL			

Note: Plumbing Fixture Schedule

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
P-4/P-5	1172-GSAELS-Q Pioneer - KITCHEN-WIDESPREAD 4" WRIST HDL 4-3/32" GOOSENECK SPT 1/4 TURN-PVD PC, 0.5 GPM	\$197.80	1

Note: Plumbing Fixture Schedule

P-8	0054-ULE-Q	\$193.00	1
	Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC		

	CS-65001	\$60.50	1
	Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER		

	CS-65002	\$44.60	1
	Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE		

Note: Plumbing Fixture Schedule

Section Brand: Halsey Taylor

Label	Product No. Description	List Price	Qty.
P-6 OPT.	HAC8FS-BLR-Q Halsey Taylor - Barrier-Free Reverse Water Cooler, electric refrigerated, wall-mounted	\$1,646.00	1

Note: Plumbing Fixture Schedule

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
LAV-TMV	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1

Note: Plumbing Fixture Schedule; Spec 22 42 16.13

P-9	ES150-11	\$1,126.00	1
	Powers - ES150 EMERGENCY TEMPER		

Note: Plumbing Fixture Schedule; Spec 22 45 00 - 3

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
ET	DETA 30 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 15 gallons (0212029)	\$2,644.00	1

Note: Domestic Gas Water Heater Schedule

BFP OPT.	LF909-OSY : 3	\$9,551.00	1
	Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, UL/FM outside stem & yoke gate valve, flange connections, 3"Ø (76 mm) pipe connection (0122776)		

	957-AG	\$269.50	1
	Watts - 957-AG Air Gap (0111764)		
	77F-DI-125 : 3	\$382.50	1
	Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825202)		
Note: Domestic Gas Water Heater Schedule			
BFP OPT.	957-OSY : 3	\$4,700.00	1
	Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 3"Ø (76 mm) pipe connection (0111585)		
	957-AG	\$269.50	1
	Watts - 957-AG Air Gap (0111764)		
	77F-DI-125 : 3	\$382.50	1
	Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825202)		
Note: Domestic Gas Water Heater Schedule			
WSB-1	2-M2DWB	\$199.50	1
	Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)		
Note: Domestic Gas Water Heater Schedule			

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
P-2/P-2H	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: Plumbing Fixture Schedule			
P-3/P-3H	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: Plumbing Fixture Schedule			
P-6	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: Plumbing Fixture Schedule			

RH	HY-900	\$3,160.00	1
<p>Watts - 3/4" (19 mm) diameter hose connection, combination 3/4" female of 1" male threaded inlet connection, non-freeze, epoxy coated heavy duty cast iron head, bronze internal working parts and valve housing with 1" galvanized steel casing, roof hydrant with and lift handle and lock option, integral epoxy coated cast iron roof mounting plate with clamping collar, 1/8" NPT drain port</p>			
Note: Plumbing Fixture Schedule; Spec 22 11 19 - 6			
TD	D-DI	\$552.50	1
<p>Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet(s), pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F</p>			
Note: Plumbing Fixture Schedule			
WH-1	HY-725		1
<p>Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door</p>			
	HY-725,-6,-8	\$1,547.00	1
<p>Watts - 6" (152 mm), 8" (203 mm) thick</p>			
	HY-725,-10,-12,-14	\$1,690.00	1
<p>Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick</p>			
	HY-725-16	\$1,830.00	1
<p>Watts - 16" (406 mm) thick</p>			
Note: Spec 22 11 19 - 4			
WH-2	HY-700		1
<p>Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze, dual-temp, all bronze head, wall mount, concealed, polished bronze hydrant face, integral vacuum breaker, nickel bronze box and door, galvanized casing, 8-1/2" x 6-1/2" (165 mm)</p>			
	HY-700,-6,-8	\$3,868.00	1
<p>Watts - 6" (152 mm), 8" (203 mm) thick</p>			
	HY-700,-10,-12,-14	\$4,093.50	1
<p>Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick</p>			
	HY-700-16	\$4,323.00	1
<p>Watts - 16" (406 mm) thick</p>			
Note: Spec 22 11 19 - 5			
WH-3	HY-450	\$1,349.00	1
<p>Watts - warm climate, heavy duty chrome plated bronze head, seat casting and internal working parts, wall mount, concealed, polished chrome plated face plate, vandal resistant integral vacuum breaker, 6-7/16" x 5-7/16" (164 mm x 138 mm), chrome plated face, nickel bronze box and door, loose key, 3/4"Ø (19 mm) male hose connection, 1" male threaded x 3/4" internal SWT 90° connection with 360° swivel.</p>			
Note: Spec 22 11 19 - 6			
WHA	SS Series		1
<p>Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)</p>			
	SS-A	\$549.50	1
<p>Watts - 1-11 fixture units, 1/2" (13 mm) connection</p>			
	SS-B	\$1,119.00	1
<p>Watts - 12-32 fixture units, 3/4" (19 mm) connection</p>			
	SS-C	\$1,672.00	1
<p>Watts - 33-60, fixture units, 1" (25 mm) connection</p>			

	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 11 19 - 7			
EXPOSED	CO-460		1
CO	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19 - 2			
FCO	CO-200-R-6		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof		
	CO-200-R-6,2	\$721.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R-6,3	\$757.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R-6,4	\$977.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19 - 3;			
<i>CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER</i>			
<i>CARPET MARKER (-RC) = \$61.00 LIST ADDER</i>			
<i>NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER</i>			
<i>TILE RECESS (-T) = NO ADDITIONAL</i>			
<i>TERRAZZO RECESS (-U) = \$279.00 LIST ADDER</i>			
WCO	CO-380-RD		1
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2	\$232.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$286.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,4	\$343.50	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,6	\$727.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 13 19 - 3			
CO	CO-590		1
	Watts - Round, threaded brass cleanout plug with countersunk head		
	CO-590,1.5	\$45.75	1
	Watts - 1-1/2"Ø (39 mm)		
	CO-590,2	\$54.50	1
	Watts - 2"Ø (51 mm)		
	CO-590,3	\$96.25	1
	Watts - 3"Ø (76 mm)		

	CO-590,4	\$167.50	1
	Watts - 4"Ø (102 mm)		
	CO-590,5	\$260.00	1
	Watts - 5"Ø (126 mm)		
	CO-590,6	\$349.50	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 13 19 - 3			
YARD CO	CO-300-MF	\$1,391.00	1
	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	CO-380		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$96.25	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$148.50	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$205.50	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$420.50	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 13 19 - 3			
FD-1	FD-320-Y-5-6		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate, sediment bucket, vandal proof		
	FD-320-Y-5-6,2,3,4	\$792.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-320-Y-5-6,6	\$912.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 13 19 - 3			
FD-2	FD-100-A6-5-6		1
ROUND	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, round strainer, sediment bucket, vandal proof		
	FD-100-A6-5-6,2,3,4	\$750.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-5-6,6	\$871.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 13 19 - 4;			
<i>NB 4" ROUND FUNNEL (-F4-1) = \$423.00 LIST ADDER</i>			
<i>TILE RECESS (-7) = NO ADDITIONAL</i>			
FD-2	FD-100-M6-5-6		1
SQUARE	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" x 6" (152 mm x 152 mm) nickel bronze, square strainer, sediment bucket, vandal proof		
	FD-100-M6-5-6,2,3,4	\$878.50	1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm)		
	FD-100-M6-5-6,6	\$998.50	1
	Watts - 6"(152 mm) outlet size		
Note: Spec 22 13 19 - 4;			
<i>NB 4" ROUND FUNNEL (-F4-1) = \$423.00 LIST ADDER</i>			
<i>TILE RECESS (-7) = NO ADDITIONAL</i>			

KR-1	FS-740-175		1
	Watts - cast iron body, 8-1/4" (209 mm) deep, no-hub outlet, aluminum dome bottom strainer, 9" x 9" (229 mm x 229 mm) square, porcelain enamel coated cast iron grate, 3/4 grate		
	FS-740-175,2,3,4	\$2,227.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	Note: Spec 22 13 19 - 4;		
KR-2	FS-850-175		1
	Watts - cast iron body, 12" (305 mm) deep, no-hub outlet, aluminum dome bottom strainer, 13" x 13" (330 mm x 330 mm) square, porcelain enamel coated cast iron grate, 3/4 grate		
	FS-850-175,4,6	\$4,686.00	1
	Watts - 4"Ø (102 mm), 6"Ø (152 mm) outlet size		
	Note: Spec 22 13 19 - 4;		
FD-3	FD-430		1
	Watts - 12-3/4" (324 mm) square, steel side outlet area drain with anchor flange, no-hub outlet, 12-3/4" x 12-3/4" (324 mm x 324 mm) square, ductile iron hinged grate, integral trap with cleanout plug, sediment bucket		
	FD-430,2,3,4	\$2,189.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	Note: Spec 22 13 19 - 4;		
VENT CAP	RD-680-VC		1
	Watts - cast iron, vandal proof cover		
	RD-680-VC,2,3,4	\$471.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-680-VC,6	\$670.50	1
	Watts - 6"Ø (152 mm)		
	RD-680-VC,8	\$768.50	1
	Watts - 8"Ø (203 mm)		
	Note: Spec 22 13 19 - 4;		
RD-1	RD-300-D-F-K		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		
	RD-300-D-F-K,2,3,4	\$1,818.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-K,5,6	\$2,120.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-K,8,10	\$2,423.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	Note: Spec 22 14 23 - 2;		
DOWNSPOUT BOOT	RD-970	\$824.00	1
	Watts - epoxy coated, 4" x 3" x 18", cast iron, countersunk securing strap, 4" no hub pipe connection		
	RD-980	\$1,314.00	1
	Watts - epoxy coated, 5" x 4" x 24", cast iron, countersunk securing strap, 4" no hub pipe connection		
	Note: Spec 22 14 23 - 2;		
DSN	RD-940		1
	Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes		
	RD-940,2,3,4	\$1,083.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		

RD-940,5,6 Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size	\$1,942.00	1
RD-940,8 Watts - 8"Ø (203 mm)	\$2,655.00	1
RD-940,10 Watts - 10"Ø (254 mm)	\$3,464.00	1
RD-940,12 Watts - 12"Ø (305 mm)	\$4,289.00	1

Note: Spec 22 14 23 - 2;

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.