



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-599-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-02-19
Attn.:	N/A	Expiry Date:	2019-03-21
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Morgantown, West Virginia, United States

Job Name: WVU Medicine Children's Hospital Morgantown, W VA

Engineer: Lovon Engineering Associates, LLC **Architect:** iKM Architecture

Comments:

Section Brand: Pure Water

Label	Product No. Description	List Price	Qty.
WS	PWS30151J33 Watts Pure Water - Series PWS30, PS30-2, PWS30-P Triplex System, Commercial Water Softening Systems Connection Size: 3" (80mm) Flow Rates: Up to 1120 gpm (4239 lpm)		1

Note: PC002 - Water Softener System Design Data; PC601 - Diagramatic Domestic Cold and Hot Water Piping Plan; Please be Advised,
Model is P.O.A.

NOTE : Please be advised, Water Filter System is a Custom Order Model.

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
RPZBP-1	957-OSY : 6 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 6"Ø (152 mm) pipe connection (0111587)	\$8,275.00	1
	957-AG Watts - 957-AG Air Gap (0111764)	\$269.50	1
	77F-DI-125 : 6 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 6"Ø (152 mm) valve (0825205)	\$1,019.00	1

Note: PC601 - Diagramatic Domestic Cold and Hot Water Piping Plan

ET	DETA 125 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 60 gallons (0212034)	\$4,603.00	1
----	---	------------	---

Note: PC601 - Diagramatic Domestic Cold and Hot Water Piping Plan

HB	SC8-3 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, no kink faucet, 1/2" copper sweat connection with vacuum breaker (0611350)	\$81.25	1
----	---	---------	---

Note: Spec 22 11 16 - 3

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
FD-1	FD-314-Y Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter, ductile iron grate, 4"Ø (102 mm)	\$437.00	1
<i>Note: PC002 - Floor Drain Schedule; Spec 22 13 19.13 - 1</i>			
FD-2/TD-1 /TD-2	FD-204-DD-50 Watts - 7" (178 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter opening, cast iron hub funnel 4"Ø (102 mm) outlet size	\$390.00	1
<i>Note: PC002 - Floor Drain Schedule; Spec 22 13 19.13 - 1</i>			
FD-3	FD-104-A6 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 4"Ø (102 mm)	\$588.50	1
<i>Note: PC002 - Floor Drain Schedule; Spec 22 13 19.13 - 1</i>			
FCO	CO-300-MF-1 Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, nickel bronze top	\$1,925.00	1
	CO-380 Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		1
	CO-380,2 Watts - 2"Ø (51 mm)	\$96.25	1
	CO-380,3 Watts - 3"Ø (76 mm)	\$148.50	1
	CO-380,4 Watts - 4"Ø (102 mm)	\$205.50	1
	CO-380,6 Watts - 6"Ø (152 mm)	\$420.50	1
<i>Note: PC500 - Floor Cleanout Detail; quoting based on Detail.</i>			
WH	HY-725 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		1
	HY-725,-6,-8 Watts - 6" (152 mm), 8" (203 mm) thick	\$1,547.00	1
	HY-725,-10,-12,-14 Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$1,690.00	1
	HY-725,-16,-18 Watts - 16" (406 mm), 18" (457 mm) thick	\$1,830.00	1
	HY-725,-20,-22,-24 Watts - 20" (508 mm), 22" (559 mm), 24" (610 mm) thick	\$1,870.00	1
<i>Note: Spec 22 11 16 - 4;</i>			
TP	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$175.00	1

	LF15M2-B-DR	\$335.50	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,391.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 11 19 - 6;			
WHA	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 11 19 - 6			
OI	OI-10	\$4,870.00	1
	Watts - steel, epoxy coated, skid-proof cover, secured with hex head center bolts, integral stainless steel flow control plate, double wall, deep seal trap, dual vent connections, draw off-connection, no-hub connections, flow rate of 10 GPM		
Note: Spec 22 11 19 - 7			
TEST TEE /CO-B	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 11 19 - 7; Spec 22 13 19.15 - 1			
FS-1	FS-784-150	\$3,725.00	1
	Watts - 14" (356 mm) square, 14 gauge type 304 stainless steel receptor body, 6-1/4" (159 mm) deep, no-hub outlet, dome bottom strainer, 10" (254 mm) square, loose set, cast stainless steel, 1/2 grate, 4"Ø (102mm) outlet size		
Note: Spec 22 13 19.13 - 1			

RD-1A	RD-704-D	\$2,416.00	1
	Watts - epoxy coated, 21" x 13-1/16" (533 mm x 330 mm) , one-piece cast iron combination roof drain, flashing clamps with integral gravel guard, 4" (102 mm) overflow standpipe, no-hub outlet, secured, 20" x 12-1/2" (508 mm x 317 mm) , ductile iron dome, 4" (102 mm) outlet size, underdeck clamp		
	Note: Spec 22 13 19.13 - 2; Quoting Model as An Alternate Option. DECK FLANGE/ADJ. EXTENSION (-F) = \$521.00 LIST ADDER ADJUSTABLE INTERNAL WATER DAM (-W) = \$334.00 LIST ADDER		
RD-1B	RD-304-D-K	\$1,159.00	1
	Watts - epoxy coated, 16-5/8" (422 mm) diameter, cast iron body, flashing clamp and integral gravel stop, no-hub outlet, self locking, 15-1/4" (387 mm) diameter, ductile iron dome, 4"(102 mm) outlet size, underdeck clamp		
	Note: Spec 22 13 19.13 - 2; SUMP RECEIVER (-B) = \$268.50 LIST ADDER UNDERDECK CLAMP (-D) = \$240.50 LIST ADDER DECK FLANGE/ADJ. EXTENSION (-F) = \$659.50 LIST ADDER DUCTILE IRON DOME (-K) = \$210.50 LIST ADDER 2" EXTERNAL WATER DAM (-R) = \$230.50 LIST ADDER ADJUSTABLE INTERNAL WATER DAM (-W) = \$423.00 LIST ADDER		
RD-2	RD-204-D	\$638.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body, flashing clamp, no-hub outlet, 8-1/8" (206 mm) diameter, polyethylene dome, underdeck clamp, 4"Ø (102 mm) outlet size		
	Note: Spec 22 13 19.13 - 3		
DOWNSPOUT	RD-950		1
	Watts - round, fabricated type 304 stainless steel, securing flange and secured perforated hinged strainer, no hub		
	RD-950,3,4	\$2,910.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-950,6	\$3,074.00	1
	Watts - 6"Ø (152 mm)		
	RD-950,8	\$3,220.00	1
	Watts - 8"Ø (203 mm)		
	RD-950,10	\$3,407.00	1
	Watts - 10"Ø (254 mm)		
	Note: Spec 22 13 19.13 - 3		
CO-A	CO-260-1		1
	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty nickel bronze top		
	CO-260-1,3,4,6,8	\$1,436.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
	Note: Spec 22 13 19.15 - 1		
CO-C/CO-D	CO-300-S7	\$604.00	1
	Watts - scoriated, square, access cover, nickel bronze, concealed mounting flanges, 7" (148 mm) square		
	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
	Note: Spec 22 13 19.15 - 1		

CO-E	CO-200X-R Watts - 7" (178 mm) diameter, cast iron body inside caulk outlet, brass plug, 5" (127 mm) round, nickel bronze top		1
	CO-200X-R,2 Watts - 2"Ø (51 mm)	\$625.50	1
	CO-200X-R,3 Watts - 3"Ø (76 mm)	\$661.00	1
	CO-200X-R,4 Watts - 4"Ø (102 mm)	\$881.00	1

Note: Spec 22 13 19.15 - 1;
 CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER
 CARPET MARKER (-RC) = \$78.00 LIST ADDER
 NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER
 TILE RECESS (-T) = NO ADDITIONAL
 TERRAZZO RECESS (-U) = \$354.00 LIST ADDER

CO-F	CO-200X-RX-4 Watts - 7" (178 mm) diameter, cast iron body inside caulk outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		1
	CO-200X-RX-4,2 Watts - 2"Ø (51 mm)	\$420.50	1
	CO-200X-RX-4,3 Watts - 3"Ø (76 mm)	\$487.50	1
	CO-200X-RX-4,4 Watts - 4"Ø (102 mm)	\$596.50	1

Note: Spec 22 13 19.15 - 1;

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
 Pricing good for 30 days.
 Pricing subject to change if Mfr pricing changes.
 Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
 All taxes are extra.
 Partial or expedited shipments, at customer request, may result in additional freight charges.
 Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
 Please ensure that all quoted product meets your projects specifications.
 Our company will only be responsible for products shown on the attached quotation.