



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-603-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-02-19
Attn.:	N/A	Expiry Date:	2019-03-21
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	, Jefferson, Pennsylvania, United States

Job Name: West Jefferson Hills SD Gill Hall Elementary Addition Jefferson Hills, PA

Engineer: ECKLES Engineering **Architect:** ECKLES Architecture

Comments:

Section Brand: Sloan

Label	Product No. Description	List Price	Qty.
EWC1	LZSTL8WSLP Elkay - BFS VERS BI-LVL FILTRD 8GPH LT GRY	\$2,489.00	1

Note: P000 - Plumbing Fixture Schedule

L-1/L-2	SS-3103 Sloan - Wall hung lavatory with backsplash, single hole centerset. Overflow, 20.75" x 18.25" (3873103)	\$86.75	1
---------	---	---------	---

	EBF-85-4 Sloan - Sensor activated, battery powered lavatory faucet. Faucet is chrome plated brass with integral sensor throat plated for hand operation. Includes matching trim plate for 4" centerset sinks. Includes bak-chek tee for hot/cold supply, vandal proof, 0.5 GP	\$876.80	1
--	---	----------	---

Note: P000 - Plumbing Fixture Schedule

Section Brand: Elkay

Label	Product No. Description	List Price	Qty.
S-1/S-2	LRADQ2219652 Elkay - 18 Gauge Stainless Steel 22' x 19.5' x 6.5' Single Bowl Top Mount Kitchen Sink	\$885.00	1

	LK99 Elkay - DRAIN	\$120.00	1
--	------------------------------	----------	---

	LK406GN04T4 Elkay - DECK MNT 4IN, CS, GN 4IN SPT, 1PC WRIST BLD HNDL, 4IN	\$275.00	1
--	---	----------	---

Note: P000 - Plumbing Fixture Schedule

Section Brand: Pioneer

Label	Product No. Description	List Price	Qty.
MB-1	0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1

	CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
--	---	---------	---

	CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1
--	---	---------	---

Note: P000 - Plumbing Fixture Schedule

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
WH1	LFFHB-1 Watts - Frost-Proof Automatic Self Draining Wall Hydrants, 1/2" Inlet, 3/4" hose outlet		1
	LFFHB-1,4 Watts - 4" (102 mm)	\$56.50	1
	LFFHB-1,6 Watts - 6" (152 mm)	\$61.25	1
	LFFHB-1,8 Watts - 8"(203mm)	\$64.75	1
	LFFHB-1,10 Watts - 10"(254mm)	\$65.25	1
	LFFHB-1,12 Watts - 12"(305mm)	\$72.00	1
	LFFHB-1,14 Watts - 14"(356mm)	\$73.75	1
Note: P000 - Plumbing Fixture Schedule			
WMB-1	2-M2DWB Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)	\$199.50	1
Note: P000 - Plumbing Fixture Schedule			
RPZ	957-OSY : 3 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 3"Ø (76 mm) pipe connection (0111585)	\$4,700.00	1
	957-AG Watts - 957-AG Air Gap (0111764)	\$269.50	1
	77F-DI-125 : 3 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825202)	\$382.50	1
Note: P300 - Water Service Piping Detail			
ET	PLT-20 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200° F maximum temperature, tank volume of 8.5 gallons (0067372)	\$254.50	1
Note: P300 - Domestic Water Heater Detail			
T&P RELIEF VALVE	LF100XL -4 Watts - ASME Self-Closing T&P Relief Valve	\$35.00	1
	LF100XL -8 Watts - ASME Self-Closing T&P Relief Valve	\$39.00	1
Note: P300 - Domestic Water Heater Detail			
VACUUM RELIEF VALVE	LFN36M1 : 1/2 Watts - Lead Free Vacuum Relief Valve, 1/2"(15mm)	\$78.25	1

LFN36M1 : 3/4

\$97.75 1

Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)

Note: P300 - Domestic Water Heater Detail

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
EWC1	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,214.50	1
Note: P000 - Plumbing Fixture Schedule			
FD1	FD-104-A5 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 4"Ø (102 mm)	\$481.00	1
Note: P000 - Plumbing Fixture Schedule			
FS1	FS-784 Watts - 14" (356 mm) square, 14 gauge type 304 stainless steel receptor body, 6-1/4" (159 mm) deep, no-hub outlet, dome bottom strainer, 10" (254 mm) square, loose set, cast stainless steel, 4"Ø (102mm) outlet size	\$3,725.00	1
Note: P000 - Plumbing Fixture Schedule			
L-1/L-2	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$989.50	1
	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,411.00	1
Note: P000 - Plumbing Fixture Schedule			
RD-1	RD-300-B-D Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, polyethylene dome, sump receiver, underdeck clamp		1
	RD-300-B-D,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$1,217.00	1
	RD-300-B-D,5,6 Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size	\$1,518.00	1
	RD-300-B-D,8,10 Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size	\$1,821.00	1
Note: P000 - Plumbing Fixture Schedule;			
SW-1	FD-100-ER7-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter, nickel bronze, extended rim strainer, trap primer tapping		1
	FD-100-ER7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$1,116.00	1
	FD-100-ER7-7,6 Watts - 6"Ø (152 mm)	\$1,235.00	1

Note: P000 - Plumbing Fixture Schedule

U-1	CA-321	\$839.00	1
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.			
Note: P000 - Plumbing Fixture Schedule			
WC-1	ISCA-103-L/R	\$3,284.00	1
Watts - single, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.			
	ISCA-103-D	\$6,328.00	1
Watts - double, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.			
	ISCA-123	\$3,713.00	1
Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.			
	ISCA-123-D	\$7,154.00	1
Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, stainless steel support rods and hardware, chrome plated nuts.			
	ISCA-133-L/R	\$4,017.50	1
Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts.			
	ISCA-133-D	\$7,454.00	1
Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome cap nuts.			
Note: P000 - Plumbing Fixture Schedule			
GCO	CO-300-MF	\$1,391.00	1
Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top			
	CO-380		1
Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug			
	CO-380,2	\$96.25	1
Watts - 2"Ø (51 mm)			
	CO-380,3	\$148.50	1
Watts - 3"Ø (76 mm)			
	CO-380,4	\$205.50	1
Watts - 4"Ø (102 mm)			

	CO-380,6	\$420.50	1
	Watts - 6"Ø (152 mm)		
Note: P300 - Cleanout Details			
FCO	CO-200-R		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: P300 - Cleanout Details;			
<i>CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER</i>			
<i>CARPET MARKER (-RC) = \$61.00 LIST ADDER</i>			
<i>NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER</i>			
<i>TILE RECESS (-T) = NO ADDITIONAL</i>			
<i>TERRAZZO RECESS (-U) = \$279.00 LIST ADDER</i>			
WCO	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: P300 - Cleanout Details			
NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***			

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.
Pricing good for 30 days.
Pricing subject to change if Mfr pricing changes.
Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.
All taxes are extra.
Partial or expedited shipments, at customer request, may result in additional freight charges.
Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
Please ensure that all quoted product meets your projects specifications.
Our company will only be responsible for products shown on the attached quotation.