



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-632-S

| | | | |
|---------------|---|--------------------------|--|
| To: | Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241 | Bid Date: | 2019-03-01 |
| Attn.: | N/A | Expiry Date: | 2019-03-31 |
| Phone: | 724-745-5300 | Creator: | Drew Pomrenke , dpomrenke@jboconnor.com |
| | | Sales Rep.: | Casey Devlin , cdevlin@jboconnor.com |
| | | Shipping Address: | 30 Isabella Street, 15212, Pittsburgh, Pennsylvania, United States |

Job Name: AHN Wexford Patient Tower

Engineer: WSP **Architect:** HKS Architects, INC.

Comments:

Section Brand: Sloan

| Label | Product No. Description | List Price | Qty. |
|---|--|------------|------|
| P-1A/P-1H | SS-3803 Sloan - Wall hung china Lavatory with backsplash. White vitreous china, Hanging hardware, 8" centers, overflow, ADA compliant, 21" x 19.25" (3873803) | \$86.75 | 1 |
| <i>Note: P0.02 - Plumbing Fixture Schedule</i> | | | |
| P-3A | ST-2459 Sloan - Vitreous China, ADA compliant water closet bowl only, 1.28 GPF, 1.6 GPF, and dual flush 1.6/1.1 GPF with 1-1/2" IPS top spud (2102459) | \$132.60 | 1 |
| | G2 OPTIMA PLUS 8111-1.28 Sloan - Sensor Exposed Flushometer for Floor Mount or Wall Hung Water Closets, 11.5" Rough in, Battery-powered 1.28 gpf/4.8 Lpf (3250289) | \$637.25 | 1 |
| <i>Note: P0.02 - Plumbing Fixture Schedule; Quoting Flush Valve as a Suggestion based on Floor Mounted Water Closet Flush Valve</i> | | | |
| P-3I/P-3J | ST-2229-A-BPL Sloan - ADA Floor Mount Rear Outlet Bedpan Lug, Universal, Top Spud -2112229 | \$191.40 | 1 |
| | G2 BPW 8150-1.28 Sloan - G2 Optima Bedpan Wash Flush Valve. | \$0.00 | 1 |
| <i>Note: P0.02 - Plumbing Fixture Schedule</i> | | | |
| P-3K | ST-2229 Sloan - Floor mount, Rear Outlet, ADA Top spud water closet, 1.1 to 1.6 gpf (2102229) | \$465.95 | 1 |
| | G2 OPTIMA PLUS 8111-1.28 Sloan - Sensor Exposed Flushometer for Floor Mount or Wall Hung Water Closets, 11.5" Rough in, Battery-powered 1.28 gpf/4.8 Lpf (3250289) | \$637.25 | 1 |
| <i>Note: P0.02 - Plumbing Fixture Schedule</i> | | | |
| P-4A | SU-7009-A Sloan - Universal Vitreous china, 3/4" top spud, small urinal. 0.125 to 0.5 GPF (1107009) | \$178.45 | 1 |
| | G2 OPTIMA PLUS 8186-0.125 Sloan - Optima Plus, Flushometer for Urinal, Sensor activated, Battery-powered 0.125 gpf/1.9 Lpf (3790073) | \$637.25 | 1 |
| <i>Note: P0.02 - Plumbing Fixture Schedule; Quoting Flush Valve as a Suggestion based on Water Closet Flush Valve</i> | | | |

Section Brand: Elkay

| Label | Product No. Description | List Price | Qty. |
|-------|---|------------|------|
| P-15B | VRCTLR8SC Elkay - T/L BARRIER FREE CHILD VR REV | \$2,092.00 | 1 |

Note: P0.02 - Plumbing Fixture Schedule; Spec 22 47 00 - 2; Quoting based on Description. No Model Provided.

| | | | |
|-------|---|------------|---|
| P-15C | EZWS-ERPBM28K Elkay - EZH2O INTEGRAL- ERPBM28 | \$7,011.00 | 1 |
|-------|---|------------|---|

Note: P0.02 - Plumbing Fixture Schedule; Spec 22 47 00 - 2; Quoting based on Description. No Model Provided.

NOTE : *Please be Advised, Sink Models are Incomplete, with no dimensions specified, Therefore they have not been quoted.*

Section Brand: Pioneer

| Label | Product No. Description | List Price | Qty. |
|---|--|------------|------|
| P-1A/P-1B P-1C/P-1D P-1E/P-1F P-1H | L-7251 Pioneer - LAV-4" TWO ADA WRIST BLADE HDL W/POP-UP HOLE COVER-CP | \$62.50 | 1 |

Note: P0.02 - Plumbing Fixture Schedule

| | | | |
|--|---|----------|---|
| P-2A/P-2C P-2E/P-2G P-2H/P-2J P-2K/P-2M | 1172-GSAELS-Q Pioneer - KITCHEN-WIDESPREAD 4" WRIST HDL 4-3/32" GOOSENECK SPT 1/4 TURN-PVD PC | \$197.80 | 1 |
|--|---|----------|---|

Note: P0.02 - Plumbing Fixture Schedule; Please be advised, model is 1.5 GPM not 2.2 GPM

| | | | |
|------|--|----------|---|
| P-2O | 0047-ULE0-GSA Pioneer - KITCHEN-WALLMOUNT 7-7/8" TO 8-1/8" LVR HDL 4" SWVEL SPT-PC | \$143.50 | 1 |
|------|--|----------|---|

Note: P0.02 - Plumbing Fixture Schedule

| | | | |
|-----|--|----------|---|
| P-8 | 0054-ULE-Q Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC | \$193.00 | 1 |
|-----|--|----------|---|

| | | | |
|--|---|---------|---|
| | CS-65002 Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE | \$44.60 | 1 |
|--|---|---------|---|

| | | | |
|--|---|---------|---|
| | CS-65001 Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER | \$60.50 | 1 |
|--|---|---------|---|

Note: P0.02 - Plumbing Fixture Schedule

Section Brand: Powers

| Label | Product No. Description | List Price | Qty. |
|------------------|--|------------|------|
| P-2H/P-17A P-17C | ES150-11 Powers - ES150 EMERGENCY TEMPER | \$1,126.00 | 1 |

Note: P0.02 - Plumbing Fixture Schedule; Quoting Mixing Valve for Emergency Eyewash

| | | | |
|------|---|----------|---|
| P-5C | P905HH1000 Powers - Pressure Balancing Valve, 1/2" copper sweat connection, Low Flow Shower (1.5 gpm), Arm & Flange | \$342.00 | 1 |
|------|---|----------|---|

Note: P0.02 - Plumbing Fixture Schedule; Quoting as a Suggestion, Model cannot be found.

| | | | |
|-------|---|------------|---|
| P-17D | ETV400-15 Powers - ETV400-15 EMERGENCY TMPR | \$2,779.00 | 1 |
|-------|---|------------|---|

Note: P0.02 - Plumbing Fixture Schedule; Quoting Mixing Valve for Emergency Shower

| | | | |
|-------------|--|-------------|---|
| TMV-1/TMV-2 | SLFIS150F00LP-200 Powers - IntelliStation Digital Water Tempering and Recirculating System, 2" Inlet, 2" Outlet, 1" Return Pipe, Less Pump | \$24,884.00 | 1 |
|-------------|--|-------------|---|

Note: P0.02 - Plumbing Thermostatic Mixing Valve Schedule

NOTE : *Please be advised, No equal Powers cross available for the Drench Shower*

Section Brand: Watts Regulators

| Label | Product No. Description | List Price | Qty. |
|---|---|------------|------|
| P-16 | SC8-2 Watts - Hydrant - cast brass, wall mount, Model 8B tamper-proof vacuum breaker with break-away screw, adjustable packing nut cartridge, no kink faucet, 3/4" (19 mm) male NPT of copper sweat connection with tee handle. (0611250) | \$81.50 | 1 |
| <i>Note: P0.02 - Plumbing Fixture Schedule; Quoting as a Suggestion, no Model provided.</i> | | | |
| ET-1/HT-1 | DETA 210 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 90 gallons (0212037) | \$5,833.00 | 1 |
| <i>Note: P0.02 - Expansion Tank Schedule</i> | | | |

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

| Label | Product No. Description | List Price | Qty. |
|--|--|------------|------|
| P-1A/P-1H | TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. | | 1 |
| | TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. | \$989.50 | 1 |
| | TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. | \$1,411.00 | 1 |
| <i>Note: P0.02 - Plumbing Fixture Schedule</i> | | | |
| P-3A | ISCA-103-L/R Watts - single, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts. | \$3,284.00 | 1 |
| | ISCA-103-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts. | \$6,328.00 | 1 |
| | ISCA-123 Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts. | \$3,713.00 | 1 |

| | | | |
|-------------|--|-------------|---|
| | ISCA-123-D | \$7,154.00 | 1 |
| | Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, stainless steel support rods and hardware, chrome plated nuts. | | |
| | ISCA-133-L/R | \$4,017.50 | 1 |
| | Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, left/right side outlet, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, ductile iron rear anchor support, stainless steel support rods and hardware, chrome plated nuts. | | |
| | ISCA-133-D | \$7,454.00 | 1 |
| | Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø no hub waste connection and 4"Ø no hub side inlets, 2"Ø no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome cap nuts. | | |
| | Note: P0.02 - Plumbing Fixture Schedule | | |
| P-15B/P-15C | CA-431-1 | \$1,214.50 | 1 |
| | Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware. | | |
| | Note: P0.02 - Plumbing Fixture Schedule | | |
| P-16B | HY-725-3-K | | 1 |
| | Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, loose key, stainless steel box, cylinder lock | | |
| | HY-725-3-K,-6,-8 | \$1,734.00 | 1 |
| | Watts - 6" (152 mm), 8" (203 mm) thick | | |
| | HY-725-3-K,-10,-12,-14 | \$1,877.00 | 1 |
| | Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick | | |
| | Note: P0.02 - Plumbing Fixture Schedule; Quoting as a Suggestion, no Model provided. | | |
| P-16C | HY-500 | | 1 |
| | Watts - non-freeze, all bronze head, concealed, bronze face, nickel bronze box and door | | |
| | HY-503-3/4 | \$11,443.50 | 1 |
| | Watts - non-freeze, all bronze head, seat casting and internal working parts, deck type, concealed, bronze face, nickel bronze box and door, bronze box, loose key, 3' (914 mm) depth, 3/4" (19 mm) connection size | | |
| | HY-504-3/4 | \$11,913.00 | 1 |
| | Watts - non-freeze, all bronze head, seat casting and internal working parts, deck type, concealed, bronze face, nickel bronze box and door, bronze box, loose key, 4' (1219 mm) depth, 3/4" (19 mm) connection size | | |
| | HY-505-3/4 | \$12,385.00 | 1 |
| | Watts - non-freeze, all bronze head, seat casting and internal working parts, deck type, concealed, bronze face, nickel bronze box and door, bronze box, loose key, 5' (1524 mm) depth. 3/4" (19 mm) connection size | | |
| | Note: P0.02 - Plumbing Fixture Schedule; Quoting as a Suggestion, no Model provided. | | |
| FCO | CO-200-R | | 1 |
| | Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top | | |
| | CO-200-R,2 | \$625.50 | 1 |
| | Watts - 2"Ø (51 mm) | | |

| | | | |
|--|---|----------|---|
| | CO-200-R,3 | \$661.00 | 1 |
| | Watts - 3"Ø (76 mm) | | |
| | CO-200-R,4 | \$881.00 | 1 |
| | Watts - 4"Ø (102 mm) | | |
| Note: Spec 22 13 19 - 2; | | | |
| CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER | | | |
| CARPET MARKER (-RC) = \$78.00 LIST ADDER | | | |
| NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER | | | |
| TILE RECESS (-T) = NO ADDITIONAL | | | |
| TERRAZZO RECESS (-U) = \$354.00 LIST ADDER | | | |
| EXTERIOR CO | CO-200-RX-4 | | 1 |
| | Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top | | |
| | CO-200-RX-4,2 | \$420.50 | 1 |
| | Watts - 2"Ø (51 mm) | | |
| | CO-200-RX-4,3 | \$487.50 | 1 |
| | Watts - 3"Ø (76 mm) | | |
| | CO-200-RX-4,4 | \$596.50 | 1 |
| | Watts - 4"Ø (102 mm) | | |
| Note: Spec 22 13 19 - 2 | | | |
| WCO | CO-480-RD | | 1 |
| | Watts - round, stainless steel access cover and stainless steel vandal proof screw | | |
| | CO-480-RD,5,6 | \$133.50 | 1 |
| | Watts - 5"Ø (127 mm), 6"Ø (152 mm) cover size | | |
| | CO-480-RD,7 | \$170.00 | 1 |
| | Watts - 7"Ø (178 mm) cover size | | |
| | CO-480-RD,8 | \$300.50 | 1 |
| | Watts - 8"Ø (203 mm) cover size | | |
| | CO-480-RD,10 | \$475.00 | 1 |
| | Watts - 10"Ø (254 mm) cover size | | |
| Note: Spec 22 13 19 - 2 | | | |
| SQUARE FCO | CO-200-S | | 1 |
| | Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" x 5" (127 mm x 127 mm) square, nickel bronze top | | |
| | CO-200-S,2 | \$625.50 | 1 |
| | Watts - 2"Ø (51 mm) | | |
| | CO-200-S,3 | \$661.00 | 1 |
| | Watts - 3"Ø (76 mm) | | |
| | CO-200-S,4 | \$881.00 | 1 |
| | Watts - 4"Ø (102 mm) | | |
| Note: Spec 22 13 19 - 3; | | | |
| NB HEAVY DUTY (-SX) = \$122.00 LIST ADDER | | | |
| TILE RECESS (-TS) = NO ADDITIONAL | | | |
| TERRAZZO RECESS (-US) = \$279.00 LIST ADDER | | | |
| CONCRETE FCO | CO-200-RX-4-13 | | 1 |
| | Watts - 7" (178 mm) diameter, galvanized cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, cast iron top | | |
| | CO-200-RX-4-13,2 | \$639.50 | 1 |
| | Watts - 2"Ø (51 mm) | | |
| | CO-200-RX-4-13,3 | \$706.50 | 1 |
| | Watts - 3"Ø (76 mm) | | |

Watts - 4"Ø (102 mm)

Note: *Spec 22 13 19 - 3***NOTE :** *No Models or Spec's Given for Drainage Schedule, Therefore no drains are included on the Quote.****NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Watts Drainage does not meet PA.DGS please be advised.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.