



**Address:** 202 Commerce Blvd, Lawrence , Pennsylvania ,  
15055 United States

**Phone:** (724) 745-5300

**Quotation:**  
**Q-683-S**

<b>To:</b>	<b>Contractor Holder</b> 202 Commerce Blvd., Lawrence, Pennsylvania 15241	<b>Bid Date:</b>	2019-04-04
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2019-05-04
<b>Phone:</b>	724-745-5300	<b>Creator:</b>	Drew Pomrenke , dpomrenke@jboconnor.com
		<b>Sales Rep.:</b>	Casey Devlin , cdevlin@jboconnor.com
		<b>Shipping Address:</b>	Shand Avenue & Reimer Street, Altoona, Pennsylvania, United States

**Job Name: AMED New EMS Station & Admin Office Bldg Altoona, PA**

**Engineer:** Pyramid Engineering - Altoona

**Comments:**

**Section Brand: Sloan**

Label	Product No. Description	List Price	Qty.
U-1/U-1, HC	<b>SU-1006-A</b> Sloan - Urinal fixture only, 1.0 GPF, 3/4" top spud. Includes Dome strainer (1101006)	\$272.80	1

	<b>REGAL 186-1 XL</b> Sloan - Exposed Urinal Flushometer, for 3/4" top spud urinals, 1 gpf/3.8 Lpf (3082675)	\$197.50	1
--	---	----------	---

**Note:** Spec 22 4000 - 3

L-2,HC	<b>SS-3003</b> Sloan - Vitreous china wall mounted lavatory with backsplash, 4" centers, overflow, ADA compliant, 21" x 19.25" (3873003)	\$86.75	1
--------	---	---------	---

**Note:** Spec 22 4000 - 5

**Section Brand: Elkay**

Label	Product No. Description	List Price	Qty.
S-1,HC	<b>LRAD1919550</b> Elkay - 18 Gauge Stainless Steel 19.5' x 19' x 5.5' Single Bowl Top Mount Kitchen Sink	\$848.00	1

	<b>LKJ35</b> Elkay - DRAIN	\$60.00	1
--	-------------------------------	---------	---

**Note:** Spec 22 4000 - 5

S-2,HC	<b>LRAD3322550</b> Elkay - 18 Gauge Stainless Steel 33' x 22' x 5.5' Double Bowl Top Mount Kitchen Sink	\$1,379.00	1
--------	--	------------	---

	<b>LKJ35</b> Elkay - DRAIN	\$60.00	2
--	-------------------------------	---------	---

**Note:** Spec 22 4000 - 6

EWC-1,HC	<b>EZSTL8WSLK</b> Elkay - BFS VERS BI-LVL 8GPH LT GRY	\$2,301.00	1
----------	--	------------	---

**Note:** Spec 22 4000 - 9

**Note:** Model specified not found, Quoting as per description

**Section Brand: Pioneer**

Label	Product No. Description	List Price	Qty.
L-1,HC	<b>0072-GSAELS-Q</b> Pioneer - KITCHEN-CONCEALED 8" TWO 4" WRIST HDLS 4-3/32" GOOSENECK SPT 1/4 TURN-PVD PC	\$173.25	1
<i>Note: Spec 22 4000 - 4</i>			
<i>Note: Quoting 1.5 GPM in lieu of 2.0 GPM.</i>			
L-2,HC	<b>0084-LE17</b> Pioneer - BAR/LAUNDRY-4" LVR HDL 4-3/32" GOOSENECK RIGID/SWVEL RIGID/SWVEL SPT-PC	\$114.50	1
<i>Note: Spec 22 4000 - 5</i>			
<i>Note: Quoting 1.5 GPM in lieu of 0.5 GPM.</i>			
S-1,HC	<b>K-5350</b> Pioneer - KITCHEN-8" TWO ADA WRIST BLADE HDL GOOSENECK SPT W/SIDE SPRAY-CP	\$93.00	1
<i>Note: Spec 22 4000 - 6</i>			
<i>Note: Quoting as alternate.</i>			
<i>Note: Quoting 1.5 GPM in lieu of 2.2 GPM.</i>			
S-2,HC	<b>80122-A07</b> Pioneer - KITCHEN-TOPMOUNT CANOPY HDL 8-3/4" HI-RISE SPT CERAMIC CART-PC	\$181.80	1
<i>Note: Spec 22 4000 - 6</i>			
<i>Note: Quoting as alternate, quoting arc spout in lieu of L spout.</i>			
<i>Note: Quoting 1.5 GPM in lieu of 2.2 GPM.</i>			
SS-1 (faucet)	<b>0084-A</b> Pioneer - BAR/LAUNDRY-4" TWO CANOPY HDLS 6" TUBE SPT-PVD PC	\$96.00	1
<i>Note: Spec 22 4000 - 7</i>			
<i>Note: Quoting as suggestion, no model specified.</i>			
SS-2/SS-3 (faucet)	<b>0054-ULE-Q</b> Pioneer - SERVICE SINK-7-7/8" TO 8-1/8" LVR HDL RIGID SPT 1/4 TURN-PC	\$193.00	1
	<b>CS-65001</b> Pioneer - ACCESSORY-STAINLESS STEEL MOP HANGER	\$60.50	1
	<b>CS-65002</b> Pioneer - ACCESSORY-HOSE BRACKET W/30" LONG HOSE	\$44.60	1
<i>Note: Spec 22 4000 - 8</i>			
<i>Note: Quoting accessories as options.</i>			

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
TMV	<b>LFLM495-1</b> Powers - 1/2 LFLM495-1	\$312.00	1
<i>Note: Spec 22 1116 - 8</i>			
SH-1,HC	<b>P910HH101WY</b> Powers - Pressure Balancing Valve, 1/2" Copper sweat connection, Low Flow Shower (1.5gpm), Arm & Flange, 24" Chrome ADA Wall Grab Bar System, Vacuum Breaker, in-Line, Diveter, Concealed, 1/2" IPS Metal Handle	\$1,119.00	1
<i>Note: Spec 22 4000 - 9</i>			
<i>Note: Quoting as suggestion, no model specified.</i>			

## Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
4" Fire Service	<b>709DCDA-OSY-CFM : 4</b> Watts - cast iron body, replaceable bronze seats, UL listed & FM approved resilient seated OSY shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, cubic feet per minute reading, 4"Ø (102 mm) pipe connection (0387058)	\$8,230.00	1
<i>Note: P2.01 - Plumbing Foundation Plan.</i>			
<i>Note: Quoting as suggestion.</i>			
DBP-1	<b>LF009M2-QT : 1 1/2</b> Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 1-1/2"Ø (38 mm) pipe connection (0391006)	\$1,304.00	1
	<b>909-AGF</b> Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	<b>LF777SI : 2</b> Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1
<i>Note: P2.01 - Detail 2 &amp; Spec 22 1116 - 2</i>			
HB-1	<b>SC8-4</b> Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$81.25	1
<i>Note: Spec 22 1119 - 3</i>			
<i>Note: Quoting as alternate.</i>			
ET-1	<b>DETA 5</b> Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 3.5 gallons (0212026)	\$1,832.00	1
<i>Note: Spec 22 3400 - 4</i>			

## Section Brand: Watts Drainage

Header: \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

Label	Product No. Description	List Price	Qty.
WHA	<b>LF15M2-DR Series</b> Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1
	<b>LF15M2-A-DR</b> Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$175.00	1
	<b>LF15M2-B-DR</b> Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$335.50	1
	<b>LF15M2-C-DR</b> Watts - 33-60, fixture units, 1" (25 mm) connection	\$529.50	1
	<b>LF15M2-D-DR</b> Watts - 61-113 fixture units, 1" (25 mm) connection	\$1,118.00	1
	<b>LF15M2-E-DR</b> Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,391.00	1

	<b>LF15M2-F-DR</b>	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
<b>Note: Spec 22 1119 - 2</b>			
WH-1	<b>HY-725</b>		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	<b>HY-725,-6,-8</b>	\$1,547.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	<b>HY-725,-10,-12,-14</b>	\$1,690.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	<b>HY-725,-16,-18</b>	\$1,830.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
<b>Note: Spec 22 1119 - 2</b>			
FD-1	<b>FD-100-A6-6</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, vandal proof		
	<b>FD-100-A6-6,2,3,4</b>	\$643.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-100-A6-6,6</b>	\$763.00	1
	Watts - 6"Ø (152 mm)		
<b>Note: Spec 22 1319 - 2</b>			
FD-2	<b>FD-320-Y-1-5-6</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, nickel bronze, round grate, sediment bucket, vandal proof		
	<b>FD-320-Y-1-5-6,2,3,4</b>	\$1,333.00	1
	Watts - 2" (51mm),3" (76mm), 4" (102mm)		
	<b>FD-320-Y-1-5-6,6</b>	\$1,453.00	1
	Watts - 6"(152 mm)		
<b>Note: Spec 22 1319 - 2</b>			
TD-1	<b>DX-DI</b>	\$1,133.00	1
	Watts - UV stabilized talc-filled polypropylene channels with 6" (152 mm) no-hub bottom or end outlet(s), pre-sloped trench, 12" (305 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F		
<b>Note: Spec 22 1319 - 2</b>			
<i>Please note trench drain price is per foot.</i>			
EXT CO	<b>CO-300-MF</b>	\$1,391.00	1
	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	<b>CO-380</b>		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	<b>CO-380,2</b>	\$96.25	1
	Watts - 2"Ø (51 mm)		
	<b>CO-380,3</b>	\$148.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-380,4</b>	\$205.50	1
	Watts - 4"Ø (102 mm)		

	<b>CO-380,6</b>	\$420.50	1
	Watts - 6"Ø (152 mm)		
<b>Note:</b> Spec 22 1319 - 3 & Spec 22 1426 - 3			
FCO	<b>CO-200-RX-6</b>		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, nickel bronze top, vandal proof		
	<b>CO-200-RX-6,2</b>	\$874.50	1
	Watts - 2" (51 mm)		
	<b>CO-200-RX-6,3</b>	\$911.00	1
	Watts - 3" (76 mm)		
	<b>CO-200-RX-6,4</b>	\$1,132.00	1
	Watts - 4" (102 mm)		
<b>Note:</b> Spec 22 1319- 3 & Spec 22 1426 - 3			
CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER			
CARPET MARKER (-RC) = \$78.00 LIST ADDER			
NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER			
TILE RECESS (-T) = NO ADDITIONAL			
TERRAZZO RECESS (-U) = \$354.00 LIST ADDER			
WCO	<b>CO-460-RD</b>		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	<b>CO-460-RD,2</b>	\$364.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460-RD,3</b>	\$417.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460-RD,4</b>	\$611.50	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Spec 22 1319 - 3 & Spec 22 1426 - 3			
CO	<b>CO-590</b>		1
	Watts - Round, threaded brass cleanout plug with countersunk head		
	<b>CO-590,1.5</b>	\$45.75	1
	Watts - 1-1/2"Ø (39 mm)		
	<b>CO-590,2</b>	\$54.50	1
	Watts - 2"Ø (51 mm)		
	<b>CO-590,3</b>	\$96.25	1
	Watts - 3"Ø (76 mm)		
	<b>CO-590,4</b>	\$167.50	1
	Watts - 4"Ø (102 mm)		
	<b>CO-590,5</b>	\$260.00	1
	Watts - 5"Ø (126 mm)		
	<b>CO-590,6</b>	\$349.50	1
	Watts - 6"Ø (152 mm)		
<b>Note:</b> Spec 22 1319 - 3 & Spec 22 1426 - 3			
RD-1	<b>RD-300-D-F-K80</b>		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, aluminum dome, underdeck clamp, adjustable extension flange		
	<b>RD-300-D-F-K80,2,3,4</b>	\$1,852.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-300-D-F-K80,5,6</b>	\$2,154.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		

	<b>RD-300-D-F-K80,8,10</b>	\$2,457.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	<b>RD-300-D-F-R-K80</b>		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, aluminum dome, Underdeck clamp, Deck flange/Adj.Extension, 2" External water dam		
	<b>RD-300-D-F-R-K80,2,3,4</b>	\$2,082.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-300-D-F-R-K80,5,6</b>	\$2,385.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	<b>RD-300-D-F-R-K80,8,10</b>	\$2,687.50	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
<b>Note:</b> Spec 22 1426 - 2			
<i>NOTE: The specified roof drain has one (1) deck plate for both drains. Watts Drainage offers separate standard and overflow roof drains with separate deck plates for this product. When installed side-by-side, our offering is equal to the combination roof drain specified.</i>			
DSN-1	<b>RD-950</b>		1
	Watts - round, fabricated type 304 stainless steel, securing flange and secured perforated hinged strainer, no hub		
	<b>RD-950,3,4</b>	\$2,910.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-950,6</b>	\$3,074.00	1
	Watts - 6"Ø (152 mm)		
	<b>RD-950,8</b>	\$3,220.00	1
	Watts - 8"Ø (203 mm)		
	<b>RD-950,10</b>	\$3,407.00	1
	Watts - 10"Ø (254 mm)		
	<b>RD-950,12</b>	\$3,615.00	1
	Watts - 12"Ø (305 mm)		
<b>Note:</b> Spec 22 1426 - 2			
U-1/U-1, HC	<b>CA-321</b>	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
<b>Note:</b> Spec 22 4000 - 4			
L-2,HC	<b>TCA-411 Series</b>		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411</b>	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411-D</b>	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
<b>Note:</b> Spec 22 4000 - 5			
EWC-1,HC	<b>CA-431-1</b>	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
<b>Note:</b> Spec 22 4000 - 9			

**NOTE :** \*\*\*NOTE: Watts Drainage does not meet PA.DGS please be advised\*\*\*

---

**Special Terms:**

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.