



Address: 202 Commerce Blvd, Lawrence , Pennsylvania ,
15055 United States

Phone: (724) 745-5300

Quotation:
Q-644-S

To:	Contractor Holder 202 Commerce Blvd., Lawrence, Pennsylvania 15241	Bid Date:	2019-03-07
Attn.:	N/A	Expiry Date:	2019-04-06
Phone:	724-745-5300	Creator:	Drew Pomrenke , dpomrenke@jboconnor.com
		Sales Rep.:	Casey Devlin , cdevlin@jboconnor.com
		Shipping Address:	5159 Library Road, Bethel Park, Pennsylvania, United States

Job Name: Aldi #53 - Bethel Park Pittsburgh, PA

Engineer: MS Consultants INC

Comments:

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
RPZ-A	LF009M3-QT : 3/4 Watts - Lead Free cast copper silicon alloy body for 1/4" to 2" and fused epoxy coated cast iron body for 2-1/2" and 3", replaceable seats and silicone seat discs, internal pressure differential relief valve in between check modules resilient seated isolation valves, resilient seated screw driver slotted test cocks, quarter turn ball-valves, 3/4"Ø (19 mm) pipe connection (0391003)	\$673.00	1
	909-AGA Watts - 909-AGA Air Gap (0881399)	\$92.50	1
	LF777SI : 3/4 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 3/4"Ø (19 mm) valve (0379112)	\$91.50	1

Note: P301 - Plumbing Material List

HB-1	SC8-4 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$81.25	1
------	---	---------	---

Note: Spec 22 1119 - 2

Note: Quoting as suggestion, no model specified.

Section Brand: Watts Drainage

Header: ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Label	Product No. Description	List Price	Qty.
RD-1	RD-300-D Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, polyethylene dome, under deck clamp		1
	RD-300-D,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$948.00	1
	RD-300-D,5,6 Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size	\$1,251.00	1

	RD-300-D,8,10	\$1,554.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
Note: P301 - Plumbing Material List			
RD-2	RD-100-K-SO		1
	Watts - 14-1/8" (359 mm) diameter cast iron body, flashing clamp, no-hub outlet, 12-3/8" (314 mm) diameter, ductile iron dome, side outlet		
	RD-100-K-SO,2,3,4	\$1,253.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: P301 - Plumbing Material List			
RD-3	RD-700		1
	Watts - 21" x 13-1/16" (533 mm x 330 mm), one-piece cast iron combination roof drain, flashing clamps with integral gravel guard, 4" (102 mm) overflow standpipe, no-hub outlet, 20" x 12-1/2" (508 mm x 317 mm), ductile iron dome		
	RD-700,3,4	\$2,170.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-700,6	\$2,602.00	1
	Watts - 6"Ø (152 mm)		
Note: P301 - Plumbing Material List			
<i>Note: Quoting as alternate.</i>			
HD-1	FD-100-DD-50		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter opening, cast iron hub funnel		
	FD-100-DD-50,2,3,4	\$452.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-DD-50,6	\$572.00	1
	Watts - 6"Ø (152 mm)		
Note: P301 - Plumbing Material List			
<i>Note: Quoting as suggestion.</i>			
WHA	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$335.50	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,391.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 1119 - 3			
Backwater Valve	BV-300		1
	Watts - cast iron ball float backwater valve, no-hub outlet, removable bronze ring with neoprene seat		

	BV-300,2,3,4	\$377.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: Spec 22 1319 - 2			
Exposed Cleanout	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 2 & Spec 22 1423 - 1			
Vent Caps	RD-680-VC		1
	Watts - cast iron, vandal proof cover		
	RD-680-VC,2,3,4	\$471.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-680-VC,6	\$670.50	1
	Watts - 6"Ø (152 mm)		
	RD-680-VC,8	\$768.50	1
	Watts - 8"Ø (203 mm)		
Note: Spec 22 1319 - 3			
Wall Cleanout	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1423 - 2			
Expansion Joints	RD-900		1
	Watts - neoprene expansion joint, no hub (MJ) clamps		
	RD-900,2	\$298.00	1
	Watts - 2"Ø (51 mm)		
	RD-900,3	\$345.50	1
	Watts - 3"Ø (76 mm)		
	RD-900,4	\$404.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1423 - 2			
<i>Note: Quoting as alternate.</i>			
Drinking Fountain	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		

Note: Spec 22 4700 - 1

NOTE : ***NOTE: Watts Drainage does not meet PA.DGS please be advised***

Special Terms:

All pricing is plus freight unless Mfr freight terms are met.

Pricing good for 30 days.

Pricing subject to change if Mfr pricing changes.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.